

Assignment

Can Binay

2025-11-24

Installing Necessary Packages

```
install.packages("devtools", repos = "http://cran.us.r-project.org")
```

```
## Installing package into 'C:/Users/can_2/AppData/Local/R/win-library/4.5'  
## (as 'lib' is unspecified)
```

```
## package 'devtools' successfully unpacked and MD5 sums checked  
##
```

```
## The downloaded binary packages are in  
## C:\Users\can_2\AppData\Local\Temp\RtmpWuCfFI\downloaded_packages
```

```
install.packages("sf", repos = "http://cran.us.r-project.org")
```

```
## Installing package into 'C:/Users/can_2/AppData/Local/R/win-library/4.5'  
## (as 'lib' is unspecified)
```

```
## package 'sf' successfully unpacked and MD5 sums checked
```

```
## Warning: cannot remove prior installation of package 'sf'
```

```
## Warning in file.copy(savedcopy, lib, recursive = TRUE): problem copying  
## C:\Users\can_2\AppData\Local\R\win-library\4.5\00LOCK\sf\libs\x64\sf.dll to  
## C:\Users\can_2\AppData\Local\R\win-library\4.5\sf\libs\x64\sf.dll: Permission  
## denied
```

```
## Warning: restored 'sf'
```

```
##
```

```
## The downloaded binary packages are in  
## C:\Users\can_2\AppData\Local\Temp\RtmpWuCfFI\downloaded_packages
```

```
library(devtools)
```

```
## Warning: package 'devtools' was built under R version 4.5.2
```

```
## Zorunlu paket yükleniyor: usethis
```

```
## Warning: package 'usethis' was built under R version 4.5.2
```

```
library(sf)
```

```
## Warning: package 'sf' was built under R version 4.5.2
```

```
## Linking to GEOS 3.13.1, GDAL 3.11.4, PROJ 9.7.0; sf_use_s2() is TRUE
```

```
devtools::install_github("htastan/TRmaps")
```

```
## Using GitHub PAT from the git credential store.
```

```
## Skipping install of 'TRmaps' from a github remote, the SHA1 (c136d9fa) has not changed since last in
## Use 'force = TRUE' to force installation
```

```
library(readxl)
```

```
## Warning: package 'readxl' was built under R version 4.5.2
```

```
pivot2_sorted <- read_excel("C:/Users/can_2/Desktop/pivot2_sorted.xlsx")
View(pivot2_sorted)
```

```
library(TRmaps)
library(tidyverse)
```

```
## Warning: package 'ggplot2' was built under R version 4.5.2
```

```
## Warning: package 'tidyr' was built under R version 4.5.2
```

```
## Warning: package 'readr' was built under R version 4.5.2
```

```
## Warning: package 'purrr' was built under R version 4.5.2
```

```
## Warning: package 'dplyr' was built under R version 4.5.2
```

```
## Warning: package 'stringr' was built under R version 4.5.2
```

```
## -- Attaching core tidyverse packages ----- tidyverse 2.0.0 --
```

```
## v dplyr      1.1.4      v readr      2.1.6
```

```
## v forcats    1.0.1      v stringr    1.6.0
```

```
## v ggplot2    4.0.1      v tibble     3.3.0
```

```
## v lubridate  1.9.4      v tidyr      1.3.1
```

```
## v purrr      1.2.0
```

```
## -- Conflicts ----- tidyverse_conflicts() --
```

```
## x dplyr::filter() masks stats::filter()
```

```
## x dplyr::lag()    masks stats::lag()
```

```
## i Use the conflicted package (<http://conflicted.r-lib.org/>) to force all conflicts to become errors
```

```
tr_map <- pivot2_sorted %>%  
  select(iller, yil)  
  
tr_map <- left_join(tr_nuts3, tr_map, by = c("name_tr" = "iller"))  
ggplot(tr_map) +  
  geom_sf(aes(fill = yil)) +  
  theme_void()
```

