Assignment 4

AKKASANI YAGNESH REDDY
CS21BTECH11003

May 23, 2022

Outline

1. Question
2. solution

Question

Show that

$$\Pr(A) = \Pr(A|X \leq x)\, F(x) + \Pr(A|X > x)\,[1 - F(x)] \tag{1}$$

Solution: Lets define a random variable Y such that,

Variable	Value	description
Y	1	If event A happens
Y	0	If event A does not happen

Now lets take the given equation R.H.S.

$$\Pr(A|X \leq x)\, F(x) + \Pr(A|X > x)\,[1 - F(x)] \tag{2}$$

$$\Rightarrow \Pr(Y = 1|X \leq x)\, F(x) + \Pr(Y = 1|X > x)\,[1 - F(x)] \tag{3}$$

By the definition of conditional probability.

$$\Pr(Y = 1 | X \leq x) = \frac{\Pr((Y = 1)(X \leq x))}{\Pr(X \leq x)} \tag{4}$$

$$\Pr(Y = 1 | X > x) = \frac{\Pr((Y = 1)(X > x))}{\Pr(X > x)} \tag{5}$$

Also by the definition of cumulative probability,

$$\Pr(X \leq x) = F(x) \tag{6}$$

By the definition of probability,

$$\Pr(X \leq x) + \Pr(X > x) = 1 \tag{7}$$

Substituting 7 in 6 we get,

$$F(x) + \Pr(X > x) = 1 \tag{8}$$

$$\Rightarrow \Pr(X > x) = 1 - F(x) \tag{9}$$

Substituting equations $4, 5, 6$ and 9 in 3 we get,

$$\frac{\Pr((Y=1)(X \leq x))}{F(x)} F(x) + \frac{\Pr((Y=1)(X > x))}{(1-F(x)} [1 - F(x)] \quad (10)$$

$$\Rightarrow \Pr((Y=1)(X \leq x)) + \Pr((Y=1)(X > x)) \quad (11)$$

$$\Rightarrow \Pr(Y=1) \quad (12)$$

We showed that R.H.S is the same as L.H.S,

$$\Pr(Y = 1) = \Pr(Y = 1) \tag{13}$$

Hence **proved**.