

The screenshot shows the Postman application interface. On the left, there's a sidebar with 'yagnesh Team's Workspace' containing 'Collections', 'environments', 'History', and 'Flows'. The main area shows a 'New Collection' named 'EXP-8' with a 'new users' item. A 'POST new users' request is selected, pointing to <https://fsd-2-sdnw.onrender.com/students>. The 'Body' tab is active, showing raw JSON input:

```
1 {
2   "name": "YAGNESHREDDY",
3   "age": 20
4 }
```

The response shows a 201 Created status with a response time of 373 ms and a size of 395 B. The response body is:

```
1 {
2   "age": 20,
3   "id": 5,
4   "name": "YAGNESHREDDY"
5 }
```

The screenshot shows a browser window with the URL <https://fsd-2-sdnw.onrender.com/students>. The response is displayed in a JSONpretty-printed format:

```
[{"age": 20, "id": 1, "name": "yagnesh188"}, {"age": 29, "id": 3, "name": "hhiiii"}, {"age": 20, "id": 4, "name": "YAGNESHREDDY"}]
```

Postman screenshot showing a successful GET request to `https://fsd-2-sdnw.onrender.com/students`. The response body is a JSON array of five user objects:

```
[{"id": 1, "name": "yagnesh189", "age": 28}, {"id": 2, "name": "hiiiiii", "age": 29}, {"id": 3, "name": "YAGNESREDDY", "age": 28}, {"id": 4, "name": "YAGNESREDDY", "age": 28}, {"id": 5, "name": "YAGNESREDDY", "age": 28}]
```

Postman screenshot showing a successful PUT request to `https://fsd-2-sdnw.onrender.com/students/2`. The response body is a JSON object:

```
{"id": 2, "name": "yagnesh", "age": 28}
```

Postman screenshot showing a successful DELETE request to `https://fsd-2-sdnw.onrender.com/students/2`. The response body is a JSON object:

```
{"message": "Deleted successfully"}
```

