



Use sandboxed Experts safely

You can schedule an **Experts Mode** task, but do **not** pre-approve unrestricted terminal access. In Experts Mode, Qoder runs normal commands automatically and routes potentially dangerous commands into its sandbox; if the sandbox cannot perform something, it should pause and ask you before escalating to your real terminal. [\[1\]](#) [\[2\]](#)

For this project, set the scheduled job up with these choices:

Setting	Recommended choice
Mode	Experts Mode
Model	Qwen3.8-Max , only if its Expert-mode selector actually shows it
Execution location	Sandbox / default restricted environment
Approval policy	Keep the default confirmation/escalation behavior
Full Access / YOLO / bypass permissions	Do not enable
Working folder	The StitchCheck project folder only
Schedule	One-time, after you have reviewed the awake build
External access	Prohibit it explicitly in the prompt

Avoid enabling “always allow” for terminal escalation. Qoder’s docs say an escalation can cause a task to pause for approval and then execute outside the sandbox; you want that pause, especially because your project contains `.env.local`. [\[1\]](#)

Scheduled prompt

Use this **only** after the awake Qwen3.7-Plus build has passed type-check and production build:

```
/schedule At [TIME] tonight, run this task in Experts Mode using Qwen3.8-Max if it is available. Use the sandbox only. Do not request or accept terminal permission escalation; if sandbox restrictions block a command, stop and report.
```

```
Work only inside the StitchCheck project folder.
```

```
Read:
```

```
@docs/react-ui-acceptance-checklist.md
```

```
@docs/plans/react-ui-implementation-plan.md
```

```
@app-fixture-contracts/stitchcheck-ui-demo-data.json
```

```
@app-fixture-contracts/stitchcheck-ui-copy-map.json
```

```
Task:
```

Audit and improve only the already-created local UI under `app/`.

Allowed:

- Read and edit files under `app/`.
- Run local type-check, production-build, and localhost-only UI checks.
- Improve responsive layout, accessibility, visible confirmation gating, status states, and safety-label presentation.
- Fix only defects discovered by these local checks.

Forbidden:

- Do not access, read, print, scan, or modify `.env.local`.
- Do not read or modify any file outside `app/` except the four listed read-only references.
- Do not install, remove, or update packages.
- Do not make network calls, authenticate, use credentials, or call Gemini, OpenRouter, Nosana, Atlas, or any other service.
- Do not initialize Git, stage, commit, branch, add remotes, or push.
- Do not modify evidence, fixtures, plans, PRD, UAT, SPECS, or checklists.
- Do not add any booking, payment, verification, reservation, ticket, order, write, or external-action behavior.
- Preserve the exact required source labels and keep local placeholders clearly distinct from live-service evidence.

Stop immediately and report if any disallowed action, dependency change, credential, external request, or terminal permission escalation is needed.

Return only:

- Files changed under `app/`
- Type-check result
- Production-build result
- Local UI checks completed
- Safety labels/gate verification
- External calls made
- Blockers or remaining limitations

The safe approval rule is: approve only **sandboxed file edits inside app/ and local build/test commands**; deny any escalation, credential access, package change, external request, or file access outside that scope. What specific action would make you deny an overnight approval immediately: a request to inspect `.env.local`, or a local TypeScript build command?



1. <https://docs.goder.com/user-guide/quest/terminal-and-sandbox>
2. <https://docs.goder.com/user-guide/quest/experts-mode>
3. <https://docs.goder.com/cloud-agents/api/overview>
4. <https://docs.goder.com/cli/loop>
5. <https://docs.goder.com/cli/sdk/permissions>
6. <https://docs.goder.com/zh/cli/permissions>
7. <https://docs.goder.com/qoderwork/scheduled-tasks>
8. <https://docs.goder.com/user-guide/quest/task-management>

9. <https://docs.goder.com/cli/sandbox>
10. <https://docs.goder.com/user-guide/quest/scheduled-tasks>
11. <https://docs.goder.com/cli/scheduled-tasks>
12. <https://docs.goder.com/cli/scheduled-reference>
13. <https://docs.goder.com/cloud-agents/api/forward/schedules/create>
14. <https://docs.goder.com/release-notes/desktop>
15. <https://docs.goder.com/account/enterprise/models>