SCOPE OF ACCREDITATION TO ISO/IEC 17025:2017

SHENZHEN MICROTEST CO., LTD.
101, No. 7, Zone 2, Xinxing Industrial Park, Fuhai Avenue
Xinhe Community, Fuhai Street, Bao'an District
Shenzhen, Guangdong, People's Republic of China
Ms. Tina Huang Phone: 86 0755 88850135 1132
Email: tinahuang@51mti.com

ELECTRICAL

Valid To: December 31, 2027 Certificate Number: 4674.01

In recognition of the successful completion of the A2LA evaluation process, accreditation is granted to this laboratory, as well as one satellite location listed below, to perform the following electrical tests:

Test Technology:	**Test Method(s) [1]:**
Radiated and Conducted Emissions	47 CFR, FCC Part 15B (using ANSI C63.4:2014) 47 CFR, FCC Part 18 (using MP-5:1986); 47 CFR, FCC Part 15C (using ANSI C63.10:2020); ANSI C63.4:2014; ANSI C63.10:2013; MP-5:1986; ANSI C63.4; ANSI C63.10; ICES-001; ICES-003; ICES-005; ICES-006; CISPR 11; AS CISPR 11; J55011; EN 55011; BS EN 55011; HKTA 1007; CISPR 14-1; AS/NZS CISPR 14.1; J55014-1; EN IEC 55014-1; BS EN IEC 55014-1; CISPR 15; AS CISPR 15; J55015; EN IEC 55015; BS EN IEC 55015; CISPR 32; AS/NZS CISPR 32; J55032; EN 55032; BS EN 55032; IEC 60601-1-2; EN 60601-1-2; BS EN 60601-1-2; IEC 62040-2; EN IEC 62040-2; BS IEC 62040-2; VCCI V-3 (*up to 6 GHz*)
Harmonics	EN IEC 61000-3-2; IEC 61000-3-2; BS EN IEC 61000-3-2
Flicker	EN 61000-3-3; IEC 61000-3-3; BS EN 61000-3-2
Immunity	
ESD	EN 61000-4-2; IEC 61000-4-2; BS EN 61000-4-2
Radiated Immunity	EN IEC 61000-4-3; BS EN IEC 61000-4-3; IEC 61000-4-3
EFT/Burst	EN 61000-4-4; IEC 61000-4-4; BS EN 61000-4-4
Surge	EN 61000-4-5; IEC 61000-4-5; BS EN 61000-4-5

Test Technology:	**Test Method(s) [1]:**
Conducted Immunity	EN 61000-4-6; IEC 61000-4-6; BS EN 61000-4-6
VDI	EN 61000-4-11; IEC 61000-4-11; BS EN IEC 61000-4-11
Magnetic Field	EN 61000-4-8; IEC 61000-4-8; BS EN 61000-4-8
Generic and Product Family Standards	IEC 61000-6-1; BS EN IEC 61000-6-1; EN IEC 61000-6-1; IEC 61000-6-2; BS EN IEC 61000-6-2; EN IEC 61000-6-2; IEC 61000-6-3; BS EN 61000-6-3; EN IEC 61000-6-3; AS/NSZ 61000.6.3; IEC 61000-6-4; BS EN IEC 61000-6-4; EN IEC 61000-6-4; AS/NSZ 61000.6.4; IEC 61547; EN 61547; BS EN 61547; IEC 61326-1; EN IEC 61326-1; BS EN IEC 61326-1; CISPR 35; EN 55035; BS EN 55035; CISPR 14-2; EN IEC 55014-2; BS EN IEC 55014-2; EN 301 489-1; EN 301 489-3; EN 301 489-5; EN 301 489-9; EN 301 489-17; EN 301 489-19; EN 301 489-33; EN 301 489-34; EN 301 489-50; EN 301 489-52
Product Safety	UL 62368-1; IEC 62368-1; EN 62368-1; EN IEC 62368-1; BS EN IEC 62368-1; AS/NZS 62368.1; J62368-1; JIS C 62368-1; CSA C22.2 No. 62368-1 (*excluding three-phase equipment, 5.4.2.3.2, 5.4.1.10.2, 5.4.4.6.5, 5.4.8 (over 85cmX80cmX60cm), 5.4.4.9 (frequencies higher than 30 kHz), 5.4.10, 5.4.11, 5.4.12, 5.5, 8.5.5, 8.10, 8.11, 10.3, 10.4, 10.5, Annex C, Annex G, S.3, S.5, Annex U, & Annex Y);* UL 2738; UL 1310; UL 2089; IEC 61558-1; EN IEC 61558-1; BS EN IEC 61558-1; AS/NZS 61558.1; IEC 61558-2-16; EN IEC 61558-2-16; BS EN IEC 61558-2-16; AS/NZS 61558.2.16; IEC 60335-1:2020; EN IEC 60335-1; BS EN IEC 60335-1; UL 60335-1; AS/NZS 60335.1; CAN/CSA-C22.2 No. 60335-1; J60335-1; IEC 60335-2-2:2019; EN IEC 60335-2-2; BS EN IEC 60335-2-2; UL 60335-2-2; AS/NZS 60335.2.2; CAN/CSA-C22.2 No. 60335-2-2; J60335-2-2; JIS C 9335-1; JIS C 9335-2-2; IEC 60335-2-52; EN 60335-2-52; BS EN 60335-2-52; AS/NZS 60335.2.52; UL 1431; CAN/CSA-C22.2 No 60335-2-52; J60335-2-52; JIS C 9335-2-52
Radio Communications Intentional and Unintentional Radiators	47 CFR, FCC Parts 15C, E, and F (using ANSI C63.10-2020, and FCC KDB 905462 D02 (v02), April 08, 2016); ANSI C63.4:2014; 47 CFR, FCC Parts 22, 24, 25, 27, 90, and 96 (using ANSI/TIA-603-E, TIA 102.CAAA-E, and ANSI C63.26:2015); ANSI C63.10; ANSI C63.10-2013; ANSI C63.10-2020+Cor.1-2023; ANSI C63.10-2020+Cor. 1-2023+C63.10a-2024; ANSI C63.26;

Test Technology:	**Test Method(s) [1]:**
Radio Communications Intentional and Unintentional Radiators	RSS-GEN; RSS-102; RSS-102.NS.MEAS; RSS-102.NS.SIM; RSS-112; RSS-130; RSS-131; RSS-132; RSS-133; RSS-134; RSS-139; RSS-192; RSS-195; RSS-197; RSS-198; RSS-199; RSS-210 (≤ 40 GHz); RSS-213; RSS-216 (≤ 40 GHz); RSS-220 (≤ 40 GHz); RSS-247; RSS-310; ETSI EN 300 220-1; ETSI EN 300 220-2; ETSI EN 300 220-3-1; ETSI EN 300 220-3-2; ETSI EN 300 220-4; ETSI EN 300 330; ETSI EN 300 330-1; ETSI EN 300 330-2; ETSI EN 300 440; ETSI EN 300 113; ETSI EN 302 208-1; ETSI EN 302 208-2; ETSI EN 302 208; ETSI EN 303 413; ETSI EN 303 417; ETSI EN 301 357; EN 300 422-1; ETSI EN 300 328; ETSI EN 301 893; ETSI EN 303 345-1; ETSI EN 301 511; ETSI EN 301 908-1; ETSI EN 301 908-2; ETSI EN 301 908-13; HKCA 1020; HKCA 1039; HKCA 1042; HKCA 1048; HKCA 1046; HKCA 1034; HKCA 1043; AS/ACIF S042.3; AS/CA S042.4; ARIB T-33; ARIB T-66; ARIB T-71; Article 2, Paragraph 1 of the Ordinance: Item 19; Item 19-2; Item 19-2-2; Item 19-2-3; Item 19-3; Item 11-3; Item 11-7; Item 11-19; Item 47; Item 78; MIC Notice No. 88, Appendix No. 43; MIC Notice No. 88, Appendix No. 44; AS/NZS 4268
Bluetooth	RF:1; RFPHY:1; RFPHY:2; Traditional Profiles and Protocols; GATT-Based Profile & Service; GATT-Based Audio
Qi Specification	Qi SpecificationPower Transmitter Compliance Tests V1.3.3; Qi Specification Power Transmitter Compliance Tests Version 2.1; Qi Specification MPP Power Transmitter Compliance Tests Version 2.1; Qi Specification Power Receiver Compliance Tests Version 2.1; Qi Specification MPP Power Receiver Compliance Tests Version 2.1; Qi Specification MC-PRx Compliance Tests Version 2.1; Qi Specification Power Transmitter Compliance Tests Version 2.2; Qi Specification MPP Power Transmitter Compliance Tests Version 2.2; Qi Specification Power Receiver Compliance Tests Version 2.2; Qi Specification MPP Power Receiver Compliance Tests Version 2.2; Qi Specification MC-PRx Compliance Tests Version 2.2
Acoustics Testing	EN 50332-1; BS EN 50332-1; EN 50332-2; BS EN 50332-2

Test Technology:	**Test Method(s) [1]:**
Battery Product	IEC 62133-1; EN 62133-1; BS EN 62133-1; JIS C 62133-1; IEC 62133-2; EN 62133-2; BS EN 62133-2; J62133-2; JIS C 62133-2; UL 62133-2; UL 1642; UL 2056; UL 2054; UL 2743; UL 4200A; ANSI/UL 2743; ANSI/CAN/UL 2743; IEC 61951-1; EN 61951-1; BS EN 61951-1; IEC 61951-2; EN 61951-2; BS EN 61951-2; IEC 61960-3; EN 61960-3; BS EN 61960-3; JIS C 8712; IEC 62281; EN IEC 62281; BS EN IEC 62281; IEC 60086-4; EN IEC 60086-4; BS EN IEC 60086-4; IEC 62619; EN IEC 62619; BS EN IEC 62619; UN/ST/SG/AC.10/1/Rev.21 Chapter 3.3 238; UN/ST/SG/AC.10/1/Rev.23 Chapter 3.3 238; UN/ST/SG/AC.10/1/Rev.22(V01.I); UN/ST/SG/AC.10/1/Rev.23(V01.II); ST/SG/AC.10/1/Rev.22(V01.II); ST/SG/AC.10/1/Rev.23(V01.II); ST/SG/AC.10/11/Rev.7/Amend.1 38.3; ST/SG/AC.10/11/Rev.8 38.3
Common Charger	IEC 62680-1-2; EN IEC 62680-1-2; BS EN IEC 62680-1-2; SASO-IEC-62680-1-2; IEC 62680-1-3; EN IEC 62680-1-3; BS EN IEC 62680-1-3 (*excluding 3, 6*); SASO-IEC-62680-1-3
Energy Efficiency	10 CFR Part 430.32 (w) External power supplies Appendix Z to Subpart B of Part 430 “Uniform Test Method for Measuring the Energy Consumption of External Power Supplies” Title 20. Division 2. Chapter 4. Article 4:1605.1 (u) External Power Supplies; Title 20. Division 2. Chapter 4. Article 4:1604 (u) External Power Supplies; 10 CFR Part 430.32(z) Battery Chargers Appendix Y1 to Subpart B of Part 430 “Uniform Test Method for Measuring the Energy Consumption of Battery Chargers” Title 20. Division 2. Chapter 4. Article 4:1605.1 (w) Battery Chargers; Title 20. Division 2. Chapter 4. Article 4:1604 (w); (EU) 2023/826; (EU) No 2019/1782; EN 50563; EN 50564

INFORMATION TECHNOLOGY

Test Technology:	**Test Method(s) [1]:**
Cybersecurity	
Common security requirements for radio equipment - Part 1: Internet connected radio equipment	EN 18031-1; BS EN 18031-1
Common security requirements for radio equipment - Part 2: radio equipment processing data, namely Internet connected radio equipment, childcare radio equipment, toys radio equipment and wearable radio equipment	EN 18031-2; BS EN 18031-2
Common security requirements for radio equipment - Part 3: Internet connected radio equipment processing virtual money or monetary value	EN 18031-3; BS EN 18031-3;
Cyber Security for Consumer Internet of Things: Conformance Assessment of Baseline Requirements	ETSI TS 103 701

Room 207, Building B, City Shanhai Yunhui Phase II
No. 1171, Xuegang South Road, Xiangjiaotang Community, Bantian
Longgang District, Shenzhen, People's Republic of China

Test Technology:	**Test Methods [1]:**
Qi Specification	Qi Specification Power Transmitter Compliance Tests V1.3.3; Qi Specification Power Transmitter Compliance Tests Version 2.1; Qi Specification MPP Power Transmitter Compliance Tests Version 2.1; Qi Specification Power Transmitter Compliance Tests Version 2.2; Qi Specification MPP Power Transmitter Compliance Tests Version 2.2

On the following types of products:
Household and similar electrical appliances, Audio and video apparatus, Information technology equipment, Lighting apparatus, Bluetooth, Notebook, Wireless Keyboard, Wireless mouse, Wireless Identify ready, Wireless transceiver, Wireless Walkie-Talkie, Wireless microphone, Remote, Wireless network device, Wireless video transmission systems and other low-power SRD devices, GSM/WCDMA/LTE, DECT (1.8G/1.9G band) devices, Audio and Video apparatus, Information technology equipment.

[1] When the date, edition, version, etc. is not identified in the scope of accreditation, laboratories may use the version that immediately precedes the current version for a period of one year from the date of publication of the standard measurement method, per Annex A, Part C of A2LA *R101 - General Requirements: Accreditation of Conformity Assessment Bodies*

Testing Activities Performed in Support of FCC Certification in Accordance with 47 Code of Federal Regulations and FCC KDB 974614, Appendix A, Table A.1:		
Rule Subpart/Technology	**Test Method**	**Maximum Frequency (MHz)**
Unintentional Radiators		
Part 15B	ANSI C63.4:2014	40000
Industrial, Scientific, and Medical Equipment		
Part 18	FCC MP-5:1986	40000
Intentional Radiators		
Part 15C	ANSI C63.10:2020	40000
U-NIII without DFS Intentional Radiators		
Part 15E	ANSI C63.10:2020	40000
U-NIII with DFS Intentional Radiators		
Part 15E	FCC KDB 905462 D02 (v02), April 08, 2016	40000
UWB Intentional Radiators		
Part 15F	ANSI C63.10:2020	40000
Commercial Mobile Services (FCC Licensed Radio Service Equipment)		
Parts 22 (cellular), 24, 25 (below 3 GHz), and 27	ANSI/TIA-603-E; TIA 102.CAAA-E; ANSI C63.26:2015	40000
General Mobile Radio Services (FCC Licensed Radio Service Equipment)		
Part 90 (below 3 GHz)	ANSI/TIA-603-E; ANSI C63.26:2015	40000
Citizens Broadband Radio Services (FCC Licensed Radio Service Equipment)		
Part 96	ANSI/TIA-603-E; ANSI C63.26:2015	40000
Note: Accreditation does not imply acceptance to the FCC equipment authorization program. Please see the FCC website (https://apps.fcc.gov/oetcf/eas/) for a listing of FCC approved laboratories.		

Accredited Laboratory

A2LA has accredited

SHENZHEN MICROTEST CO., LTD.

Shenzhen, People's Republic of China

for technical competence in the field of

Electrical Testing

This laboratory is accredited in accordance with the recognized International Standard ISO/IEC 17025:2017 *General requirements for the competence of testing and calibration laboratories*. This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (*refer to joint ISO-ILAC-IAF Communiqué dated April 2017*).



Presented this 9th day of October 2025.

Mr. Trace McInturff, Vice President, Accreditation Services
For the Accreditation Council
Certificate Number 4674.01
Valid to December 31, 2027

For the tests to which this accreditation applies, please refer to the laboratory's Electrical Scope of Accreditation.