application_stage_histories

id	🔑	bigint(20) NN
application_id	🔗	bigint(20) NN
from_stage		varchar(255)
to_stage		varchar(255) NN
created_at		timestamp
updated_at		timestamp

applications

id	🔑	bigint(20) NN
job_id	🔗	bigint(20) NN
candidate_id	🔗	bigint(20) NN
stage		varchar(255) NN
created_at		timestamp
updated_at		timestamp

cache

key	🔑	varchar(255) NN
value		mediumtext NN
expiration		int(11) NN

cache_locks

key	🔑	varchar(255) NN
owner		varchar(255) NN
expiration		int(11) NN

jobs

id	🔑	bigint(20) NN
recruiter_id	🔗	bigint(20) NN
title		varchar(255) NN
description		text NN
created_at		timestamp
updated_at		timestamp

migrations

id	🔑	int(10) NN
migration		varchar(255) NN
batch		int(11) NN

candidates

id	🔑	bigint(20) NN
first_name		varchar(255) NN
email		varchar(255) NN
created_at		timestamp
updated_at		timestamp

interviews

id	🔑	bigint(20) NN
application_id	🔗	bigint(20) NN
scheduled_at		datetime NN
created_at		timestamp
updated_at		timestamp

tasks

id	🔑	bigint(20) NN
user_id	🔗	bigint(20) NN
title		varchar(255) NN
description		text
column		tasks_column_enum E NN
due_date		date
priority		tinyint(3) NN
meta		longtext
created_at		timestamp
updated_at		timestamp

sessions

id	🔑	varchar(255) NN
user_id		bigint(20)
ip_address		varchar(45)
user_agent		text
payload		longtext NN
last_activity		int(11) NN

password_reset_tokens

email	🔑	varchar(255) NN
token		varchar(255) NN
created_at		timestamp

personal_access_tokens

id	🔑	bigint(20) NN
tokenable_type		varchar(255) NN
tokenable_id		bigint(20) NN
name		text NN
token		varchar(64) NN
abilities		text
last_used_at		timestamp
expires_at		timestamp
created_at		timestamp
updated_at		timestamp

users

id	🔑	bigint(20) NN
name		varchar(255) NN
email		varchar(255) NN
email_verified_at		timestamp
password		varchar(255) NN
remember_token		varchar(100)
created_at		timestamp
updated_at		timestamp

jobs_recruiter_id_foreign

applications_job_id_foreign

dbdiagram.io

```
Enum tasks_column_enum {
    todo
    in_progress
    done
}
```