

Project #2
CS 3510 – Spring 2014
Seth Yost, Mitch Birti

I. Requirements:

Develop a parser which can parse a program written in the C- language described in Appendix A of the text.

II. Design:

We built a recursive descent parser as described in class and in the book, using the scanner developed in project 1A/1B.

III. Implementation:

We made an object for each language structure (variable declarations, expressions, loops, etc.) and wrote parse methods to parse those structures using the first and follow sets of the grammar.

IV. Testing:

We wrote a Tester class that outputs the tree generated by the parser when it is given a test file. We tested using a program given in the book and with 3 test programs from the course website.

V. Summary/Conclusion:

Our project is working properly. We didn't encounter any major problems with our Parser implementation, which was extremely surprising. We did have a bit of trouble with our grammar not being up to specifications, and we were missing some tokens in our first and follow sets. This was resolved when we tried to parse structures that depended on those first/follow set tokens.

Grammar

```
program → declaration-list
declaration-list → declaration {declaration}
declaration → int ID declaration' | void ID fun-declaration'
declaration' → var-declaration' | fun-declaration'
var-declaration → int ID [ [ NUM ] ] ;
var-declaration' → [ [ NUM ] ] ;
fun-declaration' → ( params ) compound-stmt
params → param-list | void
param-list → param { , param }
param → int ID [ [ ] ]
compound-stmt → { local-declarations statement-list }
local-declarations → {var-declaration}
statement-list → {statement}
statement → expression-stmt | compound-stmt | selection-stmt
           | iteration-stmt | return-stmt
expression-stmt → [expression] ;
selection-stmt → if ( expression ) statement [ else statement ]
iteration-stmt → while ( expression ) statement
return-stmt → return [expression] ;

expression → ( expression ) simple-expression' | NUM simple-expression'
           | ID expression'
expression' → = expression | ( args ) simple-expression'
           | [ expression ] expression'' | simple-expression'
expression'' → = expression | simple-expression'
var → [ [ expression ] ]
simple-expression' → additive-expression' [ relop additive-expression ]
relop → <= | < | > | >= | == | !=
additive-expression → term { addop term }
additive-expression' → term' { addop term }
addop → + | -
term → factor { mulop factor }
term' → { mulop factor }
mulop → * | /
factor → ( expression ) | ID varcall | NUM

varcall → var | call
call → ( args )
args → [ arg-list ]
arg-list → expression { , expression }
```

First and Follow Sets

	First Set	Follow Set
program	INT, VOID	\$
declaration-list	INT, VOID	\$
declaration	INT, VOID	INT, VOID, \$
declaration'	(, [, ;	INT, VOID, \$
var-declaration	INT	INT, (, NUM, ID, :, {, }, IF, WHILE, RETURN, EPSILON
var-declaration'	[, ;	INT, VOID, \$
fun-declaration'	(INT, VOID, \$
params	INT, VOID)
param-list	INT)
param	INT	COMMA,)
compound-stmt	{	INT, VOID, \$, (, NUM, ID, :, {, }, IF, WHILE, RETURN, ELSE, }
local-declarations	INT, EPSILON	(, NUM, ID, :, {, }, IF, WHILE, RETURN, EPSILON
statement-list	(, NUM, ID, :, {, }, IF, WHILE, RETURN, EPSILON	}
statement	(, NUM, ID, :, {, }, IF, WHILE, RETURN	(, NUM, ID, :, {, }, IF, WHILE, RETURN, ELSE, }
expression-stmt	(, NUM, ID, ;	(, NUM, ID, :, {, }, IF, WHILE, RETURN, ELSE, }
selection-stmt	IF	(, NUM, ID, :, {, }, IF, WHILE, RETURN, ELSE, }
iteration-stmt	WHILE	(, NUM, ID, :, {, }, IF, WHILE, RETURN, ELSE, }
return-stmt	RETURN	(, NUM, ID, :, {, }, IF, WHILE, RETURN, ELSE, }
expression	(, NUM, ID	;, COMMA,),],)
expression'	=, (, [, *, /, +, -, EPSILON	;, COMMA,),],)
expression"	=, *, /, +, -, EPSILON	;, COMMA,),],)
var	[, EPSILON	+, -, *, /, :, COMMA,),],)
simple-expression'	*, /, +, -, <=, <, >, >=, ==, !=, EPSILON	;, COMMA,),],)
relop	<=, <, >, >=, ==, !=	(, NUM, ID

First and Follow Sets

additive-expression	(, NUM, ID	;; COMMA,),],)
additive-expression'	*, /, +, -, EPSILON	*, /, ;; COMMA,),],), <=, <, >, >=, ==, !=
addop	+, -	(, NUM, ID
term	(, NUM, ID	+, -, *, /, ;; COMMA,),],), <=, <, >, >=, ==, !=
term'	*, /, EPSILON	+, -, *, /, ;; COMMA,),],)
mulop	*, /	(, NUM, ID
factor	(, NUM, ID	+, -, *, /, ;; COMMA,),],), <=, <, >, >=, ==, !=
varcall	EPSILON, [, (+, -, *, /, ;; COMMA,),],)
call	(+, -, *, /, ;; COMMA,),],)
args	(, NUM, ID, EPSILON)
arg-list	(, NUM, ID)

Mar 27, 14 21:08

CMinusParser.java

Page 1/16

```

package parser;

import java.io.BufferedWriter;
import java.io.FileWriter;
import java.io.IOException;
import java.util.ArrayList;
import java.util.List;

import com.sun.org.apache.xpath.internal.operations.Variable;

import scanner.Scanner;
import scanner.Token;
import scanner.Token.TokenType;
import parser.expression.*;
import parser.statement.*;

public class CMinusParser implements Parser
{
    private Scanner scanner;
    // populated after a parse
    private Program parsedProgram = null;

    /*
     * First/Follow Sets
     * The first sub-array is the first set, the following one is the follow set.
     * (Makes sense, right?)
     */
    private TokenType[][] PROGRAM = {
        { TokenType.INT, TokenType.VOID },
        { TokenType.EOF }
    };

    private TokenType[][] DECLARATION_LIST = {
        { TokenType.INT, TokenType.VOID },
        { TokenType.EOF }
    };

    private TokenType[][] DECLARATION = {
        { TokenType.INT, TokenType.VOID },
        { TokenType.INT, TokenType.VOID, TokenType.EOF }
    };

    private TokenType[][] DECLARATION_PRIME = {
        { TokenType.OPEN_PAREN, TokenType.OPEN_BRACKET, TokenType.END_STATEMENT },
        { TokenType.INT, TokenType.VOID, TokenType.EOF }
    };

    private TokenType[][] VAR_DECLARATION = {
        { TokenType.INT },
        { TokenType.INT, TokenType.OPEN_PAREN, TokenType.NUM, TokenType.ID, TokenType.END_STATEMENT, TokenType.OPEN_CBRACE, TokenType.CLOSE_CBRACE, TokenType.IF, TokenType.WHILE, TokenType.RETURN, TokenType.EPSILON }
    };

    private TokenType[][] VAR_DECLARATION_PRIME = {
        { TokenType.OPEN_BRACKET, TokenType.END_STATEMENT },
        { TokenType.INT, TokenType.VOID, TokenType.EOF }
    };

    private TokenType[][] FUN_DECLARATION_PRIME = {
        { TokenType.OPEN_PAREN },
        { TokenType.INT, TokenType.VOID, TokenType.EOF }
    };

    private TokenType[][] PARAMS = {

```

```

        { TokenType.INT, TokenType.VOID },
        { TokenType.CLOSE_PAREN }
    };
    private TokenType[][] PARAM_LIST = {
        { TokenType.INT },
        { TokenType.CLOSE_PAREN }
    };
    private TokenType[][] PARAM = {
        { TokenType.INT },
        { TokenType.COMMA, TokenType.CLOSE_PAREN }
    };
    private TokenType[][] COMPOUND_STMT = {
        { TokenType.OPEN_CBRACE },
        { TokenType.INT, TokenType.VOID, TokenType.EOF, TokenType.OPEN_PAREN, TokenType.NUM, TokenType.ID, TokenType.END_STATEMENT, TokenType.OPEN_CBRACE, TokenType.IF, TokenType.WHILE, TokenType.RETURN, TokenType.ELSE, TokenType.CLOSE_CBRACE }
    };
    private TokenType[][] LOCAL_DECLARATIONS = {
        { TokenType.INT, TokenType.EPSILON },
        { TokenType.OPEN_PAREN, TokenType.NUM, TokenType.ID, TokenType.END_STATEMENT, TokenType.OPEN_CBRACE, TokenType.CLOSE_CBRACE, TokenType.IF, TokenType.WHILE, TokenType.RETURN, TokenType.EPSILON }
    };
    private TokenType[][] STATEMENT_LIST = {
        { TokenType.OPEN_PAREN, TokenType.NUM, TokenType.ID, TokenType.END_STATEMENT, TokenType.OPEN_CBRACE, TokenType.IF, TokenType.WHILE, TokenType.RETURN, TokenType.EPSILON },
        { TokenType.CLOSE_CBRACE }
    };
    private TokenType[][] STATEMENT = {
        { TokenType.OPEN_PAREN, TokenType.NUM, TokenType.ID, TokenType.END_STATEMENT, TokenType.OPEN_CBRACE, TokenType.IF, TokenType.WHILE, TokenType.RETURN },
        { TokenType.OPEN_PAREN, TokenType.NUM, TokenType.ID, TokenType.END_STATEMENT, TokenType.OPEN_CBRACE, TokenType.IF, TokenType.WHILE, TokenType.RETURN, TokenType.ELSE, TokenType.CLOSE_CBRACE }
    };
    private TokenType[][] EXPRESSION_STMT = {
        { TokenType.OPEN_PAREN, TokenType.NUM, TokenType.ID, TokenType.END_STATEMENT },
        { TokenType.OPEN_PAREN, TokenType.NUM, TokenType.ID, TokenType.END_STATEMENT, TokenType.OPEN_CBRACE, TokenType.IF, TokenType.WHILE, TokenType.RETURN, TokenType.ELSE, TokenType.CLOSE_CBRACE }
    };
    private TokenType[][] SELECTION_STMT = {
        { TokenType.IF },
        { TokenType.OPEN_PAREN, TokenType.NUM, TokenType.ID, TokenType.END_STATEMENT, TokenType.OPEN_CBRACE, TokenType.IF, TokenType.WHILE, TokenType.RETURN, TokenType.ELSE, TokenType.CLOSE_CBRACE }
    };
    private TokenType[][] ITERATION_STMT = {
        { TokenType.WHILE },
        { TokenType.OPEN_PAREN, TokenType.NUM, TokenType.ID, TokenType.END_STATEMENT, TokenType.OPEN_CBRACE, TokenType.IF, TokenType.WHILE, TokenType.RETURN, TokenType.ELSE, TokenType.CLOSE_CBRACE }
    };
    private TokenType[][] RETURN_STMT = {
        { TokenType.RETURN },
        { TokenType.OPEN_PAREN, TokenType.NUM, TokenType.ID, TokenType.END_STATEMENT

```

Mar 27, 14 21:08

CMinusParser.java

Page 3/16

```

EMENT, TokenType.OPEN_CBRACE, TokenType.IF, TokenType.WHILE, TokenType.RETURN, T
okenType.ELSE, TokenType.CLOSE_CBRACE }
};
private TokenType[][] EXPRESSION = {
    { TokenType.OPEN_PAREN, TokenType.NUM, TokenType.ID },
    { TokenType.END_STATEMENT, TokenType.COMMA, TokenType.CLOSE_PAREN, Toke
nType.CLOSE_BRACKET, TokenType.CLOSE_PAREN }
};
private TokenType[][] EXPRESSION_PRIME = {
    { TokenType.ASSIGNMENT, TokenType.OPEN_PAREN, TokenType.OPEN_BRACKET,
TokenType.MULTIPLY, TokenType.DIVIDE, TokenType.PLUS, TokenType.MINUS, TokenType
.EPSILON },
    { TokenType.END_STATEMENT, TokenType.COMMA, TokenType.CLOSE_PAREN, Toke
nType.CLOSE_BRACKET, TokenType.CLOSE_PAREN }
};
private TokenType[][] EXPRESSION_PRIME_PRIME = {
    { TokenType.ASSIGNMENT, TokenType.MULTIPLY, TokenType.DIVIDE, TokenTyp
e.PLUS, TokenType.MINUS, TokenType.EPSILON },
    { TokenType.END_STATEMENT, TokenType.COMMA, TokenType.CLOSE_PAREN, Toke
nType.CLOSE_BRACKET, TokenType.CLOSE_PAREN }
};
private TokenType[][] VAR = {
    { TokenType.OPEN_BRACKET, TokenType.EPSILON },
    { TokenType.PLUS, TokenType.MINUS, TokenType.MULTIPLY, TokenType.DIVIDE
, TokenType.END_STATEMENT, TokenType.COMMA, TokenType.CLOSE_PAREN, TokenType.CLO
SE_BRACKET, TokenType.CLOSE_PAREN }
};
private TokenType[][] SIMPLE_EXPRESSION_PRIME = {
    { TokenType.MULTIPLY, TokenType.DIVIDE, TokenType.PLUS, TokenType.MINUS
, TokenType.LESS_EQUAL_THAN, TokenType.LESS_THAN, TokenType.GREATER_THAN, TokenT
ype.GREATER_EQUAL_THAN, TokenType.EQUALS, TokenType.NOT_EQUALS, TokenType.EPSILO
N },
    { TokenType.END_STATEMENT, TokenType.COMMA, TokenType.CLOSE_PAREN, Toke
nType.CLOSE_BRACKET, TokenType.CLOSE_PAREN }
};
private TokenType[][] RELOP = {
    { TokenType.LESS_EQUAL_THAN, TokenType.LESS_THAN, TokenType.GREATER_THA
N, TokenType.GREATER_EQUAL_THAN, TokenType.EQUALS, TokenType.NOT_EQUALS },
    { TokenType.OPEN_PAREN, TokenType.NUM, TokenType.ID }
};
private TokenType[][] ADDITIVE_EXPRESSION = {
    { TokenType.OPEN_PAREN, TokenType.NUM, TokenType.ID },
    { TokenType.END_STATEMENT, TokenType.COMMA, TokenType.CLOSE_PAREN, Toke
nType.CLOSE_BRACKET, TokenType.CLOSE_PAREN }
};
private TokenType[][] ADDITIVE_EXPRESSION_PRIME = {
    { TokenType.MULTIPLY, TokenType.DIVIDE, TokenType.PLUS, TokenType.MINUS
, TokenType.LESS_EQUAL_THAN, TokenType.LESS_THAN, TokenType.GREATER_THAN, TokenT
ype.GREATER_EQUAL_THAN, TokenType.EQUALS, TokenType.NOT_EQUALS, TokenType.EPSILO
N },
    { TokenType.LESS_EQUAL_THAN, TokenType.LESS_THAN, TokenType.GREATER_THA
N, TokenType.GREATER_EQUAL_THAN, TokenType.EQUALS, TokenType.NOT_EQUALS, TokenTy
pe.MULTIPLY, TokenType.DIVIDE, TokenType.END_STATEMENT, TokenType.COMMA, TokenTy
pe.CLOSE_PAREN, TokenType.CLOSE_BRACKET, TokenType.CLOSE_PAREN }
};
private TokenType[][] ADDOP = {
    { TokenType.PLUS, TokenType.MINUS },
    { TokenType.OPEN_PAREN, TokenType.NUM, TokenType.ID }
};
};

```

```

    private TokenType[][] TERM = {
        { TokenType.OPEN_PAREN, TokenType.NUM, TokenType.ID },
        { TokenType.LESS_EQUAL_THAN, TokenType.LESS_THAN, TokenType.GREATER_THAN,
        TokenType.GREATER_EQUAL_THAN, TokenType.EQUALS, TokenType.NOT_EQUALS, TokenType.PLUS,
        TokenType.MINUS, TokenType.MULTIPLY, TokenType.DIVIDE, TokenType.END_STATEMENT,
        TokenType.COMMA, TokenType.CLOSE_PAREN, TokenType.CLOSE_BRACKET, TokenType.CLOSE_PAREN }
    };
    private TokenType[][] TERM_PRIME = {
        { TokenType.MULTIPLY, TokenType.DIVIDE, TokenType.EPSILON },
        { TokenType.PLUS, TokenType.MINUS, TokenType.MULTIPLY, TokenType.DIVIDE,
        TokenType.END_STATEMENT, TokenType.COMMA, TokenType.CLOSE_PAREN, TokenType.CLOSE_BRACKET,
        TokenType.CLOSE_PAREN }
    };
    private TokenType[][] MULOP = {
        { TokenType.MULTIPLY, TokenType.DIVIDE },
        { TokenType.OPEN_PAREN, TokenType.NUM, TokenType.ID }
    };
    private TokenType[][] FACTOR = {
        { TokenType.OPEN_PAREN, TokenType.NUM, TokenType.ID },
        { TokenType.LESS_EQUAL_THAN, TokenType.LESS_THAN, TokenType.GREATER_THAN,
        TokenType.GREATER_EQUAL_THAN, TokenType.EQUALS, TokenType.NOT_EQUALS, TokenType.PLUS,
        TokenType.MINUS, TokenType.MULTIPLY, TokenType.DIVIDE, TokenType.END_STATEMENT,
        TokenType.COMMA, TokenType.CLOSE_PAREN, TokenType.CLOSE_BRACKET, TokenType.CLOSE_PAREN }
    };
    private TokenType[][] VARCALL = {
        { TokenType.EPSILON, TokenType.OPEN_BRACKET, TokenType.OPEN_PAREN },
        { TokenType.PLUS, TokenType.MINUS, TokenType.MULTIPLY, TokenType.DIVIDE,
        TokenType.END_STATEMENT, TokenType.COMMA, TokenType.CLOSE_PAREN, TokenType.CLOSE_BRACKET,
        TokenType.CLOSE_PAREN }
    };
    private TokenType[][] CALL = {
        { TokenType.OPEN_PAREN },
        { TokenType.PLUS, TokenType.MINUS, TokenType.MULTIPLY, TokenType.DIVIDE,
        TokenType.END_STATEMENT, TokenType.COMMA, TokenType.CLOSE_PAREN, TokenType.CLOSE_BRACKET,
        TokenType.CLOSE_PAREN }
    };
    private TokenType[][] ARGS = {
        { TokenType.OPEN_PAREN, TokenType.NUM, TokenType.ID, TokenType.EPSILON },
        { TokenType.CLOSE_PAREN }
    };
    private TokenType[][] ARG_LIST = {
        { TokenType.OPEN_PAREN, TokenType.NUM, TokenType.ID },
        { TokenType.CLOSE_PAREN }
    };

    public CMinusParser(Scanner s)
    {
        scanner = s;
    }

    /**
     * Satisfies the Parse interface.
     */
    @Override
    public Program parse()
    {

```


Mar 27, 14 21:08

CMinusParser.java

Page 5/16

```

        if (parsedProgram == null)
        {
            parsedProgram = parseProgram();
        }
        return parsedProgram;
    }

    /**
     * Prints out the parsed program.
     * A call to parse() must precede this call.
     */
    @Override
    public void printTree(String outFile)
    {
        try
        {
            BufferedWriter bw = new BufferedWriter(new FileWriter(outFile));

            if (parsedProgram != null)
            {
                parsedProgram.print(0, bw);
            }

            bw.flush();
            bw.close();
        }
        catch (IOException e)
        {
            e.printStackTrace();
        }
    }

    /**
     * Matches and consumes the given token, if it is present.
     * @returns True if matched, false if the next token isn't the one we are looking for.
     */
    private boolean matchToken(TokenType t)
    {
        if (scanner.viewNextToken().getType() == t)
        {
            scanner.getNextToken();
            return true;
        }
        return false;
    }

    /**
     * Searches First/Follow sets for the given token.
     * @param needle
     * @param haystack
     * @return
     */
    private boolean contains(TokenType needle, TokenType[] haystack)
    {
        for (TokenType straw : haystack)
        {
            if (needle == straw)
                return true;
        }
    }

```

```

    }
    return false;
}

/**
 * Views the next token type (look ahead).
 * @return
 */
private TokenType nextTokenType()
{
    return scanner.viewNextToken().getType();
}

/**
 * Matches (and munches) a Token or throws
 * an exception with the given message.
 * @param tt
 * @param msg
 * @return
 */
private Token matchOrDie(TokenType tt, String msg)
{
    if (scanner.viewNextToken().getType() != tt)
    {
        throw new RuntimeException(msg + nextTokenType().name());
    }
    return scanner.getNextToken();
}

/*
 * Parse methods, BEGIN!
 */

/**
 * Parses a Program
 * @return
 */
public Program parseProgram()
{
    ArrayList<Declaration> declList = new ArrayList<Declaration>();

    while (contains(nextTokenType(), DECLARATION[0]))
    {
        declList.add(parseDeclaration());
    }

    if (!matchToken(TokenType.EOF))
    {
        throw new RuntimeException("parseProgram(): illegal token: " + nextTokenType().name());
    }

    return new Program(declList);
}

/**
 * Parses a Declaration.
 * @return
 */

```

Mar 27, 14 21:08

CMinusParser.java

Page 7/16

```

public Declaration parseDeclaration()
{
    Declaration toReturn;
    // strip off the first two tokens
    Token typeSpecifier = scanner.getNextToken();
    Token identifier = scanner.getNextToken();

    if (typeSpecifier.getType() == TokenType.VOID || (typeSpecifier.getType()
== TokenType.INT && nextTokenType() == TokenType.OPEN_PAREN))
    {
        // declaration -> void ID fun-declaration'
        // OR decl -> int ID fun-declaration'
        // this isn't exactly according to the grammar, but it's better coding
        practice

        matchOrDie(TokenType.OPEN_PAREN, "parseDeclaration(): parsing function, open paren expected, got ");
        Params params = parseParams();
        matchOrDie(TokenType.CLOSE_PAREN, "parseDeclaration(): parsing function, close paren expected, got ");

        CompoundStatement body = parseCompoundStatement();

        toReturn = new FunctionDeclaration(typeSpecifier.getType(), (String) identifier.getData(), params, body);
    }
    else if (typeSpecifier.getType() == TokenType.INT)
    {
        // declaration -> int ID declaration'
        // AND decl' -> var-declaration'

        if (matchToken(TokenType.OPEN_BRACKET))
        {
            Token number = matchOrDie(TokenType.NUM, "parseDeclaration(): parsing array declaration, expected NUM, got ");

            matchOrDie(TokenType.CLOSE_BRACKET, "parseDeclaration(): parsing array declaration, expected ']', got " + nextTokenType().name());

            toReturn = new VariableDeclaration((String) identifier.getData(), (Integer) number.getData());
        }
        else if (nextTokenType() == TokenType.END_STATEMENT)
        {
            toReturn = new VariableDeclaration((String) identifier.getData());
        }
        else
        {
            throw new RuntimeException("parseDeclaration(): parsing variable, '[' or ';' expected, got " + nextTokenType().name());
        }

        matchOrDie(TokenType.END_STATEMENT, "parseDeclaration(): parsing variable declaration, ';' expected, got ");
    }
    else
    {
        throw new RuntimeException("parseDeclaration(): type specifier expected, received " + typeSpecifier.getType().name());
    }
}

```

Mar 27, 14 21:08

CMinusParser.java

Page 8/16

```

eSpecifier.getType().name());
    }

    return toReturn;
}

/**
 * Parses function parameters.
 * @return
 */
private Params parseParams()
{
    List<VariableDeclaration> params = new ArrayList<VariableDeclaration>();

    if (matchToken(TokenType.VOID))
    {
        //do nothing, since there's no parameters
    }
    else if (nextTokenType() == TokenType.INT)
    {
        // grab the first param
        matchOrDie(TokenType.INT, "parseParams(): INT expected, but got ");
        Token id = matchOrDie(TokenType.ID, "parseParams(): identifier expected, got ");
        if (matchToken(TokenType.OPEN_BRACKET))
        {
            params.add(new VariableDeclaration((String) id.getData(), 0));
            matchOrDie(TokenType.CLOSE_BRACKET, "parseParams(): expected ']', but got ");
        }
        else
        {
            params.add(new VariableDeclaration((String) id.getData()));
        }

        // check for other params
        while (nextTokenType() == TokenType.COMMA)
        {
            scanner.getNextToken();

            matchOrDie(TokenType.INT, "parseParams(): INT expected, but got ");
            id = matchOrDie(TokenType.ID, "parseParams(): identifier expected, got ");
            if (matchToken(TokenType.OPEN_BRACKET))
            {
                params.add(new VariableDeclaration((String) id.getData(), 0));
                matchOrDie(TokenType.CLOSE_BRACKET, "parseParams(): expected ']', but got ");
            }
            else
            {
                params.add(new VariableDeclaration((String) id.getData()));
            }
        }
    }
    else
    {
        throw new RuntimeException("parseParams(): expected 'void' or 'int', got " + nextToken
Type().name());
    }

    return new Params(params);
}

```

```

/**
 * Parses a CompoundStatement.
 * @return
 */
private CompoundStatement parseCompoundStatement()
{
    matchOrDie(TokenType.OPEN_CBRACE, "parseCompoundStatement(): expected '{', got " );
    List<Declaration> decls = new ArrayList<Declaration>();
    List<Statement> stmts = new ArrayList<Statement>();

    while (nextTokenType() == TokenType.INT)
    {
        scanner.getNextToken();
        Token id = matchOrDie(TokenType.ID, "parseCompoundStatement(): parsing variable decl
        aration, expected identifier and got " );

        if (matchToken(TokenType.OPEN_BRACKET))
        {
            Token num = matchOrDie(TokenType.NUM, "parseCompoundStatement(): expected a nu
            mber, but got " );
            matchOrDie(TokenType.CLOSE_BRACKET, "parseCompoundStatement(): expected ']', but
            got " );
            matchOrDie(TokenType.END_STATEMENT, "parseCompoundStatement(): expected ';', but
            got " );
            decls.add(new VariableDeclaration((String) id.getData(), (Integer) num.getData()));
        }
        else if (matchToken(TokenType.END_STATEMENT))
        {
            decls.add(new VariableDeclaration((String) id.getData()));
        }
        else
        {
            throw new RuntimeException("parseCompoundStatement(): expected '[' or ';', got " );
        }
    }

    while (contains(nextTokenType(), STATEMENT_LIST[0]) && nextTokenType() !=
    TokenType.CLOSE_CBRACE)
    {
        stmts.add(parseStatement());
    }

    matchOrDie(TokenType.CLOSE_CBRACE, "parseCompoundStatement(): expected '}', got " );
    return new CompoundStatement(decls, stmts);
}

/**
 * Parses Statement
 * @return
 */
private Statement parseStatement()
{
    Statement toReturn = null;
    if(nextTokenType() == TokenType.IF)
    {
        //if ( expression ) statement [ else statement ]
        toReturn = parseSelectionStatement();
    }

```

```

    }
    else if(nextTokenType() == TokenType.WHILE)
    {
        //while ( expression ) statement
        toReturn = parseIterationStatement();
    }
    else if(nextTokenType() == TokenType.RETURN)
    {
        //return [expression] ;
        toReturn = parseReturnStatement();
    }
    else if(nextTokenType() == TokenType.OPEN_CBACE)
    {
        //{ local-declarations statement-list }
        toReturn = parseCompoundStatement();
    }
    else if(contains(nextTokenType(), EXPRESSION[0]))
    {
        //[expression] ;
        toReturn = parseExpressionStatement();
    }
    else
    {
        throw new RuntimeException("parseStatement(): Invalid token for statement, got " );
    }
    return toReturn;
}

/**
 * Parses an Expression Statement
 * @return
 */
private Statement parseExpressionStatement()
{
    //[expression] ;
    Expression body = null;
    if(contains(nextTokenType(), EXPRESSION[0]))
    {
        body = parseExpression();
    }
    matchOrDie(TokenType.END_STATEMENT, "parseReturnStatement(): Did not recieve ';', got" );
    Statement toReturn = new ExpressionStatement(body);
    return toReturn;
}

/**
 * Parses a SelectionStatement
 * @return
 */
private Statement parseSelectionStatement()
{
    //if ( expression ) statement [ else statement ]
    Statement else_part = null;
    matchOrDie(TokenType.IF, "parseSelectionStatement(): Did not recieve 'IF', got" );
    matchOrDie(TokenType.OPEN_PAREN, "parseSelectionStatement(): Did not recieve '(', got" );
    Expression compare = parseExpression();
    matchOrDie(TokenType.CLOSE_PAREN, "parseSelectionStatement(): Did not recieve ')' after '(', go
t" );
    Statement body = parseStatement();

```

Mar 27, 14 21:08

CMinusParser.java

Page 11/16

```

        if(nextTokenType() == TokenType.ELSE)
        {
            matchOrDie(TokenType.ELSE, "parseSelectionStatement(): Did not recieve 'else' after 'if', got "
);
            else_part = parseStatement();
        }
        return new SelectionStatement(compare, body, else_part);
    }

    /**
     * Parses Iteration Statement
     * @return
     */
    private Statement parseIterationStatement()
    {
        //while ( expression ) statement
        matchOrDie(TokenType.WHILE, "parseIterationStatement(): Did not receive WHILE token, got " );
        matchOrDie(TokenType.OPEN_PAREN, "parseIterationStatement(): Did not recieve '(', got " );
        Expression compare = parseExpression();
        matchOrDie(TokenType.CLOSE_PAREN, "parseIterationStatement(): Did not recieve ')' after '(', got
");
        Statement body = parseStatement();

        return new IterationStatement(compare, body);
    }

    /**
     * Parses Return Statement
     * @return
     */
    private Statement parseReturnStatement()
    {
        //return [expression] ;
        Expression body = null;
        matchOrDie(TokenType.RETURN, "parseReturnStatement(): Did not recieve 'RETURN', got " );
        if(contains(nextTokenType(), EXPRESSION[0]))
        {
            body = parseExpression();
        }
        matchOrDie(TokenType.END_STATEMENT, "parseReturnStatement(): Did not recieve ';', got " );
        return new ReturnStatement(body);
    }

    /**
     * Parses Additive-Expression and Additive-Expression'
     * @param lhs
     * @return
     */
    private Expression parseAdditiveExpression(Expression lhs)
    {
        Expression term = null;
        if(lhs == null)
        {
            term = parseTerm(null);
        }
        else
        {
            term = parseTerm(lhs);
        }
    }

```

```

        while (contains(nextTokenType(), ADDOP[0]))
        {
            if (nextTokenType() == TokenType.PLUS || nextTokenType() == TokenType.MIN
US)
            {
                term = new BinaryExpression(term, scanner.getNextToken().getType(),
parseTerm(null));
            }
            else
            {
                throw new RuntimeException("parseTerm(): '*' or '/' expected, but got " );
            }
        }

        return term;
    }

    /**
     * Parses term and term'.
     * @param term
     * @return
     */
    private Expression parseTerm(Expression term)
    {
        if (term == null)
        {
            term = parseFactor();
        }

        while (contains(nextTokenType(), MULOP[0]))
        {
            if (nextTokenType() == TokenType.MULTIPLY || nextTokenType() == TokenType
.DIVIDE)
            {
                term = new BinaryExpression(term, scanner.getNextToken().getType(),
parseFactor());
            }
            else
            {
                throw new RuntimeException("parseTerm(): '*' or '/' expected, but got " );
            }
        }

        return term;
    }

    /**
     * Parses a Factor.
     * @return
     */
    private Expression parseFactor()
    {
        Expression toReturn;

        if (matchToken(TokenType.OPEN_PAREN))
        {
            // factor -> ( expression )

```


Mar 27, 14 21:08

CMinusParser.java

Page 13/16

```

        toReturn = parseExpression();

        matchOrDie(TokenType.CLOSE_PAREN, "parseFactor(): No ')' found, got " );
    }
    else if (nextTokenType() == TokenType.NUM)
    {
        // factor -> NUM
        toReturn = new NumberExpression((Integer)(scanner.getNextToken().getDat
a()));
    }
    else if (nextTokenType() == TokenType.ID)
    {
        // factor -> ID varcall
        Token id = scanner.getNextToken();

        if (matchToken(TokenType.OPEN_PAREN))
        {
            // varcall -> call -> ( args )
            List<Expression> args = parseArgs();

            toReturn = new CallExpression((String) id.getData(), args);

            matchOrDie(TokenType.CLOSE_PAREN, "parseFactor(): No ')' found after args in function
call, got " );
        }
        else if (matchToken(TokenType.OPEN_BRACKET))
        {
            // varcall -> var -> [ expression ]
            Expression xpr = parseExpression();
            toReturn = new VariableExpression((String) id.getData(), xpr);

            matchOrDie(TokenType.CLOSE_BRACKET, "parseFactor(): No ']' found after '[', got " );
        }
        else if (contains(nextTokenType(), VARCALL[1]))
        {
            // next token is in $varcall
            // varcall -> var -> EPSILON
            toReturn = new VariableExpression((String) id.getData());
        }
        else
        {
            throw new RuntimeException("parseFactor(): Illegal token after ID!");
        }
    }
    else
    {
        throw new RuntimeException("parseFactor(): Illegal token for factor, got " + nextTokenT
ype().name());
    }

    return toReturn;
}

/**
 * Parses Expression, Expression', and Expression''
 * @return
 */
private Expression parseExpression()
{

```

```

    Expression toReturn = null;

    if(matchToken(TokenType.OPEN_PAREN))
    {
        //Expression -> ( expression ) simple-expression'
        Expression compare = parseExpression();
        matchOrDie(TokenType.CLOSE_PAREN, "parseExpression(): No ')' found after '(', got " );
        toReturn = parseSimpleExpression(compare);
    }
    else if(nextTokenType() == TokenType.ID)
    {
        Token ID = scanner.getNextToken();

        //Expression -> ID expression'
        if(matchToken(TokenType.ASSIGNMENT))
        {
            //expression' -> = expression
            VariableExpression var = new VariableExpression((String)ID.getData()
);
            toReturn = new AssignExpression(var, parseExpression());
        }
        else if(matchToken(TokenType.OPEN_PAREN))
        {
            //expression' -> ( args ) simple-expression'
            List<Expression> args = parseArgs();
            Expression func = new CallExpression((String)ID.getData(), args);
            matchOrDie(TokenType.CLOSE_PAREN, "parseExpression(): No ')' found after '(', got " )
;
            toReturn = parseSimpleExpression(func);
        }
        else if(matchToken(TokenType.OPEN_BRACKET))
        {
            //expression' -> [ expression ] expression''

            Expression internalExpr = parseExpression();

            matchOrDie(TokenType.CLOSE_BRACKET, "parseExpression(): No ']' found after '[',
got " );
            Expression varExpression = new VariableExpression((String)ID.getDa
ta(), internalExpr);

            if(matchToken(TokenType.ASSIGNMENT))
            {
                //expression'' -> = expression
                toReturn = new AssignExpression((VariableExpression) varExpres
sion, parseExpression());
            }
            else if(contains(nextTokenType(), SIMPLE_EXPRESSION_PRIME[0]))
            {
                //expression'' -> simple-expression'
                toReturn = parseSimpleExpression(varExpression);
            }
            else if(contains(nextTokenType(), SIMPLE_EXPRESSION_PRIME[1]))
            {
                // expression'' -> simple-expression' -> epsilon
                toReturn = varExpression;
            }
            else
            {

```

Mar 27, 14 21:08

CMinusParser.java

Page 15/16

```

        throw new RuntimeException("parseExpression(): Illegal token following ]!" );
    }
}
else if(contains(nextTokenType(), SIMPLE_EXPRESSION_PRIME[0]) || contains(nextTokenType(), SIMPLE_EXPRESSION_PRIME[1]))
{
    //expression' -> simple-expression'
    Expression temp = new VariableExpression((String) ID.getData());
    toReturn = parseSimpleExpression(temp);
}
else
{
    throw new RuntimeException("parseExpression(): Illegal token following " + ID.getType().name() + ":" + ID.getData() + ", got " + nextTokenType());
}
}
else if(nextTokenType() == TokenType.NUM)
{
    //Expression -> NUM simple-expression'
    Token num = scanner.getNextToken();
    Expression Num = new NumberExpression((Integer)num.getData());
    toReturn = parseSimpleExpression(Num);
}
else
{
    throw new RuntimeException("parseExpression(): Illegal token for Expression, got " + nextTokenType());
}
return toReturn;
}

/**
 * Parses Simple-Expression'
 * @param lhs
 * @return
 */
private Expression parseSimpleExpression(Expression lhs) {
    Expression toReturn = null;
    Expression left = parseAdditiveExpression(lhs);

    if(contains(nextTokenType(), RELOP[0]))
    {
        //match Relop
        TokenType opp = scanner.getNextToken().getType();

        Expression right = parseAdditiveExpression(null);
        toReturn = new BinaryExpression(left, opp, right);
    }
    else
    {
        toReturn = left;
    }

    return toReturn;
}

/**
 * Parses Args and Arg-list
 * @return

```

```

    */
    private List<Expression> parseArgs()
    {
        List<Expression> args = new ArrayList<Expression>();

        while (nextTokenType() != TokenType.CLOSE_PAREN)
        {
            args.add(parseExpression());

            if (nextTokenType() != TokenType.CLOSE_PAREN)
            {
                matchOrDie(TokenType.COMMA, "parseArgs(): We didn't match the comma?? Instead we fo
und a ");
            }
        }

        return args;
    }
}

```

Mar 27, 14 21:33

Declaration.java

Page 1/1

```
package parser;

import java.io.BufferedWriter;
import java.io.IOException;

/**
 * Represents a declaration (variable or function).
 */
public abstract class Declaration
{
    public abstract void print(int indent, BufferedWriter out) throws IOException
    ;
}
```

Mar 27, 14 21:31

FunctionDeclaration.java

Page 1/2

```

package parser;

import java.io.BufferedWriter;
import java.io.IOException;

import parser.statement.CompoundStatement;
import scanner.Token.TokenType;

/**
 * Represents a function declaration.
 */
public class FunctionDeclaration extends Declaration
{
    // the function's return type (INT or VOID)
    private TokenType returnType;
    // expected parameters
    private Params parameters;
    // function name
    private String name;
    // function body
    private CompoundStatement body;

    public FunctionDeclaration(TokenType returnType, String functionName, Params
params, CompoundStatement body)
    {
        this.returnType = returnType;
        parameters = params;
        name = functionName;
        this.body = body;
    }

    public String getName()
    {
        return name;
    }

    public Params getParams()
    {
        return parameters;
    }

    public CompoundStatement getBody()
    {
        return body;
    }

    @Override
    public void print(int indent, BufferedWriter out) throws IOException
    {
        String prefix = "";
        for (int i = 0; i < indent; i++)
            prefix += "\t";

        out.write(prefix + "<FunctionDeclaration>\n");

        out.write(prefix + "\t<Name>" + name + "</Name>\n");
        out.write(prefix + "\t<ReturnType>" + returnType.name() + "</ReturnType>\n");

        parameters.print(indent + 1, out);
    }
}

```

Mar 27, 14 21:31

FunctionDeclaration.java

Page 2/2

```
        body.print(indent + 1, out);  
        out.write(prefix + "</FunctionDeclaration>\n");  
    }  
}
```

Mar 27, 14 21:30

Params.java

Page 1/1

```
package parser;

import java.io.BufferedWriter;
import java.io.IOException;
import java.util.List;

/**
 * Represents parameters for a function definition.
 */
public class Params
{
    // the parameters
    List<VariableDeclaration> paramList;

    public Params(List<VariableDeclaration> list)
    {
        paramList = list;
    }

    public List<VariableDeclaration> getParameters()
    {
        return paramList;
    }

    public void print(int indent, BufferedWriter out) throws IOException
    {
        String prefix = "";
        for (int i = 0; i < indent; i++)
            prefix += "\t";

        out.write(prefix + "<Params>\n");

        for (VariableDeclaration varDec : paramList)
        {
            varDec.print(indent + 1, out);
        }

        out.write(prefix + "</Params>\n");
    }
}
```


Mar 27, 14 21:29

Parser.java

Page 1/1

```
package parser;

/**
 * Parser interface.
 * Meets the specifications for the project.
 */
public interface Parser
{
    public void printTree(String outFile);
    public Program parse();
}
```

Mar 27, 14 21:28

Program.java

Page 1/1

```
package parser;

import java.io.BufferedWriter;
import java.io.IOException;
import java.util.ArrayList;
import java.util.List;

/**
 * Represents a program in a single file.
 */
public class Program
{
    // the top-level declarations in this program (var and func)
    private List<Declaration> declarations;

    public Program(List<Declaration> decls)
    {
        declarations = decls;
    }

    public List<Declaration> getDeclarations()
    {
        return declarations;
    }

    public void print(int indent, BufferedWriter out) throws IOException
    {
        String prefix = "";
        for (int i = 0; i < indent; i++)
            prefix += "\t";

        out.write(prefix + "<Program>\n");

        for (Declaration decl : declarations)
            decl.print(indent + 1, out);

        out.write(prefix + "</Program>\n");
    }
}
```

Mar 27, 14 21:34

Tester.java

Page 1/1

```

package parser;

import java.io.BufferedWriter;
import java.io.BufferedReader;
import java.io.FileReader;
import java.io.FileWriter;
import java.io.IOException;

import scanner.CMinusScanner;
import scanner.Scanner;
import scanner.Token;
import scanner.Token.TokenType;

/**
 * @author Mitch Birti
 * @author Seth Yost
 * @version 1.0
 * File: Tester.java
 * Created: Feb 2014
 * Â©Copyright the authors. All rights reserved.
 */
public class Tester
{
    public static void main(String[] args)
    {
        try
        {
            // set up the scanner and the input/output file
            String baseName = "TestFile";
            Scanner s = new CMinusScanner(new BufferedReader(new FileReader("tests/"
+ baseName + ".cm")));

            // make the parser
            Parser parser = new CMinusParser(s);

            // parse the program
            parser.parse();
            // write the tree to file
            parser.printTree("tests/" + baseName + ".xml");
        }
        catch (Exception e)
        {
            e.printStackTrace();
        }
    }
}

```

Mar 27, 14 21:25

VariableDeclaration.java

Page 1/2

```

package parser;

import java.io.BufferedWriter;
import java.io.IOException;

/**
 * Represents a variable declaration.
 */
public class VariableDeclaration extends Declaration
{
    // the name of the variable
    private String id;

    // -1 indicates this isn't an array
    // 0 indicates unknown size (for function params)
    private int arraySize;

    /**
     * Makes a variable of type int.
     * @param id
     */
    public VariableDeclaration(String id)
    {
        this.id = id;
        arraySize = -1;
    }

    /**
     * Makes an array of type int.
     * @param id
     * @param size
     */
    public VariableDeclaration(String id, int size)
    {
        this.id = id;
        arraySize = size;
    }

    public String getId()
    {
        return id;
    }

    /**
     * Gets the size of this variable array.
     * -1 indicates it is not an array.
     * @return
     */
    public int arraySize()
    {
        return arraySize;
    }

    @Override
    public void print(int indent, BufferedWriter out) throws IOException
    {
        String prefix = "";
        for (int i = 0; i < indent; i++)
            prefix += "\t";
    }
}

```

Mar 27, 14 21:25

VariableDeclaration.java

Page 2/2

```
        out.write(prefix + "<VariableDeclaration>\n" );

        out.write(prefix + "\t<Name>" + id + "</Name>\n" );
        out.write(prefix + "\t<Type>" + "INT" + "</Type>\n" );

        if (arraySize != -1)
            out.write(prefix + "\t<Size>" + arraySize + "</Size>\n" );

        out.write(prefix + "</VariableDeclaration>\n" );
    }
}
```

Mar 27, 14 21:10

AssignExpression.java

Page 1/1

```

package parser.expression;

import java.io.BufferedWriter;
import java.io.IOException;

/**
 * Represents assigning a value to a variable.
 */
public class AssignExpression extends Expression
{
    // the variable being written to
    private VariableExpression variable;
    // the value to assign to the variable
    private Expression rightSide;

    public AssignExpression(VariableExpression var, Expression rhs)
    {
        variable = var;
        rightSide = rhs;
    }

    public VariableExpression getVariableExpr()
    {
        return variable;
    }

    public Expression getRightSide()
    {
        return rightSide;
    }

    public void print(int indent, BufferedWriter out) throws IOException
    {
        String prefix = "";
        for (int i = 0; i < indent; i++)
            prefix += "\t";

        out.write(prefix + "<AssignExpression>\n");

        out.write(prefix + "\t<Variable>\n");
        variable.print(indent + 2, out);
        out.write(prefix + "\t</Variable>\n");

        out.write(prefix + "\t<Value>\n");
        rightSide.print(indent + 2, out);
        out.write(prefix + "\t</Value>\n");

        out.write(prefix + "</AssignExpression>\n");
    }
}

```

Mar 27, 14 21:24

BinaryExpression.java

Page 1/2

```

package parser.expression;

import java.io.BufferedWriter;
import java.io.IOException;

import scanner.Token.TokenType;

/**
 * Represents a binary expression.
 */
public class BinaryExpression extends Expression
{
    // the left side of the expression
    private Expression leftSide;
    // the right side of the expression
    private Expression rightSide;
    // the operator: anything in relop, addop, mulop
    private TokenType operand;

    public BinaryExpression(Expression lhs, TokenType op, Expression rhs)
    {
        leftSide = lhs;
        operand = op;
        rightSide = rhs;
    }

    public Expression getLeftSide()
    {
        return leftSide;
    }

    public Expression getRightSide()
    {
        return rightSide;
    }

    public TokenType getOperand()
    {
        return operand;
    }

    @Override
    public void print(int indent, BufferedWriter out) throws IOException
    {
        String prefix = "";
        for (int i = 0; i < indent; i++)
            prefix += "\t";

        out.write(prefix + "<BinaryExpression>\n");

        out.write(prefix + "\t<Operand>" + operand.name() + "</Operand>\n");

        out.write(prefix + "\t<LeftSide>\n");
        leftSide.print(indent + 2, out);
        out.write(prefix + "\t</LeftSide>\n");

        out.write(prefix + "\t<RightSide>\n");
        rightSide.print(indent + 2, out);
        out.write(prefix + "\t</RightSide>\n");
    }
}

```

```
        out.write(prefix + "</BinaryExpression>\n" );  
    }  
}
```


Mar 27, 14 21:24

CallExpression.java

Page 1/1

```

package parser.expression;

import java.io.BufferedWriter;
import java.io.IOException;
import java.util.List;

/**
 * Represents a function call.
 */
public class CallExpression extends Expression
{
    // the name of the function
    String functionName;
    // the arguments being passed to the function
    List<Expression> arguments;

    public CallExpression(String funcName, List<Expression> args)
    {
        functionName = funcName;
        arguments = args;
    }

    public String getFunctionName()
    {
        return functionName;
    }

    public List<Expression> getArgs()
    {
        return arguments;
    }

    @Override
    public void print(int indent, BufferedWriter out) throws IOException
    {
        String prefix = "";
        for (int i = 0; i < indent; i++)
            prefix += "\t";

        out.write(prefix + "<CallExpression>\n");

        out.write(prefix + "\t<FunctionName>" + functionName + "</FunctionName>\n");

        out.write(prefix + "\t<Arguments>\n");

        for (Expression arg : arguments)
            arg.print(indent + 2, out);

        out.write(prefix + "\t</Arguments>\n");
        out.write(prefix + "</CallExpression>\n");
    }
}

```

Mar 27, 14 21:23

Expression.java

Page 1/1

```
package parser.expression;

import java.io.BufferedWriter;
import java.io.IOException;

/**
 * Represents any kind of expression.
 */
public abstract class Expression
{
    public abstract void print(int indent, BufferedWriter out) throws IOException
    ;
}
```

Mar 27, 14 21:20

NumberExpression.java

Page 1/1

```
package parser.expression;

import java.io.BufferedWriter;
import java.io.IOException;

/**
 * Represents a numerical value.
 * e.g. '5'
 */
public class NumberExpression extends Expression
{
    // the numerical value
    private int value;

    public NumberExpression(int val)
    {
        value = val;
    }

    public int getValue()
    {
        return value;
    }

    @Override
    public void print(int index, BufferedWriter out) throws IOException
    {
        String prefix = "";
        for (int i = 0; i < index; i++)
            prefix += "\t";

        out.write(prefix + "<NumberExpression>" + value + "</NumberExpression>\n");
    }
}
```

Mar 27, 14 21:10

VariableExpression.java

Page 1/2

```

package parser.expression;

import java.io.BufferedWriter;
import java.io.IOException;

/**
 * Represents an expression consisting of a single variable.
 */
public class VariableExpression extends Expression
{
    private String identifier;
    private Expression index;

    public VariableExpression(String id)
    {
        identifier = id;
        index = null;
    }

    public VariableExpression(String id, Expression index)
    {
        identifier = id;
        this.index = index;
    }

    public String getIdentifier()
    {
        return identifier;
    }

    /**
     * Gets the index expression for this array.
     * If null, this isn't an array variable.
     * @return
     */
    public Expression getIndex()
    {
        return index;
    }

    @Override
    public void print(int indent, BufferedWriter out) throws IOException
    {
        String prefix = "";
        for (int i = 0; i < indent; i++)
            prefix += "\t";

        out.write(prefix + "<VariableExpression>\n");

        out.write(prefix + "\t<Identifier>" + identifier + "</Identifier>\n");
        if (index != null)
        {
            out.write(prefix + "\t<Index>\n");
            index.print(indent + 2, out);
            out.write(prefix + "\t</Index>\n");
        }

        out.write(prefix + "</VariableExpression>\n");
    }
}

```

Mar 27, 14 21:10

VariableExpression.java

Page 2/2

}

Mar 27, 14 21:19

CompoundStatement.java

Page 1/1

```

package parser.statement;

import parser.*;

import java.io.BufferedWriter;
import java.io.IOException;
import java.util.List;

/**
 * Represents a group of declarations and statements
 * that are enclosed in curly braces.
 */
public class CompoundStatement extends Statement
{
    // the local declarations
    private List<Declaration> locals;
    // the statements to be executed in this block
    private List<Statement> body;

    public CompoundStatement(List<Declaration> locals, List<Statement> body)
    {
        this.locals = locals;
        this.body = body;
    }

    public List<Declaration> getLocals()
    {
        return locals;
    }

    public List<Statement> getBody()
    {
        return body;
    }

    // to keep Statement happy in the meantime
    @Override
    public void print(int indent, BufferedWriter out) throws IOException
    {
        String prefix = "";
        for (int i = 0; i < indent; i++)
            prefix += "\t";

        out.write(prefix + "<CompoundStatement>\n");
        out.write(prefix + "\t<Declarations>\n");
        for (Declaration decl : locals)
        {
            decl.print(indent+2, out);
        }
        out.write(prefix + "\t</Declarations>\n");
        out.write(prefix + "\t<Statments>\n");
        for (Statement temp : body)
        {
            temp.print(indent+2, out);
        }
        out.write(prefix + "\t</Statments>\n");
        out.write(prefix + "</CompoundStatement>\n");
    }
}

```

Mar 27, 14 21:17

ExpressionStatement.java

Page 1/1

```
package parser.statement;

import java.io.BufferedWriter;
import java.io.IOException;

import parser.expression.*;

/**
 * Represents an expression statement.
 * e.g. 'func();'
 * or 'A + B;' (though I don't know why you'd want to do that)
 */
public class ExpressionStatement extends Statement
{
    // the expression
    private Expression data;

    public ExpressionStatement(Expression data)
    {
        this.data = data;
    }

    public Expression getData()
    {
        return data;
    }

    public void print(int indent, BufferedWriter out) throws IOException
    {
        String prefix = "";
        for(int i = 0; i < indent; i++)
            prefix += "\t";

        out.write(prefix + "<ExpressionStatement>\n");
        data.print(indent+1, out);
        out.write(prefix + "</ExpressionStatement>\n");
    }
}
```

Mar 27, 14 21:16

IterationStatement.java

Page 1/1

```

package parser.statement;

import java.io.BufferedWriter;
import java.io.IOException;

import parser.expression.*;

/**
 * Represents a while loop.
 */
public class IterationStatement extends Statement
{
    // the deciding expression
    private Expression compare;
    // the code to execute in the loop
    private Statement body;

    public IterationStatement(Expression compare, Statement body)
    {
        this.compare = compare;
        this.body = body;
    }

    public Expression getCompare()
    {
        return compare;
    }

    public Statement getBody()
    {
        return body;
    }

    public void print(int indent, BufferedWriter out) throws IOException
    {
        String prefix = "";
        for(int i = 0; i < indent; i++)
            prefix += "\t";

        out.write(prefix + "<IterationStatement>\n");
        out.write(prefix + "\t<Expression>\n");
        compare.print(indent+2, out);
        out.write(prefix + "\t</Expression>\n");
        out.write(prefix + "\t<Do>\n");
        body.print(indent+2, out);
        out.write(prefix + "\t</Do>\n");
        out.write(prefix + "</IterationStatement>\n");
    }
}

```


Mar 27, 14 21:14

ReturnStatement.java

Page 1/1

```

package parser.statement;

import java.io.BufferedWriter;
import java.io.IOException;

import parser.expression.*;

/**
 * Represents a return from a function.
 */
public class ReturnStatement extends Statement
{
    // optional expression to evaluate and return
    private Expression body;

    public ReturnStatement(Expression body)
    {
        this.body = body;
    }

    public Expression getBody()
    {
        return body;
    }

    public void print(int indent, BufferedWriter out) throws IOException
    {
        String prefix = "";
        for(int i = 0; i < indent; i++)
            prefix += "\t";

        out.write(prefix + "<ReturnStatement>");
        if (body != null)
        {
            out.write("\n" + prefix + "\t<Expression>\n");
            body.print(indent+2, out);
            out.write(prefix + "\t</Expression>\n" + prefix);
        }
        out.write("</ReturnStatement>\n");
    }
}

```

Mar 27, 14 21:14

SelectionStatement.java

Page 1/2

```

package parser.statement;

import java.io.BufferedWriter;
import java.io.IOException;

import parser.statement.*;
import parser.expression.*;

/**
 * Represents an if statement.
 */
public class SelectionStatement extends Statement
{
    // the decision expression
    private Expression compare;
    // the body to be executed if the expression is 1
    private Statement body;
    // the optional else statement
    private Statement else_part;

    public SelectionStatement(Expression compare, Statement body, Statement else_
part)
    {
        this.compare = compare;
        this.body = body;
        this.else_part = else_part;
    }

    public Expression getCompare() {
        return compare;
    }

    public Statement getBody() {
        return body;
    }

    public Statement getElse_part() {
        return else_part;
    }

    public void print(int indent, BufferedWriter out) throws IOException
    {
        String prefix = "";
        for (int i = 0; i < indent; i++)
            prefix += "\t";

        out.write(prefix + "<SelectionStatement>\n");

        out.write(prefix + "\t<Expression>\n");
        compare.print(indent+2, out);
        out.write(prefix + "\t</Expression>\n");

        out.write(prefix + "\t<Then>\n");
        body.print(indent+2, out);
        out.write(prefix + "\t</Then>\n");

        if(else_part != null)
        {
            out.write(prefix + "\t<Else>\n");

```

Mar 27, 14 21:14

SelectionStatement.java

Page 2/2

```
        else_part.print(indent+2, out);
        out.write(prefix + "\t</Else>\n");
    }

    out.write(prefix + "</SelectionStatement>\n");
}

}
```

Mar 27, 14 21:11

Statement.java

Page 1/1

```
package parser.statement;

import java.io.BufferedWriter;
import java.io.IOException;

/**
 * Abstract class for statements (expressions, if, while, return, etc.).
 */
public abstract class Statement
{
    public abstract void print(int indent, BufferedWriter out) throws IOException
    ;
}
```

Mar 27, 14 12:31

ben.cm

Page 1/1

```
void test(void){
    int a;
    int b;
    a = 0;
    b = 1;
    a = b = 0;
    if(a > b){
        b = b - 1;
    }
    else{
        b = 2;
        while( b == 2){
            b = 2;
            if(b == 2){
                b = b + 1;
            }
            else{
                b = 1;
                while(b == 1){
                    b = b + 2;
                }
            }
        }
    }
    if(a == b){
        while (a == b){
            while(a == b){
                a = b - 1;
            }
        }
    }
    b = 3;
    return;
}
```

Mar 27, 14 21:34

ben.xml

Page 1/8

```

<Program>
  <FunctionDeclaration>
    <Name>test</Name>
    <ReturnType>VOID</ReturnType>
    <Params>
    </Params>
    <CompoundStatement>
      <Declarations>
        <VariableDeclaration>
          <Name>a</Name>
          <Type>INT</Type>
        </VariableDeclaration>
        <VariableDeclaration>
          <Name>b</Name>
          <Type>INT</Type>
        </VariableDeclaration>
      </Declarations>
      <Statments>
        <ExpressionStatement>
          <AssignExpression>
            <Variable>
              <VariableExpression>
                <Identifier>a</Identifier>
              </VariableExpression>
            </Variable>
            <Value>
              <NumberExpression>0</NumberExpression>
            </Value>
          </AssignExpression>
        </ExpressionStatement>
        <ExpressionStatement>
          <AssignExpression>
            <Variable>
              <VariableExpression>
                <Identifier>b</Identifier>
              </VariableExpression>
            </Variable>
            <Value>
              <NumberExpression>1</NumberExpression>
            </Value>
          </AssignExpression>
        </ExpressionStatement>
        <ExpressionStatement>
          <AssignExpression>
            <Variable>
              <VariableExpression>
                <Identifier>a</Identifier>
              </VariableExpression>
            </Variable>
            <Value>
              <AssignExpression>
                <Variable>
                  <VariableExpression>
                    <Identifier>b</Identifier>
                  </VariableExpression>
                </Variable>
              <Value>
                <NumberExpression>0</NumberExpression>
              </Value>
            </AssignExpression>
          </AssignExpression>
        </ExpressionStatement>
      </Statments>
    </CompoundStatement>
  </FunctionDeclaration>
</Program>

```

Mar 27, 14 21:34

ben.xml

Page 2/8

```

        </AssignExpression>
    </Value>
</AssignExpression>
</ExpressionStatement>
<SelectionStatement>
    <Expression>
        <BinaryExpression>
            <Operand>GREATER_THAN</Operand>
            <LeftSide>
                <VariableExpression>
                    <Identifier>a</Identifier>
                </VariableExpression>
            </LeftSide>
            <RightSide>
                <VariableExpression>
                    <Identifier>b</Identifier>
                </VariableExpression>
            </RightSide>
        </BinaryExpression>
    </Expression>
    <Then>
        <CompoundStatement>
            <Declarations>
            </Declarations>
            <Statments>
                <ExpressionStatement>
                    <AssignExpression>
                        <Variable>
                            <VariableExpression>
                                <Identifier>b</Identifier>
                            </VariableExpression>
                        </Variable>
                        <Value>
                            <BinaryExpression>
                                <Operand>MINUS</Operand>
                                <LeftSide>
                                    <VariableExpression>
                                        <Identifier>b</Identifier>
                                    </VariableExpression>
                                </LeftSide>
                                <RightSide>
                                    <NumberExpression>1</NumberExpression>
                                </RightSide>
                            </BinaryExpression>
                        </Value>
                    </AssignExpression>
                </ExpressionStatement>
            </Statments>
        </CompoundStatement>
    </Then>
    <Else>
        <CompoundStatement>
            <Declarations>
            </Declarations>
            <Statments>
                <ExpressionStatement>
                    <AssignExpression>
                        <Variable>
                            <VariableExpression>

```

Mar 27, 14 21:34

ben.xml

Page 3/8

```

        <Identifier>b</Identifier>
      </VariableExpression>
    </Variable>
    <Value>
      <NumberExpression>2</NumberExpression>
    </Value>
  </AssignExpression>
</ExpressionStatement>
<IterationStatement>
  <Expression>
    <BinaryExpression>
      <Operand>EQUALS</Operand>
      <LeftSide>
        <VariableExpression>
          <Identifier>b</Identifier>
        </VariableExpression>
      </LeftSide>
      <RightSide>
        <NumberExpression>2</NumberExpression>
      </RightSide>
    </BinaryExpression>
  </Expression>
  <Do>
    <CompoundStatement>
      <Declarations>
      </Declarations>
      <Statments>
        <ExpressionStatement>
          <AssignExpression>
            <Variable>
              <VariableExpression>
                <Identifier>b</Identifier>
              </VariableExpression>
            </Variable>
            <Value>
              <NumberExpression>2</NumberExpressi
on>
            </Value>
          </AssignExpression>
        </ExpressionStatement>
        <SelectionStatement>
          <Expression>
            <BinaryExpression>
              <Operand>EQUALS</Operand>
              <LeftSide>
                <VariableExpression>
                  <Identifier>b</Identifier>
                </VariableExpression>
              </LeftSide>
              <RightSide>
                <NumberExpression>2</NumberExpre
ssion>
              </RightSide>
            </BinaryExpression>
          </Expression>
          <Then>
            <CompoundStatement>
              <Declarations>
              </Declarations>

```


Mar 27, 14 21:34

ben.xml

Page 4/8

ifier>

nd>

on>

/Identifier>

ion>

>1</NumberExpression>

ifier>

mberExpression>

d>

```

    <Statments>
      <ExpressionStatement>
        <AssignExpression>
          <Variable>
            <VariableExpression>
              <Identifier>b</Ident
ifier>

            </VariableExpression>
          </Variable>
          <Value>
            <BinaryExpression>
              <Operand>PLUS</Opera
nd>

              <LeftSide>
                <VariableExpressi
on>

                <Identifier>b<
/Identifier>

                </VariableExpress
ion>

              </LeftSide>
              <RightSide>
                <NumberExpression
>1</NumberExpression>

              </RightSide>
            </BinaryExpression>
          </Value>
        </AssignExpression>
      </ExpressionStatement>
    </Statments>
  </CompoundStatement>
</Then>
<Else>
  <CompoundStatement>
    <Declarations>
    </Declarations>
    <Statments>
      <ExpressionStatement>
        <AssignExpression>
          <Variable>
            <VariableExpression>
              <Identifier>b</Ident
ifier>

            </VariableExpression>
          </Variable>
          <Value>
            <NumberExpression>1</Nu
mberExpression>

            </Value>
          </AssignExpression>
        </ExpressionStatement>
      <IterationStatement>
        <Expression>
          <BinaryExpression>
            <Operand>EQUALS</Operan
d>

            <LeftSide>
              <VariableExpression>
                <Identifier>b</Id

```

Mar 27, 14 21:34

ben.xml

Page 5/8

```

entifier>
</VariableExpression>
>
</LeftSide>
<RightSide>
  <NumberExpression>1<
/NumberExpression>
</RightSide>
</BinaryExpression>
</Expression>
<Do>
  <CompoundStatement>
    <Declarations>
    </Declarations>
    <Statments>
      <ExpressionStatement>
        <AssignExpression>
          <Variable>
            <VariableEx
pression>
            <Identif
ier>b</Identifier>
            </VariableE
xpression>
          </Variable>
          <Value>
            <BinaryExpr
ession>
              <Operand>
                <LeftSid
e>
                  <Vari
ableExpression>
                    <I
dentifier>b</Identifier>
                    </Var
iableExpression>
                  </LeftSi
de>
                  <RightSi
de>
                    <Numb
erExpression>2</NumberExpression>
                  </RightS
ide>
                </BinaryExp
ression>
              </Value>
            </AssignExpressio
n>
          </ExpressionStatemen
t>
        </Statments>
      </CompoundStatement>
    </Do>
  </IterationStatement>

```

Mar 27, 14 21:34

ben.xml

Page 6/8

```

        </Statements>
    </CompoundStatement>
</Else>
</SelectionStatement>
</Statements>
</CompoundStatement>
</Do>
</IterationStatement>
</Statements>
</CompoundStatement>
</Else>
</SelectionStatement>
<SelectionStatement>
    <Expression>
        <BinaryExpression>
            <Operand>EQUALS</Operand>
            <LeftSide>
                <VariableExpression>
                    <Identifier>a</Identifier>
                </VariableExpression>
            </LeftSide>
            <RightSide>
                <VariableExpression>
                    <Identifier>b</Identifier>
                </VariableExpression>
            </RightSide>
        </BinaryExpression>
    </Expression>
    <Then>
        <CompoundStatement>
            <Declarations>
            </Declarations>
            <Statements>
                <IterationStatement>
                    <Expression>
                        <BinaryExpression>
                            <Operand>EQUALS</Operand>
                            <LeftSide>
                                <VariableExpression>
                                    <Identifier>a</Identifier>
                                </VariableExpression>
                            </LeftSide>
                            <RightSide>
                                <VariableExpression>
                                    <Identifier>b</Identifier>
                                </VariableExpression>
                            </RightSide>
                        </BinaryExpression>
                    </Expression>
                    <Do>
                        <CompoundStatement>
                            <Declarations>
                            </Declarations>
                            <Statements>
                                <IterationStatement>
                                    <Expression>
                                        <BinaryExpression>
                                            <Operand>EQUALS</Operand>
                                            <LeftSide>

```

Mar 27, 14 21:34

ben.xml

Page 7/8

```

        <VariableExpression>
          <Identifier>a</Identifier>
        </VariableExpression>
      </LeftSide>
    <RightSide>
      <VariableExpression>
        <Identifier>b</Identifier>
      </VariableExpression>
    </RightSide>
  </BinaryExpression>
</Expression>
<Do>
  <CompoundStatement>
    <Declarations>
    </Declarations>
    <Statments>
      <ExpressionStatement>
        <AssignExpression>
          <Variable>
            <VariableExpression>
              <Identifier>a</Ident
ifier>

            </VariableExpression>
          </Variable>
          <Value>
            <BinaryExpression>
              <Operand>MINUS</Oper

and>

              <LeftSide>
                <VariableExpressi

on>

                <Identifier>b<

/Identifier>

              </VariableExpress

ion>

              </LeftSide>
              <RightSide>
                <NumberExpression

>1</NumberExpression>

              </RightSide>
            </BinaryExpression>
          </Value>
        </AssignExpression>
      </ExpressionStatement>
    </Statments>
  </CompoundStatement>
</Do>
</IterationStatement>
</Statments>
</CompoundStatement>
</Do>
</IterationStatement>
</Statments>
</CompoundStatement>
</Then>
</SelectionStatement>
<ExpressionStatement>
  <AssignExpression>
    <Variable>

```

Mar 27, 14 21:34

ben.xml

Page 8/8

```
        <VariableExpression>
          <Identifier>b</Identifier>
        </VariableExpression>
      </Variable>
    <Value>
      <NumberExpression>3</NumberExpression>
    </Value>
  </AssignExpression>
</ExpressionStatement>
<ReturnStatement></ReturnStatement>
</Statments>
</CompoundStatement>
</FunctionDeclaration>
</Program>
```

Mar 27, 14 12:31

test5.cm

Page 1/1

```
int a;

int addThem(int d, int e) {
    int f;
    f = d + e;

    return f;
}

int main (void) {

    int b;
    int c;
    int g;
    int h;
    int i;

    b = 5;

    if (b == 5) {
        a = 3;
    }
    else {
        a = 4;
    }

    g = 0;
    i = 1;
    while (i <= 8) {
        g = g + i;
        i = i+1;
    }
    h = g / 3;
    g = h * 4;

    c = addThem(a, b);
    putchar (c+g);
    putchar (10);

    return 0;
}
```

Mar 27, 14 21:34

test5.xml

Page 1/6

```

<Program>
  <VariableDeclaration>
    <Name>a</Name>
    <Type>INT</Type>
  </VariableDeclaration>
  <FunctionDeclaration>
    <Name>addThem</Name>
    <ReturnType>INT</ReturnType>
    <Params>
      <VariableDeclaration>
        <Name>d</Name>
        <Type>INT</Type>
      </VariableDeclaration>
      <VariableDeclaration>
        <Name>e</Name>
        <Type>INT</Type>
      </VariableDeclaration>
    </Params>
    <CompoundStatement>
      <Declarations>
        <VariableDeclaration>
          <Name>f</Name>
          <Type>INT</Type>
        </VariableDeclaration>
      </Declarations>
      <Statments>
        <ExpressionStatement>
          <AssignExpression>
            <Variable>
              <VariableExpression>
                <Identifier>f</Identifier>
              </VariableExpression>
            </Variable>
            <Value>
              <BinaryExpression>
                <Operand>PLUS</Operand>
                <LeftSide>
                  <VariableExpression>
                    <Identifier>d</Identifier>
                  </VariableExpression>
                </LeftSide>
                <RightSide>
                  <VariableExpression>
                    <Identifier>e</Identifier>
                  </VariableExpression>
                </RightSide>
              </BinaryExpression>
            </Value>
          </AssignExpression>
        </ExpressionStatement>
        <ReturnStatement>
          <Expression>
            <VariableExpression>
              <Identifier>f</Identifier>
            </VariableExpression>
          </Expression>
        </ReturnStatement>
      </Statments>
    </CompoundStatement>
  </FunctionDeclaration>
</Program>

```

Mar 27, 14 21:34

test5.xml

Page 2/6

```

</FunctionDeclaration>
<FunctionDeclaration>
  <Name>main</Name>
  <ReturnType>INT</ReturnType>
  <Params>
  </Params>
  <CompoundStatement>
    <Declarations>
      <VariableDeclaration>
        <Name>b</Name>
        <Type>INT</Type>
      </VariableDeclaration>
      <VariableDeclaration>
        <Name>c</Name>
        <Type>INT</Type>
      </VariableDeclaration>
      <VariableDeclaration>
        <Name>g</Name>
        <Type>INT</Type>
      </VariableDeclaration>
      <VariableDeclaration>
        <Name>h</Name>
        <Type>INT</Type>
      </VariableDeclaration>
      <VariableDeclaration>
        <Name>i</Name>
        <Type>INT</Type>
      </VariableDeclaration>
    </Declarations>
    <Statements>
      <ExpressionStatement>
        <AssignExpression>
          <Variable>
            <VariableExpression>
              <Identifier>b</Identifier>
            </VariableExpression>
          </Variable>
          <Value>
            <NumberExpression>5</NumberExpression>
          </Value>
        </AssignExpression>
      </ExpressionStatement>
      <SelectionStatement>
        <Expression>
          <BinaryExpression>
            <Operand>EQUALS</Operand>
            <LeftSide>
              <VariableExpression>
                <Identifier>b</Identifier>
              </VariableExpression>
            </LeftSide>
            <RightSide>
              <NumberExpression>5</NumberExpression>
            </RightSide>
          </BinaryExpression>
        </Expression>
        <Then>
          <CompoundStatement>
            <Declarations>

```


Mar 27, 14 21:34

test5.xml

Page 3/6

```

        </Declarations>
        <Statments>
            <ExpressionStatement>
                <AssignExpression>
                    <Variable>
                        <VariableExpression>
                            <Identifier>a</Identifier>
                        </VariableExpression>
                    </Variable>
                    <Value>
                        <NumberExpression>3</NumberExpression>
                    </Value>
                </AssignExpression>
            </ExpressionStatement>
        </Statments>
    </CompoundStatement>
</Then>
<Else>
    <CompoundStatement>
        <Declarations>
        </Declarations>
        <Statments>
            <ExpressionStatement>
                <AssignExpression>
                    <Variable>
                        <VariableExpression>
                            <Identifier>a</Identifier>
                        </VariableExpression>
                    </Variable>
                    <Value>
                        <NumberExpression>4</NumberExpression>
                    </Value>
                </AssignExpression>
            </ExpressionStatement>
        </Statments>
    </CompoundStatement>
</Else>
</SelectionStatement>
<ExpressionStatement>
    <AssignExpression>
        <Variable>
            <VariableExpression>
                <Identifier>g</Identifier>
            </VariableExpression>
        </Variable>
        <Value>
            <NumberExpression>0</NumberExpression>
        </Value>
    </AssignExpression>
</ExpressionStatement>
<ExpressionStatement>
    <AssignExpression>
        <Variable>
            <VariableExpression>
                <Identifier>i</Identifier>
            </VariableExpression>
        </Variable>
        <Value>
            <NumberExpression>1</NumberExpression>

```

```

    </Value>
  </AssignExpression>
</ExpressionStatement>
<IterationStatement>
  <Expression>
    <BinaryExpression>
      <Operand>LESS_EQUAL_THAN</Operand>
      <LeftSide>
        <VariableExpression>
          <Identifier>i</Identifier>
        </VariableExpression>
      </LeftSide>
      <RightSide>
        <NumberExpression>8</NumberExpression>
      </RightSide>
    </BinaryExpression>
  </Expression>
  <Do>
    <CompoundStatement>
      <Declarations>
      </Declarations>
      <Statments>
        <ExpressionStatement>
          <AssignExpression>
            <Variable>
              <VariableExpression>
                <Identifier>g</Identifier>
              </VariableExpression>
            </Variable>
            <Value>
              <BinaryExpression>
                <Operand>PLUS</Operand>
                <LeftSide>
                  <VariableExpression>
                    <Identifier>g</Identifier>
                  </VariableExpression>
                </LeftSide>
                <RightSide>
                  <VariableExpression>
                    <Identifier>i</Identifier>
                  </VariableExpression>
                </RightSide>
              </BinaryExpression>
            </Value>
          </AssignExpression>
        </ExpressionStatement>
        <ExpressionStatement>
          <AssignExpression>
            <Variable>
              <VariableExpression>
                <Identifier>i</Identifier>
              </VariableExpression>
            </Variable>
            <Value>
              <BinaryExpression>
                <Operand>PLUS</Operand>
                <LeftSide>
                  <VariableExpression>
                    <Identifier>i</Identifier>

```

Mar 27, 14 21:34

test5.xml

Page 5/6

```

        </VariableExpression>
    </LeftSide>
    <RightSide>
        <NumberExpression>1</NumberExpression>
    </RightSide>
    </BinaryExpression>
    </Value>
    </AssignExpression>
</ExpressionStatement>
</Statements>
</CompoundStatement>
</Do>
</IterationStatement>
<ExpressionStatement>
    <AssignExpression>
        <Variable>
            <VariableExpression>
                <Identifier>h</Identifier>
            </VariableExpression>
        </Variable>
        <Value>
            <BinaryExpression>
                <Operand>DIVIDE</Operand>
                <LeftSide>
                    <VariableExpression>
                        <Identifier>g</Identifier>
                    </VariableExpression>
                </LeftSide>
                <RightSide>
                    <NumberExpression>3</NumberExpression>
                </RightSide>
            </BinaryExpression>
        </Value>
    </AssignExpression>
</ExpressionStatement>
<ExpressionStatement>
    <AssignExpression>
        <Variable>
            <VariableExpression>
                <Identifier>g</Identifier>
            </VariableExpression>
        </Variable>
        <Value>
            <BinaryExpression>
                <Operand>MULTIPLY</Operand>
                <LeftSide>
                    <VariableExpression>
                        <Identifier>h</Identifier>
                    </VariableExpression>
                </LeftSide>
                <RightSide>
                    <NumberExpression>4</NumberExpression>
                </RightSide>
            </BinaryExpression>
        </Value>
    </AssignExpression>
</ExpressionStatement>
<ExpressionStatement>
    <AssignExpression>

```

```

    <Variable>
      <VariableExpression>
        <Identifier>c</Identifier>
      </VariableExpression>
    </Variable>
    <Value>
      <CallExpression>
        <FunctionName>addThem</FunctionName>
        <Arguments>
          <VariableExpression>
            <Identifier>a</Identifier>
          </VariableExpression>
          <VariableExpression>
            <Identifier>b</Identifier>
          </VariableExpression>
        </Arguments>
      </CallExpression>
    </Value>
  </AssignExpression>
</ExpressionStatement>
<ExpressionStatement>
  <CallExpression>
    <FunctionName>putchar</FunctionName>
    <Arguments>
      <BinaryExpression>
        <Operand>PLUS</Operand>
        <LeftSide>
          <VariableExpression>
            <Identifier>c</Identifier>
          </VariableExpression>
        </LeftSide>
        <RightSide>
          <VariableExpression>
            <Identifier>g</Identifier>
          </VariableExpression>
        </RightSide>
      </BinaryExpression>
    </Arguments>
  </CallExpression>
</ExpressionStatement>
<ExpressionStatement>
  <CallExpression>
    <FunctionName>putchar</FunctionName>
    <Arguments>
      <NumberExpression>10</NumberExpression>
    </Arguments>
  </CallExpression>
</ExpressionStatement>
<ReturnStatement>
  <Expression>
    <NumberExpression>0</NumberExpression>
  </Expression>
</ReturnStatement>
</Statments>
</CompoundStatement>
</FunctionDeclaration>
</Program>

```

Mar 27, 14 12:31

testcode.cm

Page 1/3

```
int a;

int addThem(int d, int e) {
    int f;
    f = d + e;

    return f;
}

void putDigit(int s) {
    putchar(48+s);
}

void printInt(int r) {
    int t;
    int found;

    found = 0;

    if (r >= 10000) {
        /* print -1) */
        putchar(45);
        putDigit(1);
        return;
    }
    else {
        if (r >= 1000) {
            t = r / 1000;
            putDigit(t);
            r = r - t * 1000;
            found=1;
        }

        if (r >= 100) {
            t = r / 100;
            putDigit(t);
            r = r - t * 100;
            found=1;
        }
        else if (found == 1) {
            putDigit(0);
        }

        if (r >= 10) {
            t = r / 10;
            putDigit(t);
            r = r - t * 10;
        }
        else if (found == 1) {
            putDigit(0);
        }

        putDigit(r);
    }
}

int main (void) {
```

Mar 27, 14 12:31

testcode.cm

Page 2/3

```
int b;
int c;
int g;
int h;
int i;

b = c = 5;

if (b == 5) {
    a = 3;
}
else {
    a = 4;
}

g = 0;
i = 1;
while (i <= 8) {
    g = g + i;
    i = i+1;
}
h = g / 3;
g = h * 4;

c = addThem(a, b);
putchar (56);
putchar (61);
putchar (c+g);
putchar (10);

i = 0;
while (i < 10) {
    putchar(48+i);
    i = i+1;
}
putchar(10);
putchar(67);
putchar(83);
printInt(3510);
putchar(10);

b = 0;
c = 1;
g = 1;
h = 0;
i = 0;

if (b == 0) {
    if (c==0) {
        i = 1;
    }
    else if (g == 0) {
        i = 2;
    }
    else if (h == 0) {
        i = 10;
    }
    else {
        i = 3;
    }
}
```

Mar 27, 14 12:31

testcode.cm

Page 3/3

```
    }  
  }  
  else {  
    i = 0;  
  }  
  
  if (i == 10) {  
    putchar(99);  
    putDigit(0);  
    putDigit(0);  
    putchar(108);  
  }  
  else {  
    putchar(98);  
    putchar(97);  
    putchar(100);  
    putchar(61);  
    printInt(i);  
  }  
  putchar(10);  
  
  return 0;  
}
```

```

<Program>
  <VariableDeclaration>
    <Name>a</Name>
    <Type>INT</Type>
  </VariableDeclaration>
  <FunctionDeclaration>
    <Name>addThem</Name>
    <ReturnType>INT</ReturnType>
    <Params>
      <VariableDeclaration>
        <Name>d</Name>
        <Type>INT</Type>
      </VariableDeclaration>
      <VariableDeclaration>
        <Name>e</Name>
        <Type>INT</Type>
      </VariableDeclaration>
    </Params>
    <CompoundStatement>
      <Declarations>
        <VariableDeclaration>
          <Name>f</Name>
          <Type>INT</Type>
        </VariableDeclaration>
      </Declarations>
      <Statments>
        <ExpressionStatement>
          <AssignExpression>
            <Variable>
              <VariableExpression>
                <Identifier>f</Identifier>
              </VariableExpression>
            </Variable>
            <Value>
              <BinaryExpression>
                <Operand>PLUS</Operand>
                <LeftSide>
                  <VariableExpression>
                    <Identifier>d</Identifier>
                  </VariableExpression>
                </LeftSide>
                <RightSide>
                  <VariableExpression>
                    <Identifier>e</Identifier>
                  </VariableExpression>
                </RightSide>
              </BinaryExpression>
            </Value>
          </AssignExpression>
        </ExpressionStatement>
        <ReturnStatement>
          <Expression>
            <VariableExpression>
              <Identifier>f</Identifier>
            </VariableExpression>
          </Expression>
        </ReturnStatement>
      </Statments>
    </CompoundStatement>
  </FunctionDeclaration>
</Program>

```



```

</FunctionDeclaration>
<FunctionDeclaration>
  <Name>putDigit</Name>
  <ReturnType>VOID</ReturnType>
  <Params>
    <VariableDeclaration>
      <Name>s</Name>
      <Type>INT</Type>
    </VariableDeclaration>
  </Params>
  <CompoundStatement>
    <Declarations>
    </Declarations>
    <Statments>
      <ExpressionStatement>
        <CallExpression>
          <FunctionName>putchar</FunctionName>
          <Arguments>
            <BinaryExpression>
              <Operand>PLUS</Operand>
              <LeftSide>
                <NumberExpression>48</NumberExpression>
              </LeftSide>
              <RightSide>
                <VariableExpression>
                  <Identifier>s</Identifier>
                </VariableExpression>
              </RightSide>
            </BinaryExpression>
          </Arguments>
        </CallExpression>
      </ExpressionStatement>
    </Statments>
  </CompoundStatement>
</FunctionDeclaration>
<FunctionDeclaration>
  <Name>printInt</Name>
  <ReturnType>VOID</ReturnType>
  <Params>
    <VariableDeclaration>
      <Name>r</Name>
      <Type>INT</Type>
    </VariableDeclaration>
  </Params>
  <CompoundStatement>
    <Declarations>
      <VariableDeclaration>
        <Name>t</Name>
        <Type>INT</Type>
      </VariableDeclaration>
      <VariableDeclaration>
        <Name>found</Name>
        <Type>INT</Type>
      </VariableDeclaration>
    </Declarations>
    <Statments>
      <ExpressionStatement>
        <AssignExpression>
          <Variable>

```

```

        <VariableExpression>
            <Identifier>found</Identifier>
        </VariableExpression>
    </Variable>
    <Value>
        <NumberExpression>0</NumberExpression>
    </Value>
</AssignExpression>
</ExpressionStatement>
<SelectionStatement>
    <Expression>
        <BinaryExpression>
            <Operand>GREATER_EQUAL_THAN</Operand>
            <LeftSide>
                <VariableExpression>
                    <Identifier>r</Identifier>
                </VariableExpression>
            </LeftSide>
            <RightSide>
                <NumberExpression>10000</NumberExpression>
            </RightSide>
        </BinaryExpression>
    </Expression>
    <Then>
        <CompoundStatement>
            <Declarations>
            </Declarations>
            <Statments>
                <ExpressionStatement>
                    <CallExpression>
                        <FunctionName>putchar</FunctionName>
                        <Arguments>
                            <NumberExpression>45</NumberExpression>
                        </Arguments>
                    </CallExpression>
                </ExpressionStatement>
                <ExpressionStatement>
                    <CallExpression>
                        <FunctionName>putDigit</FunctionName>
                        <Arguments>
                            <NumberExpression>1</NumberExpression>
                        </Arguments>
                    </CallExpression>
                </ExpressionStatement>
                <ReturnStatement></ReturnStatement>
            </Statments>
        </CompoundStatement>
    </Then>
    <Else>
        <CompoundStatement>
            <Declarations>
            </Declarations>
            <Statments>
                <SelectionStatement>
                    <Expression>
                        <BinaryExpression>
                            <Operand>GREATER_EQUAL_THAN</Operand>
                            <LeftSide>
                                <VariableExpression>

```

Mar 27, 14 21:34

testcode.xml

Page 4/23

```

        <Identifier>r</Identifier>
      </VariableExpression>
    </LeftSide>
    <RightSide>
      <NumberExpression>1000</NumberExpression>
    </RightSide>
  </BinaryExpression>
</Expression>
<Then>
  <CompoundStatement>
    <Declarations>
    </Declarations>
    <Statements>
      <ExpressionStatement>
        <AssignExpression>
          <Variable>
            <VariableExpression>
              <Identifier>t</Identifier>
            </VariableExpression>
          </Variable>
          <Value>
            <BinaryExpression>
              <Operand>DIVIDE</Operand>
              <LeftSide>
                <VariableExpression>
                  <Identifier>r</Identifier>
                </VariableExpression>
              </LeftSide>
              <RightSide>
                <NumberExpression>1000</Numbe
rExpression>

                </RightSide>
              </BinaryExpression>
            </Value>
          </AssignExpression>
        </ExpressionStatement>
        <ExpressionStatement>
          <CallExpression>
            <FunctionName>putDigit</FunctionName>
            <Arguments>
              <VariableExpression>
                <Identifier>t</Identifier>
              </VariableExpression>
            </Arguments>
          </CallExpression>
        </ExpressionStatement>
        <ExpressionStatement>
          <AssignExpression>
            <Variable>
              <VariableExpression>
                <Identifier>r</Identifier>
              </VariableExpression>
            </Variable>
            <Value>
              <BinaryExpression>
                <Operand>MINUS</Operand>
                <LeftSide>
                  <VariableExpression>
                    <Identifier>r</Identifier>

```

Mar 27, 14 21:34

testcode.xml

Page 5/23

```

        </VariableExpression>
    </LeftSide>
    <RightSide>
        <BinaryExpression>
            <Operand>MULTIPLY</Operand>

>
            <LeftSide>
                <VariableExpression>
                    <Identifier>t</Ident

ifier>

                </VariableExpression>
            </LeftSide>
            <RightSide>
                <NumberExpression>1000<

/NumberExpression>

                </RightSide>
            </BinaryExpression>
        </RightSide>
    </BinaryExpression>
    </Value>
</AssignExpression>
</ExpressionStatement>
<ExpressionStatement>
    <AssignExpression>
        <Variable>
            <VariableExpression>
                <Identifier>found</Identifier>
            </VariableExpression>
        </Variable>
        <Value>
            <NumberExpression>1</NumberExpressi

on>

        </Value>
    </AssignExpression>
</ExpressionStatement>
</Statments>
</CompoundStatement>
</Then>
</SelectionStatement>
<SelectionStatement>
    <Expression>
        <BinaryExpression>
            <Operand>GREATER_EQUAL_THAN</Operand>
            <LeftSide>
                <VariableExpression>
                    <Identifier>r</Identifier>
                </VariableExpression>
            </LeftSide>
            <RightSide>
                <NumberExpression>100</NumberExpression>
            </RightSide>
        </BinaryExpression>
    </Expression>
    <Then>
        <CompoundStatement>
            <Declarations>
            </Declarations>
            <Statments>
                <ExpressionStatement>

```

Mar 27, 14 21:34

testcode.xml

Page 6/23

Expression>

>

ifier>

```

<AssignExpression>
  <Variable>
    <VariableExpression>
      <Identifier>t</Identifier>
    </VariableExpression>
  </Variable>
  <Value>
    <BinaryExpression>
      <Operand>DIVIDE</Operand>
      <LeftSide>
        <VariableExpression>
          <Identifier>r</Identifier>
        </VariableExpression>
      </LeftSide>
      <RightSide>
        <NumberExpression>100</Number
Expression>
      </RightSide>
    </BinaryExpression>
  </Value>
</AssignExpression>
</ExpressionStatement>
<ExpressionStatement>
  <CallExpression>
    <FunctionName>putDigit</FunctionName>
    <Arguments>
      <VariableExpression>
        <Identifier>t</Identifier>
      </VariableExpression>
    </Arguments>
  </CallExpression>
</ExpressionStatement>
<ExpressionStatement>
  <AssignExpression>
    <Variable>
      <VariableExpression>
        <Identifier>r</Identifier>
      </VariableExpression>
    </Variable>
    <Value>
      <BinaryExpression>
        <Operand>MINUS</Operand>
        <LeftSide>
          <VariableExpression>
            <Identifier>r</Identifier>
          </VariableExpression>
        </LeftSide>
        <RightSide>
          <BinaryExpression>
            <Operand>MULTIPLY</Operand>
            <LeftSide>
              <VariableExpression>
                <Identifier>t</Ident
            </VariableExpression>
          </LeftSide>
          <RightSide>
            <NumberExpression>100</

```

Mar 27, 14 21:34

testcode.xml

Page 7/23

NumberExpression>

on>

Name>

pression>

```

        </RightSide>
      </BinaryExpression>
    </RightSide>
  </BinaryExpression>
</Value>
</AssignExpression>
</ExpressionStatement>
<ExpressionStatement>
  <AssignExpression>
    <Variable>
      <VariableExpression>
        <Identifier>found</Identifier>
      </VariableExpression>
    </Variable>
    <Value>
      <NumberExpression>1</NumberExpressi
on>
    </Value>
  </AssignExpression>
</ExpressionStatement>
</Statments>
</CompoundStatement>
</Then>
<Else>
  <SelectionStatement>
    <Expression>
      <BinaryExpression>
        <Operand>EQUALS</Operand>
        <LeftSide>
          <VariableExpression>
            <Identifier>found</Identifier>
          </VariableExpression>
        </LeftSide>
        <RightSide>
          <NumberExpression>1</NumberExpression>
        </RightSide>
      </BinaryExpression>
    </Expression>
    <Then>
      <CompoundStatement>
        <Declarations>
        </Declarations>
        <Statments>
          <ExpressionStatement>
            <CallExpression>
              <FunctionName>putDigit</Function
Name>
            </CallExpression>
            <Arguments>
              <NumberExpression>0</NumberEx
pression>
            </Arguments>
          </CallExpression>
        </ExpressionStatement>
      </Statments>
    </CompoundStatement>
  </Then>
</SelectionStatement>
</Else>

```

Mar 27, 14 21:34

testcode.xml

Page 8/23

```

</SelectionStatement>
<SelectionStatement>
  <Expression>
    <BinaryExpression>
      <Operand>GREATER_EQUAL_THAN</Operand>
      <LeftSide>
        <VariableExpression>
          <Identifier>r</Identifier>
        </VariableExpression>
      </LeftSide>
      <RightSide>
        <NumberExpression>10</NumberExpression>
      </RightSide>
    </BinaryExpression>
  </Expression>
  <Then>
    <CompoundStatement>
      <Declarations>
      </Declarations>
      <Statments>
        <ExpressionStatement>
          <AssignExpression>
            <Variable>
              <VariableExpression>
                <Identifier>t</Identifier>
              </VariableExpression>
            </Variable>
            <Value>
              <BinaryExpression>
                <Operand>DIVIDE</Operand>
                <LeftSide>
                  <VariableExpression>
                    <Identifier>r</Identifier>
                  </VariableExpression>
                </LeftSide>
                <RightSide>
                  <NumberExpression>10</NumberE
xpression>
                  </RightSide>
                </BinaryExpression>
              </Value>
            </AssignExpression>
          </ExpressionStatement>
          <ExpressionStatement>
            <CallExpression>
              <FunctionName>putDigit</FunctionName>
              <Arguments>
                <VariableExpression>
                  <Identifier>t</Identifier>
                </VariableExpression>
              </Arguments>
            </CallExpression>
          </ExpressionStatement>
          <ExpressionStatement>
            <AssignExpression>
              <Variable>
                <VariableExpression>
                  <Identifier>r</Identifier>
                </VariableExpression>

```

68/87 Thursday March 27, 2014

Mar 27, 14 21:34

testcode.xml

Page 10/23

```

        </Arguments>
    </CallExpression>
</ExpressionStatement>
</Statments>
</CompoundStatement>
</Then>
</SelectionStatement>
</Else>
</SelectionStatement>
<ExpressionStatement>
    <CallExpression>
        <FunctionName>putDigit</FunctionName>
        <Arguments>
            <VariableExpression>
                <Identifier>r</Identifier>
            </VariableExpression>
        </Arguments>
    </CallExpression>
</ExpressionStatement>
</Statments>
</CompoundStatement>
</Else>
</SelectionStatement>
</Statments>
</CompoundStatement>
</FunctionDeclaration>
<FunctionDeclaration>
    <Name>main</Name>
    <ReturnType>INT</ReturnType>
    <Params>
    </Params>
    <CompoundStatement>
        <Declarations>
            <VariableDeclaration>
                <Name>b</Name>
                <Type>INT</Type>
            </VariableDeclaration>
            <VariableDeclaration>
                <Name>c</Name>
                <Type>INT</Type>
            </VariableDeclaration>
            <VariableDeclaration>
                <Name>g</Name>
                <Type>INT</Type>
            </VariableDeclaration>
            <VariableDeclaration>
                <Name>h</Name>
                <Type>INT</Type>
            </VariableDeclaration>
            <VariableDeclaration>
                <Name>i</Name>
                <Type>INT</Type>
            </VariableDeclaration>
        </Declarations>
        <Statments>
            <ExpressionStatement>
                <AssignExpression>
                    <Variable>
                        <VariableExpression>

```

```

        <Identifier>b</Identifier>
    </VariableExpression>
</Variable>
<Value>
    <AssignExpression>
        <Variable>
            <VariableExpression>
                <Identifier>c</Identifier>
            </VariableExpression>
        </Variable>
        <Value>
            <NumberExpression>5</NumberExpression>
        </Value>
    </AssignExpression>
</Value>
</AssignExpression>
</ExpressionStatement>
<SelectionStatement>
    <Expression>
        <BinaryExpression>
            <Operand>EQUALS</Operand>
            <LeftSide>
                <VariableExpression>
                    <Identifier>b</Identifier>
                </VariableExpression>
            </LeftSide>
            <RightSide>
                <NumberExpression>5</NumberExpression>
            </RightSide>
        </BinaryExpression>
    </Expression>
    <Then>
        <CompoundStatement>
            <Declarations>
            </Declarations>
            <Statments>
                <ExpressionStatement>
                    <AssignExpression>
                        <Variable>
                            <VariableExpression>
                                <Identifier>a</Identifier>
                            </VariableExpression>
                        </Variable>
                        <Value>
                            <NumberExpression>3</NumberExpression>
                        </Value>
                    </AssignExpression>
                </ExpressionStatement>
            </Statments>
        </CompoundStatement>
    </Then>
    <Else>
        <CompoundStatement>
            <Declarations>
            </Declarations>
            <Statments>
                <ExpressionStatement>
                    <AssignExpression>
                        <Variable>

```

Mar 27, 14 21:34

testcode.xml

Page 12/23

```

        <VariableExpression>
            <Identifier>a</Identifier>
        </VariableExpression>
    </Variable>
    <Value>
        <NumberExpression>4</NumberExpression>
    </Value>
    </AssignExpression>
</ExpressionStatement>
</Statements>
</CompoundStatement>
</Else>
</SelectionStatement>
<ExpressionStatement>
    <AssignExpression>
        <Variable>
            <VariableExpression>
                <Identifier>g</Identifier>
            </VariableExpression>
        </Variable>
        <Value>
            <NumberExpression>0</NumberExpression>
        </Value>
    </AssignExpression>
</ExpressionStatement>
<ExpressionStatement>
    <AssignExpression>
        <Variable>
            <VariableExpression>
                <Identifier>i</Identifier>
            </VariableExpression>
        </Variable>
        <Value>
            <NumberExpression>1</NumberExpression>
        </Value>
    </AssignExpression>
</ExpressionStatement>
<IterationStatement>
    <Expression>
        <BinaryExpression>
            <Operand>LESS_EQUAL_THAN</Operand>
            <LeftSide>
                <VariableExpression>
                    <Identifier>i</Identifier>
                </VariableExpression>
            </LeftSide>
            <RightSide>
                <NumberExpression>8</NumberExpression>
            </RightSide>
        </BinaryExpression>
    </Expression>
    <Do>
        <CompoundStatement>
            <Declarations>
            </Declarations>
            <Statements>
                <ExpressionStatement>
                    <AssignExpression>
                        <Variable>

```

Mar 27, 14 21:34

testcode.xml

Page 13/23

```

        <VariableExpression>
            <Identifier>g</Identifier>
        </VariableExpression>
    </Variable>
    <Value>
        <BinaryExpression>
            <Operand>PLUS</Operand>
            <LeftSide>
                <VariableExpression>
                    <Identifier>g</Identifier>
                </VariableExpression>
            </LeftSide>
            <RightSide>
                <VariableExpression>
                    <Identifier>i</Identifier>
                </VariableExpression>
            </RightSide>
        </BinaryExpression>
    </Value>
    </AssignExpression>
</ExpressionStatement>
<ExpressionStatement>
    <AssignExpression>
        <Variable>
            <VariableExpression>
                <Identifier>i</Identifier>
            </VariableExpression>
        </Variable>
        <Value>
            <BinaryExpression>
                <Operand>PLUS</Operand>
                <LeftSide>
                    <VariableExpression>
                        <Identifier>i</Identifier>
                    </VariableExpression>
                </LeftSide>
                <RightSide>
                    <NumberExpression>1</NumberExpression>
                </RightSide>
            </BinaryExpression>
        </Value>
    </AssignExpression>
</ExpressionStatement>
</Statments>
</CompoundStatement>
</Do>
</IterationStatement>
<ExpressionStatement>
    <AssignExpression>
        <Variable>
            <VariableExpression>
                <Identifier>h</Identifier>
            </VariableExpression>
        </Variable>
        <Value>
            <BinaryExpression>
                <Operand>DIVIDE</Operand>
                <LeftSide>
                    <VariableExpression>

```

Mar 27, 14 21:34

testcode.xml

Page 14/23

```

        <Identifier>g</Identifier>
      </VariableExpression>
    </LeftSide>
    <RightSide>
      <NumberExpression>3</NumberExpression>
    </RightSide>
  </BinaryExpression>
</Value>
</AssignExpression>
</ExpressionStatement>
<ExpressionStatement>
  <AssignExpression>
    <Variable>
      <VariableExpression>
        <Identifier>g</Identifier>
      </VariableExpression>
    </Variable>
    <Value>
      <BinaryExpression>
        <Operand>MULTIPLY</Operand>
        <LeftSide>
          <VariableExpression>
            <Identifier>h</Identifier>
          </VariableExpression>
        </LeftSide>
        <RightSide>
          <NumberExpression>4</NumberExpression>
        </RightSide>
      </BinaryExpression>
    </Value>
  </AssignExpression>
</ExpressionStatement>
<ExpressionStatement>
  <AssignExpression>
    <Variable>
      <VariableExpression>
        <Identifier>c</Identifier>
      </VariableExpression>
    </Variable>
    <Value>
      <CallExpression>
        <FunctionName>addThem</FunctionName>
        <Arguments>
          <VariableExpression>
            <Identifier>a</Identifier>
          </VariableExpression>
          <VariableExpression>
            <Identifier>b</Identifier>
          </VariableExpression>
        </Arguments>
      </CallExpression>
    </Value>
  </AssignExpression>
</ExpressionStatement>
<ExpressionStatement>
  <CallExpression>
    <FunctionName>putchar</FunctionName>
    <Arguments>
      <NumberExpression>56</NumberExpression>
    </Arguments>
  </CallExpression>
</ExpressionStatement>

```

```

        </Arguments>
    </CallExpression>
</ExpressionStatement>
<ExpressionStatement>
    <CallExpression>
        <FunctionName>putchar</FunctionName>
        <Arguments>
            <NumberExpression>61</NumberExpression>
        </Arguments>
    </CallExpression>
</ExpressionStatement>
<ExpressionStatement>
    <CallExpression>
        <FunctionName>putchar</FunctionName>
        <Arguments>
            <BinaryExpression>
                <Operand>PLUS</Operand>
                <LeftSide>
                    <VariableExpression>
                        <Identifier>c</Identifier>
                    </VariableExpression>
                </LeftSide>
                <RightSide>
                    <VariableExpression>
                        <Identifier>g</Identifier>
                    </VariableExpression>
                </RightSide>
            </BinaryExpression>
        </Arguments>
    </CallExpression>
</ExpressionStatement>
<ExpressionStatement>
    <CallExpression>
        <FunctionName>putchar</FunctionName>
        <Arguments>
            <NumberExpression>10</NumberExpression>
        </Arguments>
    </CallExpression>
</ExpressionStatement>
<ExpressionStatement>
    <AssignExpression>
        <Variable>
            <VariableExpression>
                <Identifier>i</Identifier>
            </VariableExpression>
        </Variable>
        <Value>
            <NumberExpression>0</NumberExpression>
        </Value>
    </AssignExpression>
</ExpressionStatement>
<IterationStatement>
    <Expression>
        <BinaryExpression>
            <Operand>LESS_THAN</Operand>
            <LeftSide>
                <VariableExpression>
                    <Identifier>i</Identifier>
                </VariableExpression>
            </LeftSide>
            <RightSide>
                <NumberExpression>0</NumberExpression>
            </RightSide>
        </BinaryExpression>
    </Expression>
</IterationStatement>

```

```

        </LeftSide>
        <RightSide>
            <NumberExpression>10</NumberExpression>
        </RightSide>
    </BinaryExpression>
</Expression>
<Do>
    <CompoundStatement>
        <Declarations>
        </Declarations>
        <Statments>
            <ExpressionStatement>
                <CallExpression>
                    <FunctionName>putchar</FunctionName>
                    <Arguments>
                        <BinaryExpression>
                            <Operand>PLUS</Operand>
                            <LeftSide>
                                <NumberExpression>48</NumberExpression>
                            </LeftSide>
                            <RightSide>
                                <VariableExpression>
                                    <Identifier>i</Identifier>
                                </VariableExpression>
                            </RightSide>
                        </BinaryExpression>
                    </Arguments>
                </CallExpression>
            </ExpressionStatement>
            <ExpressionStatement>
                <AssignExpression>
                    <Variable>
                        <VariableExpression>
                            <Identifier>i</Identifier>
                        </VariableExpression>
                    </Variable>
                    <Value>
                        <BinaryExpression>
                            <Operand>PLUS</Operand>
                            <LeftSide>
                                <VariableExpression>
                                    <Identifier>i</Identifier>
                                </VariableExpression>
                            </LeftSide>
                            <RightSide>
                                <NumberExpression>1</NumberExpression>
                            </RightSide>
                        </BinaryExpression>
                    </Value>
                </AssignExpression>
            </ExpressionStatement>
        </Statments>
    </CompoundStatement>
</Do>
</IterationStatement>
<ExpressionStatement>
    <CallExpression>
        <FunctionName>putchar</FunctionName>
        <Arguments>

```

```

        <NumberExpression>10</NumberExpression>
    </Arguments>
</CallExpression>
</ExpressionStatement>
<ExpressionStatement>
    <CallExpression>
        <FunctionName>putchar</FunctionName>
        <Arguments>
            <NumberExpression>67</NumberExpression>
        </Arguments>
    </CallExpression>
</ExpressionStatement>
<ExpressionStatement>
    <CallExpression>
        <FunctionName>putchar</FunctionName>
        <Arguments>
            <NumberExpression>83</NumberExpression>
        </Arguments>
    </CallExpression>
</ExpressionStatement>
<ExpressionStatement>
    <CallExpression>
        <FunctionName>printInt</FunctionName>
        <Arguments>
            <NumberExpression>3510</NumberExpression>
        </Arguments>
    </CallExpression>
</ExpressionStatement>
<ExpressionStatement>
    <CallExpression>
        <FunctionName>putchar</FunctionName>
        <Arguments>
            <NumberExpression>10</NumberExpression>
        </Arguments>
    </CallExpression>
</ExpressionStatement>
<ExpressionStatement>
    <AssignExpression>
        <Variable>
            <VariableExpression>
                <Identifier>b</Identifier>
            </VariableExpression>
        </Variable>
        <Value>
            <NumberExpression>0</NumberExpression>
        </Value>
    </AssignExpression>
</ExpressionStatement>
<ExpressionStatement>
    <AssignExpression>
        <Variable>
            <VariableExpression>
                <Identifier>c</Identifier>
            </VariableExpression>
        </Variable>
        <Value>
            <NumberExpression>1</NumberExpression>
        </Value>
    </AssignExpression>

```



```

</ExpressionStatement>
<ExpressionStatement>
  <AssignExpression>
    <Variable>
      <VariableExpression>
        <Identifier>g</Identifier>
      </VariableExpression>
    </Variable>
    <Value>
      <NumberExpression>1</NumberExpression>
    </Value>
  </AssignExpression>
</ExpressionStatement>
<ExpressionStatement>
  <AssignExpression>
    <Variable>
      <VariableExpression>
        <Identifier>h</Identifier>
      </VariableExpression>
    </Variable>
    <Value>
      <NumberExpression>0</NumberExpression>
    </Value>
  </AssignExpression>
</ExpressionStatement>
<ExpressionStatement>
  <AssignExpression>
    <Variable>
      <VariableExpression>
        <Identifier>i</Identifier>
      </VariableExpression>
    </Variable>
    <Value>
      <NumberExpression>0</NumberExpression>
    </Value>
  </AssignExpression>
</ExpressionStatement>
<SelectionStatement>
  <Expression>
    <BinaryExpression>
      <Operand>EQUALS</Operand>
      <LeftSide>
        <VariableExpression>
          <Identifier>b</Identifier>
        </VariableExpression>
      </LeftSide>
      <RightSide>
        <NumberExpression>0</NumberExpression>
      </RightSide>
    </BinaryExpression>
  </Expression>
  <Then>
    <CompoundStatement>
      <Declarations>
      </Declarations>
      <Statments>
        <SelectionStatement>
          <Expression>
            <BinaryExpression>

```

Mar 27, 14 21:34

testcode.xml

Page 19/23

```

    <Operand>EQUALS</Operand>
    <LeftSide>
      <VariableExpression>
        <Identifier>c</Identifier>
      </VariableExpression>
    </LeftSide>
    <RightSide>
      <NumberExpression>0</NumberExpression>
    </RightSide>
  </BinaryExpression>
</Expression>
<Then>
  <CompoundStatement>
    <Declarations>
    </Declarations>
    <Statments>
      <ExpressionStatement>
        <AssignExpression>
          <Variable>
            <VariableExpression>
              <Identifier>i</Identifier>
            </VariableExpression>
          </Variable>
          <Value>
            <NumberExpression>1</NumberExpressi
on>
          </Value>
        </AssignExpression>
      </ExpressionStatement>
    </Statments>
  </CompoundStatement>
</Then>
<Else>
  <SelectionStatement>
    <Expression>
      <BinaryExpression>
        <Operand>EQUALS</Operand>
        <LeftSide>
          <VariableExpression>
            <Identifier>g</Identifier>
          </VariableExpression>
        </LeftSide>
        <RightSide>
          <NumberExpression>0</NumberExpression>
        </RightSide>
      </BinaryExpression>
    </Expression>
    <Then>
      <CompoundStatement>
        <Declarations>
        </Declarations>
        <Statments>
          <ExpressionStatement>
            <AssignExpression>
              <Variable>
                <VariableExpression>
                  <Identifier>i</Identifier>
                </VariableExpression>
              </Variable>
            </AssignExpression>
          </ExpressionStatement>
        </Statments>
      </CompoundStatement>
    </Then>
  </SelectionStatement>
</Else>
</SelectionStatement>

```

Mar 27, 14 21:34

testcode.xml

Page 20/23

```

                                <Value>
                                <NumberExpression>2</NumberEx
pression>
                                </Value>
                                </AssignExpression>
                                </ExpressionStatement>
                                </Statments>
                                </CompoundStatement>
</Then>
<Else>
  <SelectionStatement>
    <Expression>
      <BinaryExpression>
        <Operand>EQUALS</Operand>
        <LeftSide>
          <VariableExpression>
            <Identifier>h</Identifier>
          </VariableExpression>
        </LeftSide>
        <RightSide>
          <NumberExpression>0</NumberExpre
ssion>
          </RightSide>
        </BinaryExpression>
      </Expression>
      <Then>
        <CompoundStatement>
          <Declarations>
          </Declarations>
          <Statments>
            <ExpressionStatement>
              <AssignExpression>
                <Variable>
                  <VariableExpression>
                    <Identifier>i</Ident
ifier>
                    </VariableExpression>
                  </Variable>
                <Value>
                  <NumberExpression>10</N
umberExpression>
                  </Value>
                </AssignExpression>
              </ExpressionStatement>
            </Statments>
          </CompoundStatement>
        </Then>
      <Else>
        <CompoundStatement>
          <Declarations>
          </Declarations>
          <Statments>
            <ExpressionStatement>
              <AssignExpression>
                <Variable>
                  <VariableExpression>
                    <Identifier>i</Ident
ifier>
                    </VariableExpression>

```

Mar 27, 14 21:34

testcode.xml

Page 21/23

```

mberExpression>
</Variable>
<Value>
  <NumberExpression>3</Nu
  </Value>
</AssignExpression>
</ExpressionStatement>
</Statements>
</CompoundStatement>
</Else>
</SelectionStatement>
</Else>
</SelectionStatement>
</Else>
</SelectionStatement>
</Statements>
</CompoundStatement>
</Then>
<Else>
  <CompoundStatement>
    <Declarations>
    </Declarations>
    <Statements>
      <ExpressionStatement>
        <AssignExpression>
          <Variable>
            <VariableExpression>
              <Identifier>i</Identifier>
            </VariableExpression>
          </Variable>
          <Value>
            <NumberExpression>0</NumberExpression>
          </Value>
        </AssignExpression>
      </ExpressionStatement>
    </Statements>
  </CompoundStatement>
</Else>
</SelectionStatement>
<SelectionStatement>
  <Expression>
    <BinaryExpression>
      <Operand>EQUALS</Operand>
      <LeftSide>
        <VariableExpression>
          <Identifier>i</Identifier>
        </VariableExpression>
      </LeftSide>
      <RightSide>
        <NumberExpression>10</NumberExpression>
      </RightSide>
    </BinaryExpression>
  </Expression>
</Then>
  <CompoundStatement>
    <Declarations>
    </Declarations>
    <Statements>
      <ExpressionStatement>

```

Mar 27, 14 21:34

testcode.xml

Page 22/23

```

        <CallExpression>
          <FunctionName>putchar</FunctionName>
          <Arguments>
            <NumberExpression>99</NumberExpression>
          </Arguments>
        </CallExpression>
      </ExpressionStatement>
    </ExpressionStatement>
    <CallExpression>
      <FunctionName>putDigit</FunctionName>
      <Arguments>
        <NumberExpression>0</NumberExpression>
      </Arguments>
    </CallExpression>
  </ExpressionStatement>
</ExpressionStatement>
<CallExpression>
  <FunctionName>putDigit</FunctionName>
  <Arguments>
    <NumberExpression>0</NumberExpression>
  </Arguments>
</CallExpression>
</ExpressionStatement>
<ExpressionStatement>
  <CallExpression>
    <FunctionName>putchar</FunctionName>
    <Arguments>
      <NumberExpression>108</NumberExpression>
    </Arguments>
  </CallExpression>
</ExpressionStatement>
</Statments>
</CompoundStatement>
</Then>
<Else>
  <CompoundStatement>
    <Declarations>
    </Declarations>
    <Statments>
      <ExpressionStatement>
        <CallExpression>
          <FunctionName>putchar</FunctionName>
          <Arguments>
            <NumberExpression>98</NumberExpression>
          </Arguments>
        </CallExpression>
      </ExpressionStatement>
      <ExpressionStatement>
        <CallExpression>
          <FunctionName>putchar</FunctionName>
          <Arguments>
            <NumberExpression>97</NumberExpression>
          </Arguments>
        </CallExpression>
      </ExpressionStatement>
    </ExpressionStatement>
    <CallExpression>
      <FunctionName>putchar</FunctionName>
      <Arguments>

```

```

        <NumberExpression>100</NumberExpression>
    </Arguments>
</CallExpression>
</ExpressionStatement>
<ExpressionStatement>
    <CallExpression>
        <FunctionName>putchar</FunctionName>
        <Arguments>
            <NumberExpression>61</NumberExpression>
        </Arguments>
    </CallExpression>
</ExpressionStatement>
<ExpressionStatement>
    <CallExpression>
        <FunctionName>printInt</FunctionName>
        <Arguments>
            <VariableExpression>
                <Identifier>i</Identifier>
            </VariableExpression>
        </Arguments>
    </CallExpression>
</ExpressionStatement>
</Statments>
</CompoundStatement>
</Else>
</SelectionStatement>
<ExpressionStatement>
    <CallExpression>
        <FunctionName>putchar</FunctionName>
        <Arguments>
            <NumberExpression>10</NumberExpression>
        </Arguments>
    </CallExpression>
</ExpressionStatement>
<ReturnStatement>
    <Expression>
        <NumberExpression>0</NumberExpression>
    </Expression>
</ReturnStatement>
</Statments>
</CompoundStatement>
</FunctionDeclaration>
</Program>

```

Mar 27, 14 12:31

TestFile.cm

Page 1/1

```
int fact( int x )
/* recursive factorial function */
{ if (x > 1)
    return x * fact(x-1);
else
    return 1;
}

void main (void)
{
    int x;
    x = read();
    if(x > 0) write (fact(x));
}
```

```

<Program>
  <FunctionDeclaration>
    <Name>fact</Name>
    <ReturnType>INT</ReturnType>
    <Params>
      <VariableDeclaration>
        <Name>x</Name>
        <Type>INT</Type>
      </VariableDeclaration>
    </Params>
    <CompoundStatement>
      <Declarations>
      </Declarations>
      <Statments>
        <SelectionStatement>
          <Expression>
            <BinaryExpression>
              <Operand>GREATER_THAN</Operand>
              <LeftSide>
                <VariableExpression>
                  <Identifier>x</Identifier>
                </VariableExpression>
              </LeftSide>
              <RightSide>
                <NumberExpression>1</NumberExpression>
              </RightSide>
            </BinaryExpression>
          </Expression>
        <Then>
          <ReturnStatement>
            <Expression>
              <BinaryExpression>
                <Operand>MULTIPLY</Operand>
                <LeftSide>
                  <VariableExpression>
                    <Identifier>x</Identifier>
                  </VariableExpression>
                </LeftSide>
                <RightSide>
                  <CallExpression>
                    <FunctionName>fact</FunctionName>
                    <Arguments>
                      <BinaryExpression>
                        <Operand>MINUS</Operand>
                        <LeftSide>
                          <VariableExpression>
                            <Identifier>x</Identifier>
                          </VariableExpression>
                        </LeftSide>
                        <RightSide>
                          <NumberExpression>1</NumberExpression>
                        </RightSide>
                      </BinaryExpression>
                    </Arguments>
                  </CallExpression>
                </RightSide>
              </BinaryExpression>
            </Expression>
          </ReturnStatement>
        </Then>
      </Statments>
    </CompoundStatement>
  </FunctionDeclaration>
</Program>

```


Mar 27, 14 21:34

TestFile.xml

Page 2/3

```

        </Then>
        <Else>
            <ReturnStatement>
                <Expression>
                    <NumberExpression>1</NumberExpression>
                </Expression>
            </ReturnStatement>
        </Else>
    </SelectionStatement>
</Statements>
</CompoundStatement>
</FunctionDeclaration>
<FunctionDeclaration>
    <Name>main</Name>
    <ReturnType>VOID</ReturnType>
    <Params>
    </Params>
    <CompoundStatement>
        <Declarations>
            <VariableDeclaration>
                <Name>x</Name>
                <Type>INT</Type>
            </VariableDeclaration>
        </Declarations>
        <Statements>
            <ExpressionStatement>
                <AssignExpression>
                    <Variable>
                        <VariableExpression>
                            <Identifier>x</Identifier>
                        </VariableExpression>
                    </Variable>
                    <Value>
                        <CallExpression>
                            <FunctionName>read</FunctionName>
                            <Arguments>
                            </Arguments>
                        </CallExpression>
                    </Value>
                </AssignExpression>
            </ExpressionStatement>
            <SelectionStatement>
                <Expression>
                    <BinaryExpression>
                        <Operand>GREATER_THAN</Operand>
                        <LeftSide>
                            <VariableExpression>
                                <Identifier>x</Identifier>
                            </VariableExpression>
                        </LeftSide>
                        <RightSide>
                            <NumberExpression>0</NumberExpression>
                        </RightSide>
                    </BinaryExpression>
                </Expression>
            <Then>
                <ExpressionStatement>
                    <CallExpression>
                        <FunctionName>write</FunctionName>

```

Mar 27, 14 21:34

TestFile.xml

Page 3/3

```
<Arguments>
  <CallExpression>
    <FunctionName>fact</FunctionName>
    <Arguments>
      <VariableExpression>
        <Identifier>x</Identifier>
      </VariableExpression>
    </Arguments>
  </CallExpression>
</Arguments>
</CallExpression>
</ExpressionStatement>
</Then>
</SelectionStatement>
</Statments>
</CompoundStatement>
</FunctionDeclaration>
</Program>
```

Mar 27, 14 21:38

print.sh

Page 1/1

```
#!/bin/bash
a2ps -R -sl --media=letter --columns=1 --rows=1 --chars-per-line=80 --major=rows
--border=no --tabsize=3 src/parser/* src/parser/expression/* src/parser/stateme
nt/* tests/* print.sh -o - | ps2pdf - Program.pdf
pdfunite write-ups/Project2WriteUp.pdf Grammar-MkII.pdf First-Follow-MkII.pdf Pr
ogram.pdf Printout.pdf
rm Program.pdf
```