
Assessing User Engagement in Information Visualization

Ya-Hsin Hung

Purdue University
West Lafayette, IN 47907 USA
hung17@purdue.edu

Paul Parsons

Purdue University
West Lafayette, IN 47907 USA
parsonsp@purdue.edu

Abstract

Engagement is an important aspect of user experience. While some researchers have investigated user engagement in the context of information visualization, there is still a lack of scholarship on the topic. In this paper we briefly explore the role and significance of user engagement in information visualization, and discuss challenges in its characterization and assessment. We present VisEngage, a self-assessment questionnaire that provides insight into 11 different characteristics of user engagement. We report the results of an online pilot study that was conducted using VisEngage, and reflect on its potential utility for visualization researchers and designers.

Author Keywords

Information visualization; User engagement; Self-assessment questionnaire.

ACM Classification Keywords

H.5.m [Information interfaces and presentation (e.g., HCI)]: Miscellaneous

Introduction

Information Visualization (InfoVis) research has historically placed primacy on utilitarian aspects of visualizations. As a result, performance and usability have been emphasized as the factors relevant to assessing suitability or success-

Permission to make digital or hard copies of part or all of this work for personal or classroom use is granted without fee provided that copies are not made or distributed for profit or commercial advantage and that copies bear this notice and the full citation on the first page. Copyrights for third-party components of this work must be honored. For all other uses, contact the owner/author(s).

Copyright held by the owner/author(s).

CHI'17 Extended Abstracts, May 06-11, 2017, Denver, CO, USA

ACM 978-1-4503-4656-6/17/05.

<http://dx.doi.org/10.1145/3027063.3053113>

fulness of visualizations [42]. While the broader HCI community has emphasized non-utilitarian aspects of human-computer systems for many years now (e.g., those related broadly to *user experience*), InfoVis scholarship has only recently moved in this direction. For instance, recent contributions have explored topics such as memorability, fun, engagement, and enjoyment [4, 5, 30, 42, 43]. Although the value of such research has been questioned (see [42]), it is likely that experience-related concerns will only increase in the coming years, as visualizations are becoming increasingly prevalent in everyday, non-work contexts. Consequently, there is a need for more research and scholarship within InfoVis on broader aspects of the user experience.

In this paper we focus specifically on *user engagement*. While seemingly an important aspect of user experience, user engagement lacks a clear, agreed-upon definition in InfoVis [30, 42]. Furthermore, little research has focused on developing guidelines and instruments for assessing user engagement. We briefly explore the role and significance of user engagement in InfoVis, and discuss challenges in its characterization and assessment. We present VisEngage, a self-assessment questionnaire that provides insight into 11 different characteristics of user engagement, and report the results of an online pilot study that was conducted using VisEngage. Finally, we reflect on the potential utility of VisEngage for visualization researchers and designers and discuss planned future work.

Related Work

A small number of researchers have recently begun to explore the notion of engagement in InfoVis. Mahyar et al. [30] argued for viewing engagement at multiple levels, and have proposed a preliminary taxonomy for evaluating user engagement based on Bloom's taxonomy. Saket et al. [42] argue for going beyond usability and performance in Info-

Vis evaluation, and have provided an overview of recent work related to user experience. Others have examined engagement indirectly—e.g., looking at whether storytelling in InfoVis engages users [6], and how aesthetic concerns engage users [28]. At this point, research on engagement in InfoVis is still in its infancy. Definitions and assessments have largely been borrowed and adapted from other disciplines. Although scholarship on engagement exists in other technology related fields ([35, 45, 46, 3]), InfoVis deserves its own treatment due to its specific characteristics not necessarily present or prevalent in other disciplines—e.g., the abstract nature of data and information, visual encoding and representation, cognitive and perceptual issues, and interaction.

Characterizing User Engagement

Engagement is a complex construct—it is abstract, not directly observable, and composed of multiple parts. Complex constructs can be difficult to define, as they cannot be directly accessed and can be measured only via an observable phenomenon in which they are manifest [27].

In attempting to understand the nature of engagement, we have examined literature from multiple disciplines including psychology, education, games, and HCI, all of which characterize engagement differently. For instance, from a psychology perspective, engagement is often discussed in relation to flow, positive psychology, fulfillment, and motivation (e.g., [44, 12]). In education, the concept of student engagement has received much attention, and is usually discussed in terms of motivation, achievement, and interpersonal relationships (e.g., [26, 14]). Within the context of gaming, engagement is believed to be a generic indicator of game involvement [8], and some researchers think an engaging experience is encouraged by the sensory appeal of the system and the level of feedback and challenges

a user receives from the system [36, 35]. In HCI, several theoretical frameworks have been proposed [32]. User engagement has been viewed in the context of flow and fluid interaction, leading to satisfying and pleasurable emotions related to curiosity, surprise, and joy [45]. It has also been defined as the emotional, cognitive, and behavioural connection that exists between a user and a resource in time or possibly over time [3]. User engagement is also believed to be the positive interaction quality of the user experience, and has been associated with being captivated and motivated to use a website [23]. Sometimes it is treated as user's level of involvement with a product [40]. Additionally, terms such as flow [15, 11], immersion [35, 9], and playfulness [25, 2, 1] have been mentioned in related research areas, some of which are close to the concept of user engagement. Because engagement is of interest to researchers from many disciplines, each having its own priorities and concerns, it is likely impossible to reach an all-inclusive definition of user engagement. As O'Brien [34] notes, the scope of engagement must be determined before constructing a useful definition. After reviewing the above literature, while also examining particular characteristics of InfoVis, we propose the following preliminary factors to shape the scope of user engagement in InfoVis:

- **Intention:** Users should possess an initial commitment to view or interact with a visualization.
- **Autonomy:** Users should want to view or interact with a visualization un-coerced (e.g., not as a job requirement).
- **Purpose:** Users should form intentions on non-utilitarian grounds (e.g., for pleasure or personal interest).
- **Time:** Users should spend more than a few seconds viewing or interacting with visualizations to have a meaningful experience.
- **Outcome:** Users should gain more than a simple

piece of information (e.g. a single variable from a simple chart) from their experience with a visualization.

The above factors delineate an initial scope for studying user engagement in InfoVis. At this point, we do not attempt to propose a formal definition; rather, we identify abstract characteristics that contribute to the construct of engagement, and propose more concrete traits that can be used in the assessment of user engagement. This idea is elaborated in the following section.

Assessing User Engagement

Several approaches for assessing engagement in various disciplines have been proposed [22]. For example, in the gaming community, the Immersive Experience Questionnaire (IEQ) [20, 19] and the Gaming Engagement Questionnaire (GEQ) [8] have been proposed to evaluate immersion and engagement respectively. Models and frameworks relating to engagement have been proposed for online services and web interfaces [3, 23]. Questionnaires and surveys in information science and technology have also been proposed (e.g., [36, 33]). Related constructs, such as flow [13, 29] and playfulness [24, 25], have received considerable efforts at measurement and assessment.

Constructs such as engagement cannot be measured directly. Although various physiological indicators can be measured directly, such as blood pressure [31], heart rate [47], and nervous system activity [21], these methods can be considerably costly and lengthy, limiting their scalability and practicality. Furthermore, considerable interpretation is required to make causal connections to subjective phenomena [48]. Some behavioural indicators (e.g., mouse clicks and movements, page visits, and time spent) have been

successfully used as indicators of users' subjective experiences [10, 18, 35, 36, 40].

One of the most popular methods of assessing psychological constructs is self-reporting [39]. Advantages of self-reporting methods include interpretability, information richness, and practicality [37]. Aside from common assessment challenges, the main disadvantage for self-assessments is credibility, as self-reports are subject to various inaccuracies, even when subjects try their best to be accurate [37]. Because of the numerous advantages of self-reporting methods, and their practicality for conducting pilot studies, we decided to develop and employ a self-report questionnaire that can be used to assess user engagement with visualizations. We elaborate on the questionnaire in the following section.

User Engagement Questionnaire: VisEngage

We developed a self-assessment questionnaire for user engagement called VisEngage. Based on prior research on ideal characteristics of online questionnaires (e.g., [16, 17]), we had the following requirements in mind:

- It should require only 10-15 minutes to complete
- The number of factors should be approximately 10
- Each factor should contain multiple items that can be assessed using a Likert scale
- Each factor should generate a single score

Because engagement is a complex construct, we had to identify a number of its constituent characteristics that could be used for assessment purposes. Inspired by Lucero et al.'s work [35], we reviewed approximately 150 papers in related disciplines such as website analysis, game design, education, psychology, and HCI, and compiled a list of potentially relevant characteristics. Since some characteristics

appeared repeatedly, we calculated their frequency. In total, we identified 57 characteristics. Many of these were too broad or vague for our purposes (e.g., affect, entertaining). Others were too narrow and only relevant in specific contexts (e.g., brutality, eroticism). Additionally, many were synonymous and we merged them.

In the end, we identified 11 engagement characteristics that had the highest frequency in the literature and were most relevant to engagement in InfoVis: **Aesthetics, Captivation, Challenge, Control, Discovery, Exploration, Creativity, Attention, Interest, Novelty, and Autotelism**. We identified 22 items (2 for each) that are more concrete than the abstract characteristics and could be used in a self-assessment questionnaire. We developed the items into 22 questions that participants could easily answer, the answers to which could reveal something about the underlying characteristics of engagement. For each item, participants provide their response on a seven-point Likert scale, ranging from strongly disagree (1) to strongly agree (7). VisEngage is intended to be given to participants immediately after using a visualization. Six of the questionnaire items are listed in the margin; letters of the alphabet indicate the sequence of characteristics from 1 to 22 (A=1, B=2, etc.).¹

Pilot Study

To explore the utility of a self-assessment user engagement questionnaire, we conducted an online pilot study using Amazon Mechanical Turk (MTurk). We also used the Qualtrics online survey platform and the Mouseflow web analytics service. We employed three visualizations in the experiment, each of which was selected from Tableau's Public gallery: Record Breaking Coasters [38], Analysis of Queen [41], and Women in Computer Science [7]. By

¹For more details please visit the VisEngage website: <https://yahsni.github.io/VisEngage/>

VisEngage Example Items

Aesthetics:

A. While using this interactive chart, I found its look and feel to be pleasing.

B. The layout of this interactive chart is clear and balanced.

Captivation:

C. While using this interactive chart, I felt absorbed to the extent that I was not aware of my surroundings.

D. While using this interactive chart, time seemed to pass quickly.

Discovery:

I. While using this interactive chart, I learned something that I had not known before (e.g., a new fact, concept, or piece of information).

J. While using this interactive chart, I learned and figured out how to use it along the way.

comparing behavioral indicators (e.g., how long a subject's cursor is within the visualization area) and scores from the questionnaire, we could identify any correlations between these two measurements.

Our experiment included three trials, where each trial comprised a visualization; three task-related questions, the answers to which could be found within the visualization; and 24 questions (22 VisEngage questionnaire items and two open-ended questions). The order of trials was randomized. During each trial, participants' interaction data, including total time spent and the length of time a subject's mouse cursor was within the visualization area, was collected.

Results and Analysis

A total of 40 participants were initially recruited through the MTurk platform. To remove random responses, we ruled out 5 participants who completed the questions in under 20 seconds. Mouse movement data for some participants was lost due to glitches with the Mouseflow platform. Of the remaining 27 participants, 12 were female and 15 were male, and ages ranged from 20 to 75 ($M=37.73$). We collected the amount of time a subject's cursor was within the visualization area of a page (in seconds) and engagement scores from the questionnaire items (in points). The engagement score was based on subjects' responses using a seven-point Likert scale with even weighting. A general statistical analysis is shown in Table 1. Trial 1 had the longest time spent within the visualization and the highest engagement score; Trial 2 had a shorter time spent and a similar engagement score to Trial 1. Trial 3 had the lowest of both variables.

With a one-way repeated-measure ANOVA analysis, we found a significant effect of Trial on Score ($F(2,52)=19.13$, $p<0.01$, partial $\eta^2=0.43$), which indicates a significant differ-

Avg Time Spent in Viz	
Trial 1	64.47 (std=25.53)
Trial 2	47.40 (std=18.63)
Trial 3	43.22 (std=17.73)
Avg Engagement Score	
Trial 1	123.92 (std=17.047)
Trial 2	123.20 (std=16.12)
Trial 3	104.5. (std=23.521)

Table 1: Average time spent within the visualization area (top) and average engagement score (bottom) among the three trials.




Figure 1: Average scores of each item across the three trials. Bar length represents the score for an item. Sections have been superimposed for discussion purposes.

ence in participants' engagement scores among the three trials. A pairwise comparison revealed significant differences between Trial 1 and 3 ($p<0.01$), and between Trial 2 and 3 ($p<0.01$). For time spent, we found a significant difference in participants' time spent within the visualization among the three trials ($F(2,52)=11.86$, $p<0.01$, partial $\eta^2=0.32$). A pairwise comparison revealed significant differences between Trial 1 and 2 ($p<0.01$) as well as Trial 1 and 3 ($p<0.05$). However, linear regression modeling of engagement scores and time spent within visualization areas shows low correlation ($R^2=0.24$, $F(1, 79)=4.62$, $p<0.05$). To convey general trends of the three trials, we created three bar charts that represent the average score of all 22 items in the questionnaire, from item A to V (see Figure 1). By simply eyeballing the chart, we can see that items M and N, which deal with the creativity characteristic of engagement, are considerably lower than the others. We also see that




Figure 2: A screenshot of one survey page, including one interactive visualization [41] and three of the corresponding questions.

the chart shape of trial 3 is quite different from others, especially in sections I, II and IV (we have superimposed these sections on the chart for discussion purposes). The general trend in Trials 1 and 2 is quite similar—however, we still can identify differences in sections I and IV.

Discussion and Future Work

In this paper, we discussed the importance of user engagement in InfoVis and elaborated on the difficulty of its characterization and assessment. We summarized related work in InfoVis and other relevant areas. We also presented our self-assessment user engagement questionnaire called VisEngage, and described its development and intended use. We reported the results of a pilot study that was conducted using VisEngage.

Three limitations of this pilot study should be noted. First, since we required participants to use the three visualizations in the experiment, some of our scope-related factors (intention, autonomy, purpose) may not have been met authentically. Results of the study could be influenced by this. Second, the complexity of the three visualizations in the pilot study was fairly low, due to the assigned length of the experiment as well as the unknown backgrounds of the subjects. As a result, engagement characteristics such as creativity and captivation may be lower than they could be in with more complex visualizations. Third, because the study was conducted online, we could not observe participants' physical behaviors such as eye movements, facial expressions, or body language. Previous research has shown that such behaviors can be relevant in indicating inner subjective activity, and could thus be relevant in assessing user engagement.

For future work, we plan to conduct a laboratory study that can overcome a number of limitations inherent in online

studies. We plan to supplement our VisEngage questionnaire with methods such as eye-tracking, verbal protocol, and facial expression analysis, with the aim of developing a richer and more holistic understanding of user engagement. We will also attempt to mitigate the known difficulties of creating authentic experiences in laboratory settings.

We plan to explore the utility of grouping related questionnaire items into meaningful orderings, and then visualizing the results as in Figure 1. The current ordering of items has no inherently meaningful arrangement. If the arrangements were more meaningful, results would generate different shapes that allow visualization designers to perceptually assess the aspects of user engagement for which their visualizations are high or low. For example, a “U” shape could imply that a visualization is engaging in terms of aesthetics and ease of understanding, yet poor in terms of user control. If this idea is viable, a visualization designer could quickly evaluate a set of visualizations based on the shape of the generated chart, then dig into the details of any particular ones of interest.

A final note should be made that our set of characteristics is not exhaustive or final, and is likely to be updated in the future. Our hope is that researchers will expand on and improve this work, and that VisEngage will promote more scholarship on the topic of user engagement in InfoVis.

Acknowledgements

We would like to thank Dr. Ji Soo Yi and Sukwon Lee for their advice and feedback throughout this study.

REFERENCES

1. Juha Arrasvuori, Marion Boberg, Jussi Holopainen, Hannu Korhonen, Andr s Lucero, and Markus Montola. 2011. Applying the PLEX Framework in Designing for

- Playfulness. In *Proceedings of the 2011 Conference on Designing Pleasurable Products and Interfaces (DPPI '11)*. ACM, New York, NY, USA, 24:1–24:8. 00029.
2. Juha Arrasvuori, Hannu Korhonen, and Kaisa Väänänen-Vainio-Mattila. 2010. Exploring Playfulness in User Experience of Personal Mobile Products. In *Proceedings of the 22Nd Conference of the Computer-Human Interaction Special Interest Group of Australia on Computer-Human Interaction (OZCHI '10)*. ACM, New York, NY, USA, 88–95. 00012.
 3. Simon Attfield, Gabriella Kazai, Mounia Lalmas, and Benjamin Piwowarski. 2011. Towards a science of user engagement (position paper). In *WSDM Workshop on User Modelling for Web Applications*.
 4. Scott Bateman, Regan L. Mandryk, Carl Gutwin, Aaron Genest, David McDine, and Christopher Brooks. 2010. Useful Junk?: The Effects of Visual Embellishment on Comprehension and Memorability of Charts. In *Proceedings of the SIGCHI Conference on Human Factors in Computing Systems (CHI '10)*. ACM, New York, NY, USA, 2573–2582.
 5. Michelle A. Borkin, Azalea A. Vo, Zoya Bylinskii, Phillip Isola, Shashank Sunkavalli, Aude Oliva, and Hanspeter Pfister. 2013. What makes a visualization memorable? *IEEE Transactions on Visualization and Computer Graphics* 19, 12 (2013), 2306–2315.
 6. Jeremy Boy, Francoise Detienne, and Jean-Daniel Fekete. 2015. Storytelling in Information Visualizations: Does It Engage Users to Explore Data?. In *Proceedings of the 33rd Annual ACM Conference on Human Factors in Computing Systems (CHI '15)*. ACM, New York, NY, USA, 1449–1458.
 7. Brit Cava. 2016. Women in Tech: Who's Receiving Computer Science Degrees? (Nov. 2016). <https://public.tableau.com/en-us/s/gallery/women-tech-whos-receiving-computer-science-degrees>
 8. Jeanne H. Brockmyer, Christine M. Fox, Kathleen A. Curtiss, Evan McBroom, Kimberly M. Burkhart, and Jacquelyn N. Pidruzny. 2009. The development of the Game Engagement Questionnaire: A measure of engagement in video game-playing. *Journal of Experimental Social Psychology* 45, 4 (July 2009), 624–634.
 9. Emily Brown and Paul Cairns. 2004. A Grounded Investigation of Game Immersion. In *Proceedings of ACM CHI 2004 Conference on Human Factors in Computing Systems*. Press, 1297–1300.
 10. Mark Claypool, Phong Le, Makoto Wased, and David Brown. 2001. Implicit interest indicators. In *Proceedings of the 6th international conference on Intelligent user interfaces*. ACM, 33–40.
 11. Mihaly Csikszentmihalyi. 1988. The flow experience and its significance for human psychology. In *Optimal experience*. Cambridge University Press.
 12. Mihaly Csikszentmihalyi, Sami Abuhamdeh, and Jeanne Nakamura. 2014. Flow. In *Flow and the Foundations of Positive Psychology*. Springer Netherlands, 227–238.
 13. Mihaly Csikszentmihalyi and Reed Larson. 1987. Validity and reliability of the Experience-Sampling Method. *The Journal of Nervous and Mental Disease* 175, 9 (Sept. 1987), 526–536.

14. Heather Davis, Jessica Summers, and Lauren Miller. 2012. *An Interpersonal Approach to Classroom Management: Strategies for Improving Student Engagement*. Corwin Press, 2590 Conejo Spectrum, Thousand Oaks California 91320 United States.
15. Yellowlees Douglas and Andrew Hargadon. 2000. The Pleasure Principle: Immersion, Engagement, Flow. In *Proceedings of the Eleventh ACM on Hypertext and Hypermedia (HYPERTEXT '00)*. ACM, New York, NY, USA, 153–160.
16. Joel R. Evans and Anil Mathur. 2005. The value of online surveys. *Internet research* 15, 2 (2005), 195–219.
17. Mirta Galesic and Michael Bosnjak. 2009. Effects of questionnaire length on participation and indicators of response quality in a web survey. *Public opinion quarterly* 73, 2 (2009), 349–360.
18. Jeff Huang, Ryen W. White, and Susan Dumais. 2011. No clicks, no problem: using cursor movements to understand and improve search. In *Proceedings of the SIGCHI Conference on Human Factors in Computing Systems*. ACM, 1225–1234.
19. Charlene Jennett, Anna L. Cox, and Paul Cairns. 2009. Investigating Computer Game Immersion and the Component Real World Dissociation. In *CHI '09 Extended Abstracts on Human Factors in Computing Systems (CHI EA '09)*. ACM, New York, NY, USA, 3407–3412.
20. Charlene Jennett, Anna L. Cox, Paul Cairns, Samira Dhoparee, Andrew Epps, Tim Tijs, and Alison Walton. 2008. Measuring and Defining the Experience of Immersion in Games. *Int. J. Hum.-Comput. Stud.* 66, 9 (Sept. 2008), 641–661.
21. Sylvia D. Kreibig. 2010. Autonomic nervous system activity in emotion: A review. *Biological Psychology* 84, 3 (July 2010), 394–421.
22. Mounia Lalmas, Heather O'Brien, and Elad Yom-Tov. 2014. Measuring User Engagement. *Synthesis Lectures on Information Concepts, Retrieval, and Services* 6, 4 (2014), 1–132.
23. Janette Lehmann, Mounia Lalmas, Elad Yom-Tov, and Georges Dupret. 2012. Models of User Engagement. In *Proceedings of the 20th International Conference on User Modeling, Adaptation, and Personalization (UMAP'12)*. Springer-Verlag, Berlin, Heidelberg, 164–175.
24. Andr  s Lucero and Juha Arrasvuori. 2010. PLEX Cards: A Source of Inspiration when Designing for Playfulness. In *Proceedings of the 3rd International Conference on Fun and Games (Fun and Games '10)*. ACM, New York, NY, USA, 28–37.
25. Andr  s Lucero, Jussi Holopainen, Elina Ollila, Riku Suomela, and Evangelos Karapanos. 2013. The Playful Experiences (PLEX) Framework As a Guide for Expert Evaluation. In *Proceedings of the 6th International Conference on Designing Pleasurable Products and Interfaces (DPPI '13)*. ACM, New York, NY, USA, 221–230.
26. Andrew J Martin and Martin Dowson. 2009. Interpersonal relationships, motivation, engagement, and achievement: Yields for theory, current issues, and educational practice. *Review of educational research* 79, 1 (2009), 327–365.

27. D. Betsy McCoach, Robert K. Gable, and John P. Madura. 2013. *Instrument Development in the Affective Domain: School and Corporate Applications*. Springer Science & Business Media.
28. Andrew Vande Moere, Martin Tomitsch, Christoph Wimmer, Boesch Christoph, and Thomas Grechenig. 2012. Evaluating the Effect of Style in Information Visualization. *IEEE Transactions on Visualization and Computer Graphics* 18, 12 (Dec. 2012), 2739–2748.
29. Giovanni B. Moneta. 2012. On the Measurement and Conceptualization of Flow. In *Advances in Flow Research*, Stefan Engeser (Ed.). Springer New York, 23–50.
30. Narges Mahyar, Sung-Hee Kim, and Bum Chul Kwon. 2015. Towards a Taxonomy for Evaluating User Engagement in Information Visualization. In *Workshop on Personal Visualization: Exploring Everyday Life*. 4.
31. Serina A. Neumann and Shari R. Waldstein. 2001. Similar patterns of cardiovascular response during emotional activation as a function of affective valence and arousal and gender. *Journal of Psychosomatic Research* 50, 5 (2001), 245 – 253.
32. Heather O'Brien. 2016. Theoretical Perspectives on User Engagement. In *Why Engagement Matters*, Heather O'Brien and Paul Cairns (Eds.). Springer International Publishing, 1–26.
33. Heather O'Brien and Paul Cairns. 2015. An empirical evaluation of the User Engagement Scale (UES) in online news environments. *Information Processing & Management* 51, 4 (2015), 413–427.
34. Heather O'Brien, Luanne Freund, and Richard Kopak. 2016. Investigating the Role of User Engagement in Digital Reading Environments. In *Proceedings of the 2016 ACM on Conference on Human Information Interaction and Retrieval (CHIIR '16)*. ACM, New York, NY, USA, 71–80.
35. Heather O'Brien and Elaine G. Toms. 2008. What is User Engagement? A Conceptual Framework for Defining User Engagement with Technology. *Journal of the American Society for Information Science and Technology* 59, 6 (April 2008), 938–955.
36. Heather O'Brien and Elaine G. Toms. 2010. The development and evaluation of a survey to measure user engagement. *Journal of the American Society for Information Science and Technology* 61, 1 (Jan. 2010), 50–69.
37. Delroy L. Paulhus and Simine Vazire. 2007. The self-report method. *Handbook of research methods in personality psychology* 1 (2007), 224–239.
38. Peter Gilks. 2016. Record Breaking Coasters. (Nov. 2016). <https://public.tableau.com/en-us/s/gallery/record-breaking-coasters>
39. Richard W. Robins, Jessica L. Tracy, and Jeffrey W. Sherman. 2007. What kinds of methods do personality psychologists use. *Handbook of research methods in personality psychology* (2007), 673–678.
40. Kerry Rodden, Hilary Hutchinson, and Xin Fu. 2010. Measuring the User Experience on a Large Scale: User-centered Metrics for Web Applications. In *Proceedings of the SIGCHI Conference on Human Factors in Computing Systems (CHI '10)*. ACM, New York, NY, USA, 2395–2398.
41. Rody Zakovich. 2016. Analysis of Queen. (Dec. 2016). <https://public.tableau.com/views/AnalysisofQueen/AnalysisofQueen/>

42. Bahador Saket, Alex Endert, and John Stasko. 2016a. Beyond Usability and Performance: A Review of User Experience-focused Evaluations in Visualization. In *Proceedings of the Beyond Time and Errors on Novel Evaluation Methods for Visualization - BELIV '16*. ACM Press, New York, New York, USA, 133–142.
43. Bahador Saket, Carlos Scheidegger, and Stephen Kobourov. 2016b. Comparing Node-Link and Node-Link-Group Visualizations From An Enjoyment Perspective. *Computer Graphics Forum* 35, 3 (June 2016), 41–50.
44. Martin EP Seligman and Mihaly Csikszentmihalyi. 2014. *Positive psychology: An introduction*. Springer.
45. Alistair Sutcliffe. 2009. Designing for User Engagement: Aesthetic and Attractive User Interfaces. *Synthesis Lectures on Human-Centered Informatics* 2, 1 (Jan. 2009), 1–55.
46. Phil Turner. 2010. The Anatomy of Engagement. In *Proceedings of the 28th Annual European Conference on Cognitive Ergonomics (ECCE '10)*. ACM, New York, NY, USA, 59–66.
47. Ichiro Uchiyama. 1992. Differentiation of fear, anger, and joy. *Perceptual and Motor Skills* 74, 2 (1992), 663–667.
48. Jerry S. Wiggins. 1973. *Personality and prediction: Principles of personality assessment*. Addison-Wesley.