

	A	B
3	Indicators	Measure
4	Child feeding and child care practice from MICS data (Punjab & Sindh, 2014 only)	
5	Children given plain water (% of children under 6 months)	%
6	Children left unattended (% of children under 5)	%
7	Diarrhea treatment (% of children under 5 who were given less foods during last diarrhea episode)	%
8	Diarrhea treatment (% of children under 5 who were given less liquid during last diarrhea episode)	%
9	Diarrhea treatment (% of children under 5 who were given ORS during last diarrhea episode)	%
10	Exclusive breastfeeding (% of children under 6 months)	%
11	Exclusive breastfeeding, first 3 days after birth (% of children)	%
12	First breastfeeding within 1 hour after birth (% of children)	%
13	Stool disposal (% of children aged 12-35 months using toilet)	%
14	Child malnutrition and diarrhea from MICS data (Punjab & Sindh, 2014 only)	
15	Children given baby formula (% of children under 6 months)	%
16	Children given milk (% of children under 6 months)	%
17	Diarrhea incidence (% of children under 5 who had diarrhea during a 2-week recall period)	%
18	Prevalence of stunting, height for age (% of children under 5)	%
19	Prevalence of underweight, weight for age (% of children under 5)	%
20	Prevalence of wasting, weight for height (% of children under 5)	%
21	Education from PSLM data	
22	Gross school enrollment, middle school, 11-13 years old (% gross)	%
23	Gross school enrollment, middle school, 11-13 years old, female (% gross female)	%
24	Gross school enrollment, middle school, 11-13 years old, male (% gross male)	%
25	Gross school enrollment, primary school, 6-10 years old (% gross)	%
26	Gross school enrollment, primary school, 6-10 years old, female (% gross female)	%
27	Gross school enrollment, primary school, 6-10 years old, male (% gross male)	%
28	Net school enrollment, middle school, 11-13 years old (% net)	%
29	Net school enrollment, middle school, 11-13 years old, female (% net female)	%
30	Net school enrollment, middle school, 11-13 years old, male (% net male)	%
31	Net school enrollment, primary school, 6-10 years old (% net)	%
32	Net school enrollment, primary school, 6-10 years old, female (% net female)	%
33	Net school enrollment, primary school, 6-10 years old, male (% net male)	%
34	Employment from PSLM data	
35	Employment in agriculture (% of total employment)	%
36	Employment in agriculture, female (% of female employment)	%
37	Employment in agriculture, male (% of male employment)	%
38	Employment in industry (% of total employment)	%
39	Employment in industry, female (% of female employment)	%
40	Employment in industry, male (% of male employment)	%
41	Employment services (% of total employment)	%
42	Employment services, female (% of female employment)	%
43	Employment services, male (% of male employment)	%
44	Labor force participation rate (% of working age population, 15-64 years old)	%
45	Labor force participation rate, female (% of female working age population, 15-64 years old)	%
46	Labor force participation rate, male (% of male working age population, 15-64 years old)	%
47	Self employment, agriculture (% of total employment)	%
48	Self employment, agriculture, female (% of female employment)	%
49	Self employment, agriculture, male (% of male employment)	%
50	Self employment, non-agriculture (% of total employment)	%
51	Self employment, non-agriculture, female (% of female employment)	%
52	Self employment, non-agriculture, male (% of male employment)	%
53	Unpaid employment (% of total employment)	%
54	Unpaid employment, female (% of female employment)	%

	A	B
55	Unpaid employment, male (% of male employment)	%
56	Wage and salaried employment (% of total employment)	%
57	Wage and salaried employment, female (% of female employment)	%
58	Wage and salaried employment, male (% of male employment)	%
59	Hygiene behaviors from MICS data (Punjab & Sindh, 2014 only)	
60	Treating water before drinking (% of population)	%
61	Using adequately iodized salt (% of population)	%
62	Maternal care from MICS data (Punjab & Sindh, 2014 only)	
63	Assisted birth (% of births assisted by health professionals)	%
64	Average age at first birth of women	Count
65	Average age at first marriage of women	Count
66	Pregnant women receiving prenatal care (%)	%
67	Population	
68	Population	Count
69	Population Density 2017 (people/sq km)	Count
70	Poverty	
71	National poverty rank (N)	Count
72	Number of Poor (10,000s)	Count
73	Poverty Rate	%
74	Provincial poverty rank (N)	Count
75	Urban share of population from PSLM data	
76	Urban share of population (%)	%
77	Utilities and key services from PSLM data	
78	Access to electricity (% of population)	%
79	Access to gas (% of population)	%
80	Accessibility, health (% of population within 15 minutes to clinic/hospital)	%
81	Accessibility, transportation (% of population within 15 minutes to public transportation)	%
82	Mobile phone ownership (% of population)	%
83	Vaccination from MICS data (Punjab & Sindh, 2014 only)	
84	Immunization, BCG (% of children under 3)	%
85	Immunization, measles (% of children under 3)	%
86	Immunization, Penta-1 (% of children under 3)	%
87	Immunization, Penta-2 (% of children under 3)	%
88	Immunization, Polio at birth (% of children under 3)	%
89	Immunization, Polio-1 (% of children under 3)	%
90	Immunization, Polio-2 (% of children under 3)	%
91	Immunization, Polio-3 (% of children under 3)	%
92	Vitamin A supplementation coverage rate (% of children ages 6-59 months)	%
93	Water and sanitation from MICS data (Punjab & Sindh, 2014 only)	
94	Access to flush toilet connected to septic tank (% of population)	%
95	Access to flush toilet connected to sewer (% of population)	%
96	Access to hand pump (% of population)	%
97	Access to improved drinking water (% of population)	%
98	Access to improved drinking water, excl. piped water (% of population)	%
99	Access to improved toilet facilities (% of population)	%
100	Access to motorized pump (% of population)	%
101	Access to piped water (% of population)	%
102	Open defecation (% of population)	%
103	Water and sanitation from PSLM data	
104	Access to flush toilet connected to septic tank (% of population)	%
105	Access to flush toilet connected to sewer (% of population)	%
106	Access to improved drinking water (% of population)	%

	A	B
107	Access to improved drinking water, excl. piped water (% of population)	%
108	Access to improved toilet facilities (% of population)	%
109	Access to improved water within 30 minutes	Count
110	Access to piped water (% of population)	%
111	Open defecation (% of population)	%