



RÉSOLUTION TECHNIQUE DE VACTORY MONOLITH

Réalisé par
YAHYA EL OMARI

Encadré par
MR. ABDELMAJID BENDRIF & MR. HAMZA BAHLAOUANE

Table des matières

Introduction	2
1 Issue 1 : Exception UnmetDependenciesException (Permissions)	2
1.1 Étape 1 : Observation de l'Erreur	2
1.2 Étape 2 : Diagnostic et Recherche	3
1.3 Étape 3 : Identification de la Source	4
1.4 Étape 4 : Application du Correctif	4
1.5 Étape 5 : Création du Patch et Vérification	4
1.6 Conclusion sur l'Issue 1	5
2 Issue 2 : Limite de Mémoire PHP (Challenge CLI)	6
2.1 Étape 1 : Constat de l'Épuisement de Mémoire	6
2.2 Étape 2 : Le Challenge Technique	6
2.3 Étape 3 : Résolution via le Flag PHP	6
2.4 Étape 4 : Validation du Succès	7
3 Issue 3 : Accès Vendor Interdit et Optimisation JavaScript	8
3.1 Étape 1 : Erreur 403 et Blocage de Sécurité	8
3.2 Étape 2 : Déplacement vers le Répertoire Public	8
3.3 Étape 3 : Problème de Débogage dû à la Minification	8
3.4 Étape 4 : Ajustement de la Minification AdvAgg et Correction	9
4 Issue 4 : Migration des Données News (Vactory Migrate)	11
4.1 Étape 1 : Échec du Chargement de la Configuration Active	11
4.2 Étape 2 : Nettoyage Manuel via Drush	11
4.3 Étape 3 : Exécution de la Migration	11
4.4 Étape 4 : Nettoyage des Dépendances Unmet	12
5 Issue 5 : Problème de Registre Twig (Broken Views en Admin)	13
5.1 Étape 1 : Erreur de Rendu dans le Thème d'Administration	13
5.2 Étape 2 : Origine du Problème de Registre	13
5.3 Étape 3 : Application du Patch de la Communauté	13
5.4 Conclusion sur l'Issue 5	13

INTRODUCTION

Ce document compile les rapports de résolution des bugs (Issues) rencontrés lors du développement et de l'installation du monolith Vactory 8. Chaque section détaille l'erreur, le diagnostic, et le correctif technique appliqué.

1 Issue 1 : Exception UnmetDependenciesException (Permissions)

1.1 Étape 1 : Observation de l'Erreur

Lors de l'installation (via l'interface Web ou Drush), le système s'arrête brutalement avec un message d'erreur indiquant que des permissions liées au workflow "editorial" ne peuvent pas être ajoutées au rôle webmaster.

La Factory 10.2.3

Verify requirements

Set up database

Install site

Configure site

Configure multilingual

Configure additional modules

Install additional modules

Import nodes

Import nodes batch

Error

⚠ Some multilingual features currently do not work well with JSON:API. See the [JSON:API multilingual support documentation](#) for more information on the current status of multilingual support.

✓ Thanks for installing Block Class. Now in the block configuration you will see a field to add your classes. If you need to see more please visit our [documentation here](#)

Menu Manipulator enabled. Visit the configuration page under [Administer > Site configuration > User Interface](#)

The website encountered an unexpected error. Try again later.


► **RUNTIMEEXCEPTION: ADDING NON-EXISTENT PERMISSIONS TO A ROLE IS NOT ALLOWED. THE INCORRECT PERMISSIONS ARE "USE EDITORIAL TRANSITION ARCHIVE", "USE EDITORIAL TRANSITION CREATE_NEW_DRAFT", "USE EDITORIAL TRANSITION PUBLISH", "USE EDITORIAL TRANSITION ARCHIVED_PUBLISHED", "USE EDITORIAL TRANSITION ARCHIVED_DRAFT". IN DRUPAL|USER|ENTITY|ROLE->CALCULATEDDEPENDENCIES() (LINE 207 OF CORE/MODULES/USER/SRC/ENTITY/ROLE.PHP).**

FIGURE 1 – Message d'erreur initial indiquant l'échec de la dépendance de rôle.

L'erreur exacte rencontrée est : *"Adding non-existent permissions to a role is not allowed. The incorrect permissions are 'use editorial transition archive'..."*

1.2 Étape 2 : Diagnostic et Recherche

Pour comprendre quel fichier de configuration injecte ces permissions erronées, nous avons effectué une recherche récursive dans le dossier des configurations par défaut du profil.



```
Y user.role.webmaster.yml X
vactory8 > profiles > contrib > vactory_starter_kit > config > install > Y user.ro
11  permissions:
89  - 'use text format basic_html'
90  - 'use text format full_html'
91  - 'view all media revisions'
92  - 'view files'
93  - 'view own files'
94  - 'view own private files'
95  - 'view own unpublished content'
96  - 'view own unpublished media'
97  - 'view private files'
98  - 'view the administration theme'
99  - 'view unpublished paragraphs'
100 - 'view vactory_page revisions'
101 - 'use editorial transition archive'
102 - 'use editorial transition create_new_draft'
103 - 'use editorial transition publish'
104 - 'use editorial transition archived_published'
105 - 'use editorial transition archived_draft'
106 - 'access block library'
107 - 'administer block content'
108 - 'view any unpublished content'
109 - 'translate interface'
110 - 'edit content live mode'
111 - 'administer languages'
112 - 'administer nodes'
113 - 'access content'
```

FIGURE 2 – Identification des permissions problématiques dans le fichier YAML.

Nous avons utilisé la commande suivante pour isoler les fichiers concernés :

```
1 grep -rI "use editorial transition" profiles/contrib/vactory_starter_kit/
  config/install/
```

```

• → vactory8 git:(b394b05d7) ✕ grep -rl "use editorial transition" vendor/voidagency/vactory_starter_kit/config/install/
  vendor/voidagency/vactory_starter_kit/config/install/user.role.webmaster.yml
• → vactory8 git:(b394b05d7) ✕ grep -rl "use editorial transition" profiles/contrib/vactory_starter_kit/config/install/
  profiles/contrib/vactory_starter_kit/config/install/user.role.webmaster.yml

```

FIGURE 3 – Utilisation de grep pour localiser les fichiers YAML de rôles.

Le résultat a confirmé que le coupable était le fichier : `user.role.webmaster.yml`

1.3 Étape 3 : Identification de la Source

Les permissions de transitions (archive, publish, etc.) ne sont pas créées par le module `user`, mais dynamiquement par le module Content Moderation lorsqu'un workflow spécifique est présent.

Dans notre cas, nous avons trouvé que le fichier définissant ces transitions est : `workflows.workflow.editorial.yml`

1.4 Étape 4 : Application du Correctif

La solution consiste à forcer Drupal à installer le workflow avant d'installer le rôle. Pour ce faire, nous avons ajouté une dépendance explicite dans le fichier `user.role.webmaster.yml`.

```

1 dependencies:
2   config:
3     - filter.format.basic_html
4     - filter.format.full_html
5     - workflows.workflow.editorial
6   module:
7     - content_moderation

```

Listing 1 – Correctif de la section dependencies

1.5 Étape 5 : Création du Patch et Vérification

Le correctif a été encapsulé dans un patch appliqué via Composer. Après avoir vidé les tables de la base de données et relancé l'installation, le processus s'est terminé avec succès.




FIGURE 4 – Succès de l'installation après application du patch de dépendance.

1.6 Conclusion sur l'Issue 1

La résolution de cette issue démontre l'importance capitale de l'ordre d'importation des configurations YAML sous Drupal. En déclarant explicitement les dépendances de workflow dans les entités de rôle, on garantit que l'environnement de permissions est prêt au moment de l'attribution des droits.

2 Issue 2 : Limite de Mémoire PHP (Challenge CLI)

2.1 Étape 1 : Constat de l'Épuisement de Mémoire

Lors de la désinstallation du module **vactory_decoupled**, le système rencontre une erreur fatale. PHP s'arrête car il a atteint sa limite maximale autorisée de 128 Mo, un réglage standard mais insuffisant pour les opérations lourdes de Drupal.

```
➤ vactory8 git:(b394b05d7) x ./vendor/bin/drush pmu vactory_decoupled
The following extensions will be uninstalled: vactory_decoupled, vactory_decoupled_theme_switcher, vactory_private_files_decoupled, vactory_decoupled_webform, vactory_decoupled_espace_prive, vactory_decoupled_router, vactory_decoupled_router_default_pages, vactory_decoupled_search

Do you want to continue? (yes/no) [yes]:
>

[WARNING] [clear_next_cache] [2026-03-30T12:39:19] BASE_FRONTEND_URL env variable is undefined | uid: 0 | request-uri: http://default/ | refer: | ip: 127.0.0.1 | link:
[WARNING] [clear_next_cache] [2026-03-30T12:39:19] BASE_FRONTEND_URL env variable is undefined | uid: 0 | request-uri: http://default/ | refer: | ip: 127.0.0.1 | link:
[INFO] [system] [2026-03-30T12:39:21] vactory_decoupled_search module uninstalled. | uid: 0 | request-uri: http://default/ | refer: | ip: 127.0.0.1 | link:
[WARNING] [clear_next_cache] [2026-03-30T12:39:22] BASE_FRONTEND_URL env variable is undefined | uid: 0 | request-uri: http://default/ | refer: | ip: 127.0.0.1 | link:
[warning] BASE_FRONTEND_URL env variable is undefined
[WARNING] [clear_next_cache] [2026-03-30T12:39:22] BASE_FRONTEND_URL env variable is undefined | uid: 0 | request-uri: http://default/ | refer: | ip: 127.0.0.1 | link:
[warning] BASE_FRONTEND_URL env variable is undefined
[WARNING] [clear_next_cache] [2026-03-30T12:39:22] BASE_FRONTEND_URL env variable is undefined | uid: 0 | request-uri: http://default/ | refer: | ip: 127.0.0.1 | link:
[warning] BASE_FRONTEND_URL env variable is undefined
[WARNING] [clear_next_cache] [2026-03-30T12:39:22] BASE_FRONTEND_URL env variable is undefined | uid: 0 | request-uri: http://default/ | refer: | ip: 127.0.0.1 | link:
[warning] BASE_FRONTEND_URL env variable is undefined
[WARNING] [clear_next_cache] [2026-03-30T12:39:22] BASE_FRONTEND_URL env variable is undefined | uid: 0 | request-uri: http://default/ | refer: | ip: 127.0.0.1 | link:
[warning] BASE_FRONTEND_URL env variable is undefined
[WARNING] [clear_next_cache] [2026-03-30T12:39:22] BASE_FRONTEND_URL env variable is undefined | uid: 0 | request-uri: http://default/ | refer: | ip: 127.0.0.1 | link:
[warning] BASE_FRONTEND_URL env variable is undefined
[WARNING] [clear_next_cache] [2026-03-30T12:39:22] BASE_FRONTEND_URL env variable is undefined | uid: 0 | request-uri: http://default/ | refer: | ip: 127.0.0.1 | link:
[warning] BASE_FRONTEND_URL env variable is undefined
[WARNING] [clear_next_cache] [2026-03-30T12:39:22] BASE_FRONTEND_URL env variable is undefined | uid: 0 | request-uri: http://default/ | refer: | ip: 127.0.0.1 | link:
[warning] BASE_FRONTEND_URL env variable is undefined
[INFO] [system] [2026-03-30T12:39:23] vactory_decoupled_router_default_pages module uninstalled. | uid: 0 | request-uri: http://default/ | refer: | ip: 127.0.0.1 | link:
PHP Fatal error: Allowed memory size of 134217728 bytes exhausted (tried to allocate 20480 bytes) in /Users/mac/Documents/projects/vactory8/core/lib/Drupal/Core/Cache/DatabaseBackend.php on line 172

Fatal error: Allowed memory size of 134217728 bytes exhausted (tried to allocate 20480 bytes) in /Users/mac/Documents/projects/vactory8/core/lib/Drupal/Core/Cache/DatabaseBackend.php on line 172
PHP Fatal error: Allowed memory size of 134217728 bytes exhausted (tried to allocate 5242880 bytes) in /Users/mac/Documents/projects/vactory8/modules/contrib/simple_oauth/src/HttpMiddleware/BasicAuthSwap.php on line 55

Fatal error: Allowed memory size of 134217728 bytes exhausted (tried to allocate 5242880 bytes) in /Users/mac/Documents/projects/vactory8/modules/contrib/simple_oauth/src/HttpMiddleware/BasicAuthSwap.php on line 55
➤ vactory8 git:(b394b05d7) x
```

FIGURE 5 – Erreur fatale d'allocation mémoire lors de la désinstallation via Drush.

L'erreur rapportée est : *"Fatal error : Allowed memory size of 134217728 bytes exhausted..."*

2.2 Étape 2 : Le Challenge Technique

La contrainte imposée pour cette issue était de résoudre le problème sans modifier le fichier php.ini. Cela simule un environnement de production où l'accès aux fichiers de configuration système est restreint.

2.3 Étape 3 : Résolution via le Flag PHP

La solution consiste à utiliser le binaire PHP en ligne de commande pour exécuter le script Drush, tout en lui passant un argument de configuration dynamique (**-d**) pour écraser la limite de mémoire temporairement.

```
• vactory8 git:(b394b05d7) x php -d memory_limit=-1 ./vendor/bin/drush pmu vactory_decoupled -y
The following extensions will be uninstalled: vactory_decoupled, vactory_decoupled_theme_switcher, vactory_private_files_decoupled, vactory_decoupled_webform, vactory_decoupled_espace_prive, vactory_decoupled_router, vactory_decoupled_router_default_pages, vactory_decoupled_search

// Do you want to continue?: yes.

[WARNING] [clear_next_cache] [2026-03-30T12:50:08] BASE_FRONTEND_URL env variable is undefined | uid: 0 | request-uri: http://default/ | refer: | ip: 127.0.0.1 | link:
[WARNING] [clear_next_cache] [2026-03-30T12:50:08] BASE_FRONTEND_URL env variable is undefined | uid: 0 | request-uri: http://default/ | refer: | ip: 127.0.0.1 | link:
[INFO] [system] [2026-03-30T12:50:10] vactory_decoupled_search module uninstalled. | uid: 0 | request-uri: http://default/ | refer: | ip: 127.0.0.1 | link:
[WARNING] [clear_next_cache] [2026-03-30T12:50:10] BASE_FRONTEND_URL env variable is undefined | uid: 0 | request-uri: http://default/ | refer: | ip: 127.0.0.1 | link:
[warning] BASE_FRONTEND_URL env variable is undefined
[WARNING] [clear_next_cache] [2026-03-30T12:50:10] BASE_FRONTEND_URL env variable is undefined | uid: 0 | request-uri: http://default/ | refer: | ip: 127.0.0.1 | link:
[warning] BASE_FRONTEND_URL env variable is undefined
[WARNING] [clear_next_cache] [2026-03-30T12:50:11] BASE_FRONTEND_URL env variable is undefined | uid: 0 | request-uri: http://default/ | refer: | ip: 127.0.0.1 | link:
[warning] BASE_FRONTEND_URL env variable is undefined
[WARNING] [clear_next_cache] [2026-03-30T12:50:11] BASE_FRONTEND_URL env variable is undefined | uid: 0 | request-uri: http://default/ | refer: | ip: 127.0.0.1 | link:
[warning] BASE_FRONTEND_URL env variable is undefined
[WARNING] [clear_next_cache] [2026-03-30T12:50:11] BASE_FRONTEND_URL env variable is undefined | uid: 0 | request-uri: http://default/ | refer: | ip: 127.0.0.1 | link:
[warning] BASE_FRONTEND_URL env variable is undefined
[WARNING] [clear_next_cache] [2026-03-30T12:50:11] BASE_FRONTEND_URL env variable is undefined | uid: 0 | request-uri: http://default/ | refer: | ip: 127.0.0.1 | link:
[warning] BASE_FRONTEND_URL env variable is undefined
[WARNING] [clear_next_cache] [2026-03-30T12:50:11] BASE_FRONTEND_URL env variable is undefined | uid: 0 | request-uri: http://default/ | refer: | ip: 127.0.0.1 | link:
[warning] BASE_FRONTEND_URL env variable is undefined
[INFO] [system] [2026-03-30T12:50:11] vactory_decoupled_router_default_pages module uninstalled. | uid: 0 | request-uri: http://default/ | refer: | ip: 127.0.0.1 | link:
[INFO] [system] [2026-03-30T12:50:12] vactory_decoupled_router module uninstalled. | uid: 0 | request-uri: http://default/ | refer: | ip: 127.0.0.1 | link:
[INFO] [system] [2026-03-30T12:50:13] vactory_decoupled_espace_prive module uninstalled. | uid: 0 | request-uri: http://default/ | refer: | ip: 127.0.0.1 | link:
[INFO] [system] [2026-03-30T12:50:14] vactory_decoupled_webform module uninstalled. | uid: 0 | request-uri: http://default/ | refer: | ip: 127.0.0.1 | link:
[INFO] [system] [2026-03-30T12:50:14] vactory_private_files_decoupled module uninstalled. | uid: 0 | request-uri: http://default/ | refer: | ip: 127.0.0.1 | link:
```

FIGURE 6 – Commande de désinstallation utilisant le drapeau `memory_limit=-1`.

La commande utilisée :

```
php -d memory_limit=-1 ./vendor/bin/drush pmu vactory_decoupled -y
```

2.4 Étape 4 : Validation du Succès

Grâce à l'allocation dynamique de mémoire, le script a pu charger l'ensemble des dépendances nécessaires et désinstaller proprement la suite de modules `vactory_decoupled`.

```
[success] Successfully uninstalled: vactory_decoupled, vactory_decoupled_theme_switcher, vactory_private_files_decoupled, vactory_decoupled_webform, vactory_decoupled_espace_prive, vactory_decoupled_router, vactory_decoupled_router_default_pages, vactory_decoupled_search
• vactory8 git:(b394b05d7) x php -d memory_limit=-1 ./vendor/bin/drush pmu vactory_decoupled -y

In PmCommands.php line 175:


  The following module(s) are not installed: vactory_decoupled. No modules to uninstall.
```

FIGURE 7 – Confirmation de la désinstallation réussie de tous les modules liés.

3 Issue 3 : Accès Vendor Interdit et Optimisation JavaScript

3.1 Étape 1 : Erreur 403 et Blocage de Sécurité

Par défaut, Drupal installe les bibliothèques tierces dans le dossier `vendor/`. Pour des raisons de sécurité, Apache bloque l'accès public à ce dossier via un fichier `.htaccess`. Cela empêche le chargement de scripts critiques comme le jQuery Colorpicker, provoquant une erreur 403 Forbidden.



Forbidden

You don't have permission to access this resource.

FIGURE 8 – Erreur 403 bloquant le chargement des ressources statiques du module.

3.2 Étape 2 : Déplacement vers le Répertoire Public

La solution consiste à rediriger l'installation des paquets concernés vers le dossier public `libraries/`. Nous avons modifié la section `installer-paths` du fichier `composer.json` et appliqué un patch au fichier `.libraries.yml` pour corriger les chemins de référence.

3.3 Étape 3 : Problème de Débogage dû à la Minification


Lorsqu'une erreur de syntaxe JS survient (comme dans le modal de choix de template), l'agrégation (*Aggregate*) et la minification rendent l'identification du bug impossible. La console affiche une erreur critique mais ne peut pointer vers la ligne source exacte.

```
[{"command":"settings","settings":{"pluralDelimiter":"","u0003":"","suppressDeprecationErrors":true,"ajaxPageState":
{"libraries":{"eJwNjEE0wJAMBD9UkIdJnALK8cuxqKlwcFDh3RrPvndJ6P0AS9ohtCXZALwPn-TBFe0SCh180Wu068ft984-
0mrelpJ3sGxu_cgk1EgJ3cz25RogZyNd1AaFYdC41pmK39r3pRmCPiGjIA7YA","theme":"","claro","theme_token":"","ZenKedqjCukVaKkbYhQ40RW0yJENXek2s_gXWds6A"},"ajaxTrustedUrl":
{"form_action_p_vdveG5G5zNF_XLGPTvYSKCf43t8qZYSwcfZL2uzM":true,"/en/admin/config/modal_form?
field_name=field_vactory_component\u0026field_bundle=vactory_component\u0026entity_type_id=paragraph\u0026field_id=field_vactory_component-field_vactory_paragraphs-0-
subform-0\u0026widget_id=\u0026wrapper_id=field_vactory_component-dynamic-library-wrapper-field_vactory_paragraphs-0-subform-
0\u0026cardinality=1\u0026ajax_form=1":true},"ajax":{"edit_send":{"callback":{"widget":null,"context":
[]},"updateFormCallback":{"event":{"click"},"wrapper":{"modal_widget_selector_form"},"url":"","/en/admin/config/modal_form?
field_name=field_vactory_component\u0026field_bundle=vactory_component\u0026entity_type_id=paragraph\u0026field_id=field_vactory_component-field_vactory_paragraphs-0-
subform-0\u0026widget_id=\u0026wrapper_id=field_vactory_component-dynamic-library-wrapper-field_vactory_paragraphs-0-subform-
0\u0026cardinality=1\u0026ajax_form=1"},"POST","dialog_type":"","ajax"},"submit":{"","triggering_element_name":"","op","triggering_element_value":"","Next"},"user":
{"uid":"","permissionsHash":"","432Zd1f7bcad98609d9bc898f9e8c2273d3a7e35a857ba18adde668da08"},"merge":true},"command":"add_css","data":
[{"rel":"","stylesheet","media":"all","href":"","/sites/default/files/css/css_eaGQUFQe3ME_4hnzyBj3te101FCQ0hrjJz1lCeo6-k.css?
delta=0\u0026language=en\u0026theme=claro\u0026include=eJwztzFESgyAMRdENISyJSU00cQKxMTilq2-1fr65bw6qUSrN5BYGESXCu8wHoiOX0aAy5pLJ5rPxnNvqRlpAAp4ANydrP2J9dbjX9X-
56YPMGUEmh8celIwvnp1LJfSpeYq8Uebg-Tz8wMMjtg"},"rel":"","stylesheet","media":"all","href":"","/sites/default/files/css/css_uv0Qz97nyTKsGvblYU5tT14cK-
ZHaFMVYnkXG_01M88.css?delta=1\u0026language=en\u0026theme=claro\u0026include=eJwztzFESgyAMRdENISyJSU00cQKxMTilq2-
1fr65bw6qUSrN5BYGESXCu8wHoiOX0aAy5pLJ5rPxnNvqRlpAAp4ANydrP2J9dbjX9X-56YPMGUEmh8celIwvnp1LJfSpeYq8Uebg-Tz8wMMjtg"},"command":"add_js","selector":"head","data":
[{"src":"","/sites/default/files/js/optimized/js_a_LYjxwfgV0YHfCaa7fM5j-18Scy9qFm-Y0RYZ4FM_Kow0XS00E21bJcGbwQZQVAhJpTaGmNFQJZB665QIY.js?v=10.2.3"}],
{"command":"add_js","selector":"body","data":[{"src":"","/sites/default/files/js/optimized/js_dxIvcw000wLGoGPTfRYXU-
T5rnj8X10cXfb3Kn58.Q02TgVAlNBuJp4Q0PGHxY5a2JA557i7oV-xpUvW0ZE.js?v=3.7.1"}],
{"src":"","/sites/default/files/js/optimized/js_w0103No0CsYHgJmryEbhwpkh5z66mdhvaBt4ufvYA.qrRaGRd-lwmL5AgfinwLc_PljLSe4uj9QV_Lve6X0.js?v=1.0.1"},
{"src":"","/sites/default/files/js/optimized/js_hpe5jrmuXrV4H5TMapXJ3N8xraGCHURtJxkWkqy8.uqU0dubnEwH2mb8d0rqfqrGHwMunK5Cj4Het3Vx-jug.js?v=10.2.3"},
{"src":"","/sites/default/files/js/optimized/js_VloR0-kJ1XBZaek10tPue_1t8-L8R594H3jsgeKkic.nV12UPAaaT_hwkoUsIw4ytZUSnZNC7CY1SVIjKmc.js?v=10.2.3"},
{"src":"","/sites/default/files/js/optimized/js_Krjtzv16UuJB23-j_sF6dQ0Cbq28Ej98A8RU9bGsq.PF5Kx1Io_77KtXp2M1FpY97M1hFV08w1F1VBXNuse50.js?v=10.2.3"},
{"src":"","/sites/default/files/js/optimized/js_r3QeY87caXNdmqZJ4T5f6f6CvUk9.CjLQK8yDBzqK.Mr8_EW8sDsZUZ2CQ-dQkQeZM5pzRo_mJnC3-Djz5D0.js?v=10.2.3"},
{"src":"","/sites/default/files/js/optimized/js_pbrt6BW62k2scxcVck6pK0hrsN5-4n6mdUeoPTfK2aM.zLfCparfdavVu1hrqgDYTGyHg2CL5vdigIoiqxjrl.js?v=10.2.3"},
{"src":"","/sites/default/files/js/optimized/js_CbQM1f2ZQjSv029Vz3nHY5Ij5pyrydKvJ38uk-EK20.f0L30stnnfMdtASa81gwj2HhQNP60ea_7gbK1654sU.js?v=10.2.3"},
{"src":"","/sites/default/files/js/optimized/js_hw16b2Kqerv3w2Bgm-B080tV3gEzBpspb6bXc.s40AZzuaFAZzov79_Uo0Bn1wPYRGCCf3B8XlGf-04V4.js?v=10.2.3"},
{"src":"","/sites/default/files/js/optimized/js_1_0r-HDQxLP8qV9oE0LewmX35C1ldn6Q9QwEYyGE.rD4F6JMIMHTOPhRkAzkrHVLyEX0t03ic1C5Gpcmcz_c.js?v=10.2.3"},
{"src":"","/sites/default/files/js/optimized/js_yt_B6-UYT74y4dRKoG09gflm008Db4vG2LIG0YLHq8.YnHFM1A17KudBIdP8r4Vybbv10ajQU-ZDN24ujjg0s.js?v=10.2.3"},
{"src":"","/sites/default/files/js/optimized/js_0YMUxIYK_UxVl5s0q3_h5K3aC6qbz7cz9wNrtTse48.SjYjBTjwMDLNC9NavhdgYJZ5evpZg7TY_dgMj4mfFfa.js?v=10.2.3"},
{"src":"","/sites/default/files/js/optimized/js_A7R00KDzeuDMesK6D0s_s2ZrJ05cZ23zgXufFR4Khc.0Ws30TVxChu2BXLJbTHFVH3W6V4ZL9aBBYv6Ahhcbp-s.js?v=10.2.3"},
{"src":"","/sites/default/files/js/optimized/js_kx_10-fynAvXr7hsmgmwB9f5CgZ14b38dZmpTAPE.808WfHdx66wmi7vtczmxyhbyZjnmQwThglekb87JLA.js?v=10.2.3"},
{"src":"","/sites/default/files/js/optimized/js_4Vh5X41EyBg9Lxg0nt6eHtdfWqG6Gv6Tsm_aWlhzcc.SaB-8IEYaj9W8LJYULSonVy3R52MqQcxcgZkg7zy_Y.js?v=10.2.3"},
{"src":"","/sites/default/files/js/optimized/js_Vyc3FTVvaYh5cCLXYEa53oiLQ8WxeImUfAjjqgR5Y8.oUM005oYFPUBV8LTR3CcyJG56DQNWrt0Vg181FXB8r.js?v=10.2.3"},
{"src":"","/sites/default/files/js/optimized/js_Ry7vynI2NLNpd3_JR7HvHkRXR_GH0raz-kB756oj3vg.v9ZGpBMawmwaJmbgB9bM_KlaF_MmzN9mHVuHdFML7G8.js?v=10.2.3"},
{"src":"","/sites/default/files/js/optimized/js_05C1x8qQGaunpgKzYC-j1qmXs91pwKeKHdaRLB_3U.9RK_2iduXKS7XP9hXy3Y0xaPQE_dq6HT7Z1LiAGfI.js?v=10.2.3"},
{"src":"","/sites/default/files/js/optimized/js_026R3WZ2xvc16jCq70B8g72W5069jX05KheKlbiE.FASv4Yuz2ZUldnqwxwTha_1Ub0TfEhp8VAUCU80Tic.js?v=10.2.3"},
{"src":"","/sites/default/files/js/optimized/js_SpWJM_dFpYnPP3qr1m14a2Q0GVC1G8okd3jESK51E1.F04161iY-H5Tveef821o1GVqKpNiri-rkr830a1XTY.js?v=10.2.3"},
{"src":"","/sites/default/files/js/optimized/js_shtMqRNOVBaAvL19-CpiC11loPsdLJLEM8eqdxiYaa.VorFMqGPEukYukfCXKlftvXchnJ54-oJwn-z_9eqU.js?v=10.2.3"},
{"src":"","/sites/default/files/js/optimized/js_J05cWfCFFxc6Ntk7qEMp2pQwFe0LYhQPr-d5pkpX4.iLff8IE6rFcnrKY15r-r351x2cRiDCumf0Ebkh8LKP.js?v=10.2.3"},
{"src":"","/sites/default/files/js/optimized/js_XrfrmCmQdTCEPh8gU8hYf5mJPXNeZp91Zuig8f9Y.4JL-M5jBdfxpuF_iahD2r6Je15SMckpVcXwyRvBx8hw.js?v=10.2.3"},
{"src":"","/sites/default/files/js/optimized/js_0B1pt9EYfJ14M4u0q_U0uhcwPwrgL0M8Ao_UlCQkw.dnNp0PLW0AeogXL6wIyvdvXv-KgIeohfcz6Iv0omSHs.js?v=10.2.3"},
{"src":"","/sites/default/files/js/optimized/js_xTWqasf9SLZs-DvNB0ye1_u8fjPKMQIiVhInNue.Pcj2ovJz9-x5YhccuXWxW51c5Sk_UoIFB3hmR0p0.js?v=10.2.3"},
{"src":"","/sites/default/files/js/optimized/js_gemJNg-vrsV1816uzVFe6X3vL5x0FTpPgKUR0axgXs.yv7_a0RYB1w0JcqFmsijLThtjvqNIEj6Z1_ouZwfoM.js?v=10.2.3"},
{"src":"","/sites/default/files/js/optimized/js_trIIfv6Gxxnz9PVSI8rA84ADAGHxX_Lw54uUlw0X50.LxobASwrcicTJ00_UmndiHWNJ2JzL2BKVMcVzcn_Vh4.is?v=10.2.3"}]
```

FIGURE 9 – Écran montrant l'erreur de minification et le ralentissement du chargement.

3.4 Étape 4 : Ajustement de la Minification AdvAgg et Correction

Pour isoler le coupable, nous avons ajusté les paramètres de performance dans l'interface d'administration de AdvAgg (`/admin/config/development/performance/advagg/minify`). Nous avons augmenté le délai de minification de 600ms à 1000ms pour stabiliser le rendu des scripts agrégés. Ce réglage a permis d'identifier et de corriger une variable non initialisée dans un script ES6.



```
[{"command": "settings"  
, "settings":  
_
```

FIGURE 10 – Restauration du fonctionnement normal après correction et optimisation JS.

4 Issue 4 : Migration des Données News (Vactory Migrate)

4.1 Étape 1 : Échec du Chargement de la Configuration Active

Lors de l'activation du module **vactory_news_migrate**, le système s'arrête avec une exception **PreExistingConfigException**. Drupal détecte que des objets de configuration (migrations YAML) existent déjà dans la base de données, bloquant ainsi l'installation propre du module.

```
● → vactory8 git:(b394b05d7) x ./vendor/bin/drush pm:uninstall vactory_news_migrate
[INFO] [system] [2026-03-31T15:32:59] vactory_news_migrate module uninstalled. | uid: 0 |
request-uri: http://default/ | refer: | ip: 127.0.0.1 | link:
[success] Successfully uninstalled: vactory_news_migrate
⊗ → vactory8 git:(b394b05d7) x ./vendor/bin/drush en vactory_news_migrate

In PreExistingConfigException.php line 65:

Configuration objects (migrate_plus.migration.news_ar, migrate_plus.migration.news_fr
) provided by vactory_news_migrate already exist in active configuration
```

FIGURE 11 – Erreur d'installation due à des configurations de migration orphelines.

4.2 Étape 2 : Nettoyage Manuel via Drush

Pour résoudre ce conflit, nous avons dû supprimer manuellement les configurations bloquantes en utilisant la commande **config:delete** (ou **cdel**). Cette étape est nécessaire pour permettre au module de réimporter ses propres définitions de migration.

```
1 drush config:delete migrate_plus.migration.news_ar
2 drush config:delete migrate_plus.migration.news_fr
```

```
+ vactory8 git:(b394b05d7) x ./vendor/bin/drush pm:install vactory_news_migrate -y
+ vactory8 git:(b394b05d7) x ./vendor/bin/drush config:delete migrate_plus.migration.news_ar
+ vactory8 git:(b394b05d7) x ./vendor/bin/drush config:delete migrate_plus.migration.news_fr
+ vactory8 git:(b394b05d7) x ./vendor/bin/drush pm:install vactory_news_migrate -y
[INFO] [system] [2026-03-31T15:55:03] vactory_news_migrate module installed. | uid: 0 | request-uri: http://default/ | refer: | ip: 127.0.0.1 | link:
> [notice] The configuration was successfully updated. 777 configuration objects updated.
> [notice] Message: The configuration was successfully updated. There are /777/ configuration
> objects updated.
>
[success] Successfully enabled: vactory_news_migrate
+ vactory8 git:(b394b05d7) x ./vendor/bin/drush ms
```

Group	Migration ID	Status	Total	Imported	Unprocessed	Message Count	Last Imported
vactory (vactory)	news_ar	Idle	7	0	7	0	
vactory (vactory)	news_fr	Idle	7	0	7	0	
vactory (vactory)	news_theme	Idle	4	0	4	0	
vactory (vactory)	news_theme_ar	Idle	4	0	4	0	
Default (default)	node_vactory_news_migration_default	Idle	12	0	12	0	

FIGURE 12 – Réinstallation réussie du module après suppression des doublons.

4.3 Étape 3 : Exécution de la Migration

Une fois le module activé, nous avons lancé le processus de migration pour importer les actualités (News). Nous avons vérifié l'état des migrations avec **drush ms** avant de procéder à l'importation complète.

[success] Cache rebuild complete.
 ● → vactory8 git:(b394b05d7) ✕ dr ms

Group	Migration ID	Status	Total	Imported	Unprocessed	Message Count	Last Imported
vactory (vactory)	news_ar	Idle	7	0	0	0	2026-03-31 16:08:45
vactory (vactory)	news_fr	Idle	7	0	0	0	2026-03-31 16:08:45
vactory (vactory)	news_theme	Idle	4	4	0	0	2026-03-31 16:08:45
vactory (vactory)	news_theme_ar	Idle	4	4	0	0	2026-03-31 16:08:45
Default (default)	node_vactory_news_migration_default	Idle	12	12	0	0	2026-03-31 16:09:03

FIGURE 13 – Importation massive des données de contenu (News articles).

4.4 Étape 4 : Nettoyage des Dépendances Unmet

Enfin, nous avons supprimé l'ancienne page "News" et retiré le composant Paragraph (widget) qui provoquait l'exception **ServiceNotFoundException** liée au générateur JSON :API de **vactory_decoupled**. Cette étape de nettoyage final garantit la stabilité du monolith sans dépendances résiduelles vers la suite "Decoupled".

5 Issue 5 : Problème de Registre Twig (Broken Views en Admin)

5.1 Étape 1 : Erreur de Rendu dans le Thème d'Administration

Lors de l'accès à l'édition des vues (*News Views*), le système affiche une erreur critique. Le diagnostic via **drush watchdog:show** révèle que le namespace Twig **@twigComponents** n'est pas reconnu lorsque l'utilisateur est sur le thème d'administration (Gin/Claro), alors qu'il fonctionne parfaitement en Front-end.

5.2 Étape 2 : Origine du Problème de Registre

Le problème provient du module Components. Par défaut, il n'enregistre pas les namespaces de templates de manière globale, ce qui empêche le thème d'admin d'accéder aux composants définis dans le thème Vactory.

5.3 Étape 3 : Application du Patch de la Communauté

Nous avons identifié une issue sur Drupal.org traitant précisément de cette perte de contexte de registre. Un patch a été appliqué pour forcer l'enregistrement universel des thèmes dans le registre Twig.




FIGURE 14 – Interface de News View rétablie après application du patch de registre Twig.

5.4 Conclusion sur l'Issue 5

Cette résolution assure une cohérence totale du rendu Drupal, quel que soit le thème actif, en garantissant que les namespaces Twig sont partagés à l'échelle de l'application.