Faalig

Stroke

A stroke occurs when the blood flow to the brain is decreased or stopped. The blood flow can be blocked from a blood clot, plaque or a leak in a blood vessel. Sometimes the blood flow to the brain is blocked for a brief time.

If you have signs of a stroke, but the signs go away in minutes to hours this is called a TIA or transient ischemic attack or "mini stroke". This is a strong warning that there is a problem and a stroke could occur in the future.

When the blood flow to the brain is blocked causing permanent damage, it is called a stroke. Tests can be done to find the type, location and cause of the blockage to the blood flow of the brain.

Faaliggu wuxu dhacaa marka socodka dhiiggu uu ka joogsado ama ka yaraado maskaxda. Socodka dhiigga waxaa xannibi ama horjoogsan kara xinjirow dhiig, buruq ama dhiig bixid ku timaadda xidid dhiig. Mararka qaarkood u socodka dhiigga ee maskaxda waxaa uu xannibmaa waqti gaaban.

Haddii aad leedahay calaamadaha faaligga, laakiin calaamaduhu ku tagaan daqiiqado ilaa saacado waxaa loo yaqaannaa TIA ama weerar gudbaya (transient ischemic attack) ama "faalig yar". Tani waa digniin xooggan oo ah iney jirto dhibaato oo oo faalig uu dhici karo mustaqbalka.

Marka u socodka dhiigga laga xannibo maskaxda isagoo keenaya waxyeello joogto ah, waxaa loo yaqaannaa faalig (stroke). Baaritaanno ayaa la sameyn karaa si loo ogaado nooca, meesha iyo sababta xannibidda u socodka dhiigga maskaxda ku timid.

Signs

The effects of a stroke depend on the location and amount of damage to the brain. Signs are sudden and may include:

- Numbness, tingling or weakness in the face, arm or leg, often only on one side of the body
- Confusion or trouble understanding
- Problems speaking
- Problems seeing out of one or both eyes

Calaamadaha

Saameynada faaliggu waxay ku xiran tahay meesha iyo xaddiga waxyeellada maskaxda gaartay . Calaamaduhu waa kuwo lama filaan ah waxaana laga yaabaa iney ku jiraan:

- Kabuubyo, xat-xato ama daciiftinnimo ku timaadda wejiga, gacanta ama lugta, badanaa hal dhinac oo jidhka ka mid ah oo keliya ku dhacda
- Jahawareer ama dhibaato wax fahmid
- Dhibaatooyin hadlid
- Dhibaatooyin ku yimaada aragga mid ama labada indhoodba

- Dizziness or trouble with balance, coordination or walking
- Sudden severe headache with no known cause

Your Care

Call 911 as soon as you have any signs of a stroke. The goal of care is to stop further damage to the brain. It is important to get to the hospital right away.

Sometimes it takes a few days to see what type of damage has occurred. It is hard to predict how you will recover from a stroke. Care is planned based on your needs. It may include:

- Therapy for rehabilitation
- Exercise to strengthen your muscles
- Adapting your activity to use the strong side of your body
- Learning how to talk and communicate
- Learning ways to eat and drink safely

Risk Factors Arr

You are at risk for a stroke if you:

- Have high blood pressure, diabetes, high blood cholesterol, heart disease or a prior stroke
- Are from a family where others have had a stroke
- Are overweight
- Are inactive or do not exercise
- Have a lot of stress

- Dawakhsanaan ama dhibaato isu dheellitirnaanta ah, is raacsanaanta ama socodka
- Madax xanuun daran oo lama filaan ah oo aysan jirin sabab la ogyahay oo keentay

Daryeelkaaga

911 u wac sida ugu dhakhsaha badan marka aad isku aragto wax calaamado faalig ah. Hadafka daryeelku waa in la joojiyo waxyeello kale oo maskaxda gaarta. Waa muhiimin inaad isla markiiba isbitaalka horey ka aaddo.

Marmar waxay qaadataa dhowr maalmood in lagu arko nooca waxyeellada dhacday. Way adag tahay in la saadaaliyo sida aad uga soo kabato faaligga. Daryeelka waxaa la qorsheeyaa isagoo ku saleysan baahiyahaaga. Waxaana ka mid noqon kara:

- · Daaweyn loogu talogalay dib u kabid
- Jimicsi lagu adkaynayo murqahaaga
- La qabsashada hawlahaaga si aad u isticmaasho dhinaca xooggan ee jidhkaaga
- Barashada sida loo hadlo ee loo sameeyo isgaadhsiin
- Barashada siyaabaha si ammaan leh wax loogu cuno looguna cabbo

Arrimaha Halista ah

Waxaad halis ugu jirtaa faalig haddii:

- Aad qabto cadaadis dhiig oo sarreeya, sonkorow, kolestarool dhiig oo sarreeya, cudurka wadnaha ama faalig hore
- Aad ka soo jeeddo qoys halkaasoo kuwa kale faalig ku dhacay
- Aad u cayilan tahay
- Aadan fir-fircooneyn ama aadan jir dhis sameynin
- Aad giigsanaan ama walaac badan qabtid

- Eat foods high in cholesterol and fat
- Smoke or use tobacco
- Drink too much alcohol
- Use street drugs
- Have a head injury or a bleeding disorder

If you have any of these risk factors, talk to your doctor or nurse about ways to manage them.

To Prevent a Stroke

- Treat high blood pressure, diabetes, high cholesterol and heart disease if present
- Quit smoking
- Exercise
- Eat a healthy diet and lose weight if you are overweight
- Limit alcohol to 1 to 2 drinks a day
- Avoid falls and injuries

Talk to your doctor or nurse if you have any questions or concerns.

- Aad cunto cunno uu kolestaroolka iyo dufanku ku sarreeyo
- Aad sigaar ama tubaako isticmaasho
- Aad cabto aalkolo fara badan
- Isticmaasho maandooriyaha waddooyinka
- Uu madaxa dhaawac kaa gaaray ama qabtid cilad dhiigbax

Haddii aad qabto wax ka mid ah arrimahaan halista ah, takhtarkaaga ama kalkaalisada kala hadal siyaabaha loo maareyn karayo.

Si looga Hortago Faalig

- Iska daawee cadaadiska dhiigga sarreeya, sonkorowga, kolestaroolka sarreeya iyo cudurka wadnaha haddiiba ay jiraan
- Jooji sigaar cabidda
- Jimicsi samee
- Cun cunno caafimaad leh miisaankana iska dhin haddii aad cayilan tahay
- Aalkolada ku xaddid ilaa 1 illaa 2 cabitaan maalintiiba
- Ka fogow in aad dhacdo ama dhaawacanto

La hadal takhtarkaaga ama kalkaalisada haddii aad wax su'aalo ah ama walaacyo ah qabtid.

^{© 2005 -} February 18, 2016, Health Information Translations.