01. Specification Sheet

Order YAIAA16 | Women's fashion top | 16,600 pcs | 1 of 10

FIELD	VALUE
Customer	AA
Customer style	AA-WT26-818
Order number	ORD-2610-0032
Buyer PO	AA2610-1664
Season	
Article / style	AA-WT26-818 / Women's fashion top
Ex-factory	19 Oct 2026
Order quantity	16,600 pieces
Retail pack	single piece in a polybag
Prepared	06 Aug 2026 by Y-01

MAJOR POINTS

- New style - first bulk order of this pattern
- Extra sample qty 5 pcs per colour
- Inline sample qty as chart (sample size by colour)
- Measurements in inches
- Viscose: low iron heat, no shine marks
- Neckline must not stretch out

CONSTRUCTION / IMAGE COMMENTS

Garment	Part	Comment
fashion top	Neck	self binding 3/8" finished, 3-needle 5-thread coverstitch, SPI 14-16
fashion top	Shoulder	4-thread overlock with 1/4" clear tape
fashion top	Sleeve hem	5/8" 2-needle coverstitch, SPI 12-14
fashion top	Bottom hem	3/4" 2-needle coverstitch, SPI 12-14

SAMPLE SIZE BY COLOUR

Colour	Sample size	Qty	Remarks
sky blue	M	3	inline sample - 1 customer QA, 1 tech team, 1 line reference
sky blue	assorted	5	extra samples - shipment / photo
sky blue	S-XXL	5	size set, 1 per size (first colour only)
grey	M	3	inline sample - 1 customer QA, 1 tech team, 1 line reference
grey	assorted	5	extra samples - shipment / photo
burgundy	M	3	inline sample - 1 customer QA, 1 tech team, 1 line reference
burgundy	assorted	5	extra samples - shipment / photo

SIZE BREAKDOWN

Size	Quantity
ratio	{'S': 1, 'M': 2, 'L': 2, 'XL': 2, 'XXL': 1}
qty	{'S': 2075, 'M': 4151, 'L': 4151, 'XL': 4149, 'XXL': 2074}
total	16600

PRODUCT IMAGE AND REFERENCE NOTES

- Front view, as the approved PP sample
- Colour as per the approved lab dip, one dye lot per garment
- Main label at the back neck, centred

ADDITIONAL IMAGES

- fashion top - back view
- fashion top - neck detail

RETAIL SINGLE

Field	Value
Pack	single piece in a polybag
Hang tag	on the main label loop, swift-tack 5 cm
Price ticket	customer's price sticker on the back of the hang tag
Barcode	size and colour barcode sticker on the polybag, lower right
Size sticker	on the polybag, upper left
Folded size	Folded flat 24 x 30 cm with tissue, front facing up

TEST INSTRUCTIONS

- Dimensional stability after 3 home washes: ±3% length and width
- Colour fastness to washing: grade 4
- Colour fastness to rubbing: dry 4, wet 3
- Stretch and recovery: recovery 90% min
- Colour fastness to perspiration: grade 4
- Button pull test: 90 N for 10 s
- Tests by the third-party lab the customer nominates, on the PP sample fabric and on bulk

OPTIONAL DATA

Field	Value
Fabric	viscose-spandex jersey, 95% viscose, 5% spandex, 180 g/m²
Accessories	button, main label, care label, size label, hang tag, polybag, thread cones (5,000 m)

STYLE AND SIZE CONFIGURATION

Field	Value
Sizes	S / M / L / XL / XXL
Size ratio	S 1 : M 2 : L 2 : XL 2 : XXL 1
Colours	sky blue / grey / burgundy
Garments	fashion top
Size set	graded from size M (Measurement Spec)

QUALITY CONTROL APPROVAL

Field	Value
Approved by	QC
Date	06 Aug 2026
Status	approved

02. Order Colour & Size Qty

Order YAIAA16 | Women's fashion top | 16,600 pcs | 2 of 10

Unit: pieces | Garment: fashion top | Total: 16,600 pcs

Colour	S	M	L	XL	XXL	Total
sky blue	656	1313	1313	1312	656	5250
grey	788	1575	1575	1575	787	6300
burgundy	631	1263	1263	1262	631	5050
TOTAL	2075	4151	4151	4149	2074	16600

ORDER REFERENCES

Field	Value
Order	YAIAA16
Buyer PO	AA2610-1664
Customer style	AA-WT26-818
Product	Women's top
Ex-factory	19 Oct 2026

DATES

Milestone	Date
Order confirmed	04 Aug 2026
Tech-pack published	10 Aug 2026
PP sample	27 Sep 2026
PP meeting	02 Oct 2026
Cutting	04 Oct 2026 → 10 Oct 2026
Sewing	06 Oct 2026 → 14 Oct 2026
Finishing	09 Oct 2026 → 16 Oct 2026
Final inspection	17 Oct 2026
Ex-factory	19 Oct 2026

03. Measurement Chart

Order YAIAA16 | Women's fashion top | 16,600 pcs | 3 of 10

Garment: fashion top | Unit: inches | Base size: M | Method: flat, after pressing | Version V3

POINT-OF-MEASURE CHART - BASE SIZE

No.	Code	Area	Point of measure	Base M
1	LEN-001	Body	Body length from HPS	24 3/8
2	CHS-002	Chest	Bust width (1/2, 1" below armhole)	18 1/8
3	WST-003	Waist	Waist width (1/2, 15" below HPS)	16 1/2
4	SWP-001	Sweep / hem	Bottom width (1/2)	18 7/8
5	SHD-001	Shoulder	Shoulder width	14 5/8
6	SLV-001	Sleeve	Sleeve length from shoulder point	7 1/8
7	SLV-005	Sleeve	Sleeve opening (1/2)	5 7/8
8	ARM-001	Armhole	Armhole (straight)	7 7/8
9	NCK-001	Neck	Neck width (seam to seam)	7 1/2
10	NCK-004	Neck	Front neck drop	4 3/8
11	PLK-001	Placket	Placket length	5 1/2
12	PLK-006	Placket	Button spacing	2 1/2

All points are taken on the garment flat after pressing. Point codes correspond to the measurement positions shown on the garment technical sketch.

04. Measurement Spec

Order YAIAA16 | Women's fashion top | 16,600 pcs | 4 of 10

Version V3 | Status: approved | Unit: inches | Base size: M | Prepared by Y-02 on 13 Aug 2026 | Measured flat, after pressing

No.	Code	Area / point	Tol -	Tol +	Grade	S	M	L	XL	XXL
1	LEN-001	Body length from HPS	3/8	3/8	5/8	23 3/4	24 3/8	25	25 5/8	26 1/4
2	CHS-002	Bust width (1/2, 1" below armhole)	3/8	3/8	1	17 1/8	18 1/8	19 1/8	20 1/8	21 1/8
3	WST-003	Waist width (1/2, 15" below HPS)	3/8	3/8	1	15 1/2	16 1/2	17 1/2	18 1/2	19 1/2
4	SWP-001	Bottom width (1/2)	3/8	3/8	1	17 7/8	18 7/8	19 7/8	20 7/8	21 7/8
5	SHD-001	Shoulder width	1/4	1/4	3/8	14 1/4	14 5/8	15	15 3/8	15 3/4
6	SLV-001	Sleeve length from shoulder point	1/4	1/4	1/4	6 7/8	7 1/8	7 3/8	7 5/8	7 7/8
7	SLV-005	Sleeve opening (1/2)	1/4	1/4	1/4	5 5/8	5 7/8	6 1/8	6 3/8	6 5/8
8	ARM-001	Armhole (straight)	1/4	1/4	3/8	7 1/2	7 7/8	8 1/4	8 5/8	9
9	NCK-001	Neck width (seam to seam)	1/4	1/4	1/4	7 1/4	7 1/2	7 3/4	8	8 1/4
10	NCK-004	Front neck drop	1/4	1/4	1/8	4 1/4	4 3/8	4 1/2	4 5/8	4 3/4
11	PLK-001	Placket length	1/8	1/8	0	5 1/2	5 1/2	5 1/2	5 1/2	5 1/2
12	PLK-006	Button spacing	1/8	1/8	0	2 1/2	2 1/2	2 1/2	2 1/2	2 1/2

05. Buyer Technical Sketch

Order YAIAA16 | Women's fashion top | 16,600 pcs | 5 of 10

FIELD	VALUE
Style ID	AA-WT26-818
Garment	fashion top
Description	LADIES KNIT FASHION TOP
Department	Ladies' knit tops
Season	SS27
Size range	S-XXL
Retail price	USD 26.99
Colours	{'name': 'sky blue', 'code': 'SKY-918'}, {'name': 'grey', 'code': 'GRE-197'}, {'name': 'burgundy', 'code': 'BUR-852'}
Thread specification	['Thread colour to match body colour - dyed to match per colour', 'Needle thread: spun polyester 60/3', 'Looper thread: textured polyester 150D/1', 'Bartack and bobbin: spun polyester 60/3']
Label instructions	['Main label: woven, centred at CB, 1 cm below the seam, stitched on 2 ends', 'Size label: woven size tab under the main label', "Care label: printed satin, left side seam 10 cm above the hem; content and care as the customer's artwork, Made in Cambodia"]

TECHNICAL CALLOUTS

- 1. Neck: self binding 3/8" finished, 3-needle 5-thread coverstitch, SPI 14-16

- 2. Placket: Buttons evenly spaced, buttonholes straight and clean

- 3. Shoulder: 4-thread overlock with 1/4" clear tape

- 4. Sleeve hem: 5/8" 2-needle coverstitch, SPI 12-14

- 5. Side seam: Side seams must match at the underarm cross

- 6. Bottom hem: 3/4" 2-needle coverstitch, SPI 12-14

GARMENT DESCRIPTION AND CONSTRUCTION

- fashion top: knit fashion top in viscose-spandex jersey (95% viscose, 5% spandex)

- fashion top - Neck: Neckline must sit flat - no stretching out when binding

- fashion top - Placket: Buttons evenly spaced, buttonholes straight and clean

- fashion top - Shoulder: Shoulder seam stabilised with clear tape

Reference: simulated garment flat for fashion top; check the approved buyer artwork and physical sample for exact style geometry.

06. Production Sheet - Order Details

Order YAIAA16 | Women's fashion top | 16,600 pcs | 6 of 10

FIELD	VALUE
Order reference	YAIAA16
Order date	04 Aug 2026
Ex-factory	19 Oct 2026
Customer PO	AA2610-1664
Season	SS27
Country of origin	CAMBODIA
Description	LADIES KNIT FASHION TOP 95% VISCOSE 5% SPANDEX
Quantity	16,600 pieces
Total packs	16600

PACK ALLOCATION

Pack ID	Buyer PO	Pack name	Ex-factory	Qty	Cartons
YAIAA16-P01	AA2610-1664	RATIO	19 Oct 2026	6120	153
YAIAA16-P02	AA2610-1664	LOOSE	19 Oct 2026	15	Balance
YAIAA16-P03	AA2610-2671	RATIO	19 Oct 2026	4360	109
YAIAA16-P04	AA2610-2671	LOOSE	19 Oct 2026	10	Balance
YAIAA16-P05	AA2610-2678	RATIO	19 Oct 2026	6080	152
YAIAA16-P06	AA2610-2678	LOOSE	19 Oct 2026	15	Balance

PROCESSING REQUIREMENTS

Process	Requirement
Print	None
Embroidery	None
Washing	None
Heat_Transfer	None

PRODUCTION SCHEDULE

Milestone	Date
Order confirmed	04 Aug 2026
Tech-pack published	10 Aug 2026
PP sample	27 Sep 2026
PP meeting	02 Oct 2026
Cutting	04 Oct 2026 → 10 Oct 2026
Sewing	06 Oct 2026 → 14 Oct 2026
Finishing	09 Oct 2026 → 16 Oct 2026
Final inspection	17 Oct 2026
Ex-factory	19 Oct 2026

07. Production Instruction

Order YAIAA16 | Women's fashion top | 16,600 pcs | 7 of 10

PACKING AND FOLDING INSTRUCTIONS

- Size tag: woven size tab stitched under the main label at CB neck, 2 ends, SPI 10-12
- Tack pin: hang tag on a 5 cm swift-tack through the main label loop - no metal pins
- Folding: Folded flat 24 x 30 cm with tissue, front facing up
- Individual polybag: 1 piece per self-seal polybag with suffocation warning; size sticker upper left, barcode lower right
- Carton fill: 40 pcs per carton, one colour, sizes in the carton ratio; loose pieces in balance cartons marked MIXED, filled to the top
- Carton label: on both short ends, top right, 3 cm from the edges
- Strapping: 2 PP straps, horizontal, no metal clips
- Liner: polybag liner inside the carton, corrugated pad top and bottom

SHIPPING MARK

Line	Mark
1	CUSTOMER: AA
2	PO NO.: AA2610-1664
3	STYLE NO.: AA-WT26-818
4	COLOUR: _____
5	SIZE / RATIO: _____
6	QTY: 40 PCS
7	CARTON NO.: ___ OF 415
8	MADE IN CAMBODIA

SIDE MARK

Line	Mark
1	N.W.: 5.2 KG
2	G.W.: 6.8 KG
3	MEAS.: 60 x 40 x 30 cm
4	STYLE: AA-WT26-818
5	COO: CAMBODIA

HEADER

Field	Value
Customer code	AA
Style	Women's fashion top (AA-WT26-818)
Quantity	16,600 pieces
Order date	04 Aug 2026
Ex-factory date	19 Oct 2026
Product description	Women's top: fashion top in viscose-spandex jersey 180 g/m²

FABRIC AND CUTTING

- Relax the fabric before spreading: viscose-spandex jersey 48 hours (given by the customer); one dye lot per lay, the bundle ticket carries the lot
- Cut to the markers MK-YAIAA16-SKY, MK-YAIAA16-GRE, MK-YAIAA16-BUR - cutting allowance 1.5%
- Plies per lay: viscose-spandex jersey 60 max

SEWING

- fashion top: lines L31, L32, SMV 7.00 min, target 1,602 a day per line
- SPI 10 to 12 on lockstitch and overlock, 12 to 14 on coverstitch
- Needles: viscose-spandex jersey stretch 75/11
- Thread: spun polyester 40/2, dyed to match each colour (Thread Consumptions)

FINISHING

- Pressing: viscose-spandex jersey steam iron 120 °C, pressing cloth
- Trim every thread end; measurement check of 5 pieces per size and colour a day

QUALITY

- Roving QC on the line every 2 hours, 7 pieces per operator
- End-of-line check of every piece
- Final inspection AQL 2.5 major / 4.0 minor on 17 Oct 2026

PACKING

- As the Packing page: Folded flat 24 x 30 cm with tissue, front facing up, 40 pieces per carton

LANGUAGES

- Published in Khmer, English and Chinese for the line

EDITED

Field	Value
Edited by	merchandiser
Last updated	09 Aug 2026

SPECIAL INSTRUCTIONS

- Shade: one dye lot per garment and per bundle - never mix lots in a garment
- Cut-to-ship: cut 1.5% over the order, no more; the balance fabric goes back to the warehouse
- Needle detector: every piece passes the needle detector before polybagging; broken-needle log kept
- Buttons: pull test 90 N on 5 pieces per hour
- Labels: main, care and size labels from the customer's nominated supplier - count them in and out (brand protection)
- Shipping sample: 3 pieces per colour to the customer with the TOP sample
- Packing: 40 pieces per carton, sizes assorted as the Packing page

08. Packing

Order YAIAA16 | Women's fashion top | 16,600 pcs | 8 of 10

Carton size: 60 x 40 x 30 cm | Pieces per carton: 40 | Carton ratio: S 5, M 10, L 10, XL 10, XXL 5

PACKING METHOD

Field	Value
Fold	Folded flat 24 x 30 cm with tissue, front facing up
Polybag	LDPE polybag, self-seal, suffocation warning printed - 1 per piece, 17,098 on the BOM
Carton	5-ply export carton, carton marks as per the customer's packing manual, 60 x 40 x 30 cm
Pieces per carton	40, one colour, sizes assorted
Carton weight (full)	fashion top net 5.2 kg, gross 6.8 kg
Shipment mode	sea freight, FCL 40' HC, ex-factory 19 Oct 2026

Garment	Colour	Size	Qty	Pcs / pack	Packs	In packs	Loose
fashion top	sky blue	S	656	5	131	655	1
fashion top	sky blue	M	1313	10	131	1310	3
fashion top	sky blue	L	1313	10	131	1310	3
fashion top	sky blue	XL	1312	10	131	1310	2
fashion top	sky blue	XXL	656	5	131	655	1
fashion top	grey	S	788	5	157	785	3
fashion top	grey	M	1575	10	157	1570	5
fashion top	grey	L	1575	10	157	1570	5
fashion top	grey	XL	1575	10	157	1570	5
fashion top	grey	XXL	787	5	157	785	2
fashion top	burgundy	S	631	5	126	630	1
fashion top	burgundy	M	1263	10	126	1260	3
fashion top	burgundy	L	1263	10	126	1260	3
fashion top	burgundy	XL	1262	10	126	1260	2
fashion top	burgundy	XXL	631	5	126	630	1

FIELD	VALUE
Total pieces	16600
Total cartons	415
Loose pieces	
Packing note	Ratio cartons of 40: one garment, one colour, sizes S 5 : M 10 : L 10 : XL 10 : XXL 5; the loose pieces go in balance cartons marked MIXED. BOM carton line 415.

SIZE RATIO PER CARTON (40 PIECES)

S	M	L	XL	XXL	Total
5	10	10	10	5	40

CARTONS - 415 ON THE BOM

Garment	Colour	Pieces	Cartons	Pieces left over
fashion top	sky blue	5250	131	10
fashion top	grey	6300	157	20
fashion top	burgundy	5050	126	10
Balance cartons	mixed	40	1	0
Total		16600	415	

CARTON MARKS

- Main mark: customer AA / PO AA2610-1664 / style AA-WT26-818 / colour / size ratio / 40 pcs / carton no. __ of 415

- Side mark: net / gross weight / carton size / Made in Cambodia

- Balance cartons: 'MIXED' on both ends with the content list

09. Process Sheet

Order YAIAA16 | Women's fashion top | 16,600 pcs | 9 of 10

FIELD	VALUE
Product	fashion top
SMV	7.0
Target / 8 h	1268
Efficiency	74% for 8 h
Operators	25
Prepared by / date	IE-03 / 17 Sep 2026

No.	Department	Pre-sewing item	Specification
1	Warehouse	Dye lot and width	Separate the rolls by dye lot and by width; one dye lot per lay, the lot on the bundle ticket
2	Cutting	Fabric relaxing	Fabric relaxed before spreading - viscose-spandex jersey 48 hours (given by the customer): each roll through the relaxing machine into the flat trays of the cutting room, tension-free; record relax start and end time on the roll ticket
3	Cutting	Spreading	Face up, tension-free; ends aligned; plies per lay viscose-spandex jersey 60 max
4	Cutting	Cutting	Cut all panels in one direction (one-way); notches 3 mm; check the top and bottom ply against the pattern
5	Cutting	Numbering and bundling	Number every ply; bundle by size and lot

No.	Operation	Machine	Top thread	Bottom thread	SPI	Needle	St.	Key points	SAM
1	Front + back match	manual - table	-	-	-	-		Match front and back by size and lot ticket - never mix dye lots	0.2
2	Shoulder join	4-thread overlock	2 x spun polyester 60/3, colour to match body	2 x textured polyester 150D/1 looper	12-14	stretch 75/11		Clear tape in the seam, no puckering, notches matched	0.68
3	Collar / neck make	SNLS	spun polyester 60/3, colour to match body	spun polyester 60/3 bobbin	10-12	stretch 75/11		Collar points / hood panels even, notches matched	0.27
4	Collar / neck attach	4-thread overlock	2 x spun polyester 60/3, colour to match body	2 x textured polyester 150D/1 looper	12-14	stretch 75/11		Centre back matched, no twisting	0.31
5	Collar / neck attach	SNLS	spun polyester 60/3, colour to match body	spun polyester 60/3 bobbin	10-12	stretch 75/11		Centre back matched, no twisting	0.32
6	Top-stitch	flatlock	3 x spun polyester 60/3, colour to match body	1 x textured polyester 150D/1 looper (+ cover thread)	14-16	stretch 75/11		Top-stitch even from the seam, SPI as the sheet	0.32
7	Label attach	SNLS	spun polyester 60/3, colour to match body	spun polyester 60/3 bobbin	10-12	stretch 75/11		Centred at CB, 1 cm below the seam	0.29
8	Pocket / placket make	SNLS	spun polyester 60/3, colour to match body	spun polyester 60/3 bobbin	10-12	stretch 75/11		Openings even, edges clean	0.3
9	Pocket / placket attach	SNLS	spun polyester 60/3, colour to match body	spun polyester 60/3 bobbin	10-12	stretch 75/11		Position from the template; both sides level	0.26
10	Sleeve hem	flatlock	3 x spun polyester 60/3, colour to match body	1 x textured polyester 150D/1 looper (+ cover thread)	14-16	stretch 75/11		Use the folder, hem width even all round	0.32
11	Sleeve attach	4-thread overlock	2 x spun polyester 60/3, colour to match body	2 x textured polyester 150D/1 looper	12-14	stretch 75/11		Shoulder notch to sleeve crown, no pleats	0.64
12	Side seam	4-thread overlock	2 x spun polyester 60/3, colour to match body	2 x textured polyester 150D/1 looper	12-14	stretch 75/11		Underarm cross matched, seam straight - no twisting	0.68
13	Waistband / hem band make	SNLS	spun polyester 60/3, colour to match body	spun polyester 60/3 bobbin	10-12	stretch 75/11		Band joined into a ring, joint at the side seam	0.29
14	Elastic / drawcord insert	SNLS	spun polyester 60/3, colour to match body	spun polyester 60/3 bobbin	10-12	stretch 75/11		Elastic flat, no twisting; drawcord ends equal from CF	0.29
15	Waistband / hem attach	4-thread overlock	2 x spun polyester 60/3, colour to match body	2 x textured polyester 150D/1 looper	12-14	stretch 75/11		Quarter-mark; band even all round	0.27
16	Bottom hem	flatlock	3 x spun polyester 60/3, colour to match body	1 x textured polyester 150D/1 looper (+ cover thread)	14-16	stretch 75/11		Use the folder; start and finish at the left side seam, 1 cm overlap	0.33
17	Bartack	bartack	spun polyester 60/3, colour to match body	spun polyester 60/3 bobbin	42 stitches / 10 mm	stretch 75/11		Bartack 10 mm at every stress point on the sketch	0.18
18	Thread trim	manual - trimming	-	-	-	-		Trim every thread end to 3 mm max	0.19
19	In-line check	manual - checking	-	-	-	-		7 pieces per operator every 2 hours	0.21
20	Press	heat press	-	-	-	-		steam iron 120 °C, pressing cloth - no shine marks	0.23
21	End-line check	manual - checking	-	-	-	-		Every piece: measurements, seams, shade, stains	0.18
22	Fold and pack	manual - table	-	-	-	-		Folded flat 24 x 30 cm with tissue, front facing up	0.24

Operations, machines and SAM as the CE garment analysis - any change goes through the IE office. Thread colour to match body; needles: viscose-spandex jersey stretch 75/11. Change needles every shift on stretch fabric.

10. Thread Consumption

Order YAIAA16 | Women's fashion top | 16,600 pcs | 10 of 10

Calibration: {'fashion top': 0.97} | Total thread per garment: 110 m/pc

Garment	Material	Specification	Position	m / pc
fashion top	Needle thread	spun polyester 60/3, colour to match body	overlock, coverstitch, lockstitch and bartack needles	40.5
fashion top	Looper thread	textured polyester 150D/1, colour to match body	overlock and coverstitch loopers	61.0
fashion top	Bobbin thread	spun polyester 60/3, colour to match body	lockstitch and bartack bobbins	8.5

Garment	Process	Machine	Seam cm	Stitch x	Freq	Allowance cm	Calc m	Yield m
fashion top	Shoulder join	Overlock 4-thread	14.0	18.0	2	0.6	5.04	4.9
fashion top	Collar / neck make	Single-needle lockstitch	45.0	2.5	1	1.0	1.12	1.1
fashion top	Collar / neck attach	Overlock 4-thread	50.0	18.0	1	1.0	9.0	8.7
fashion top	Collar / neck attach	Single-needle lockstitch	50.0	2.5	1	1.0	1.25	1.2
fashion top	Top-stitch	Flatlock / coverstitch	60.0	18.0	1	0.6	10.8	10.5
fashion top	Label attach	Single-needle lockstitch	8.0	2.5	1	1.0	0.2	0.2
fashion top	Pocket / placket make	Single-needle lockstitch	30.0	2.5	1	1.0	0.75	0.7
fashion top	Pocket / placket attach	Single-needle lockstitch	20.0	2.5	2	1.0	1.0	1.0
fashion top	Sleeve hem	Flatlock / coverstitch	36.0	18.0	2	0.6	12.96	12.5
fashion top	Sleeve attach	Overlock 4-thread	48.0	18.0	2	0.6	17.28	16.7
fashion top	Side seam	Overlock 4-thread	40.0	18.0	2	0.6	14.4	13.9
fashion top	Waistband / hem band make	Single-needle lockstitch	10.0	2.5	1	1.0	0.25	0.2
fashion top	Elastic / drawcord insert	Single-needle lockstitch	20.0	2.5	1	1.0	0.5	0.5
fashion top	Waistband / hem attach	Overlock 4-thread	95.0	18.0	1	0.6	17.1	16.6
fashion top	Bottom hem	Flatlock / coverstitch	102.0	18.0	1	0.6	18.36	17.8
fashion top	Bartack	Bartack		0.6	6		3.6	3.5

COLOURS AND CONES (5,000 M) - AS ON THE BOM

Colour	Thread	Metres net	With 15% wastage	Cones on the BOM
sky blue	dyed to match sky blue	577500	664125	133
grey	dyed to match grey	693000	796950	159
burgundy	dyed to match burgundy	555500	638825	128
Total		1826000	2099900	420

spun polyester 40/2, 5,000 m cone; the cones are the Material Portal BOM's sewing-thread lines.

net consumption only; add waste separately (the BOM adds 15% wastage). Yield = seam length x freq x stitch multiple, calibrated (x calibration) to the thread per garment measured on the sample - the BOM figure.