01. Specification Sheet

Order YAICC11 | Men's running / jogging set | 12,000 pcs | 1 of 10

FIELD	VALUE
Customer	CC
Customer style	CC-TS26-544
Order number	ORD-2610-0045
Buyer PO	CC2610-9796
Season	
Article / style	CC-TS26-544 / Men's running / jogging set
Ex-factory	16 Oct 2026
Order quantity	12,000 pieces
Retail pack	set of running top + jogging shorts, each garment in its own polybag
Prepared	23 Jul 2026 by Y-01

MAJOR POINTS

- New style - first bulk order of this pattern
- Extra sample qty 5 pcs per colour
- Inline sample qty as chart (sample size by colour)
- Measurements in cm
- Neck rib even, neck must not be slanted
- Spirality after wash 5% max - twisting side seams are rejected
- Waistband elastic even, no twisting
- Crotch cross-seam must meet

CONSTRUCTION / IMAGE COMMENTS

Garment	Part	Comment
running top	Neck	1x1 rib 2 cm finished, 4-thread overlock attach, 0.6 cm twin-needle coverstitch top-stitch, SPI 12-14
running top	Shoulder	4-thread overlock with 0.6 cm clear tape, SPI 12-14
running top	Sleeve hem	2 cm 2-needle 3-thread coverstitch, SPI 12-14
running top	Bottom hem	2.5 cm 2-needle 3-thread coverstitch, start and finish at the left side seam
running top	Side seams	4-thread overlock, SPI 12-14, care label left side 10 cm above hem
jogging shorts	Waistband	4 cm folded band, 3 cm elastic inside, drawcord through 2 eyelets
jogging shorts	Seams	0.6 cm 3-needle 5-thread coverstitch, SPI 14-16
jogging shorts	Leg hem	2.5 cm 2-needle coverstitch, SPI 12-14

SAMPLE SIZE BY COLOUR

Colour	Sample size	Qty	Remarks
black	M	3	inline sample - 1 customer QA, 1 tech team, 1 line reference
black	assorted	5	extra samples - shipment / photo
black	XS-XL	5	size set, 1 per size (first colour only)
olive	M	3	inline sample - 1 customer QA, 1 tech team, 1 line reference
olive	assorted	5	extra samples - shipment / photo
forest green	M	3	inline sample - 1 customer QA, 1 tech team, 1 line reference
forest green	assorted	5	extra samples - shipment / photo

SIZE BREAKDOWN

Size	Quantity
ratio	{'XS': 2, 'S': 2, 'M': 2, 'L': 1, 'XL': 1}
qty	{'XS': 1501, 'S': 1500, 'M': 1499, 'L': 750, 'XL': 750}
total	6000

PRODUCT IMAGE AND REFERENCE NOTES

- Front view, as the approved PP sample
- Colour as per the approved lab dip, one dye lot per garment
- Logo as per the artwork - heat-seal

ADDITIONAL IMAGES

- running top - back view
- running top - neck detail
- jogging shorts - back view
- jogging shorts - waistband detail
- Heat-seal artwork position

RETAIL SINGLE

Field	Value
Pack	single piece in a polybag, each garment of the set in its own bag
Hang tag	no hang tag on this style
Price ticket	none - retail price printed by the customer
Barcode	size and colour barcode sticker on the polybag, lower right
Size sticker	on the polybag, upper left
Folded size	Folded flat 25 x 32 cm, sleeves folded back, front facing up

TEST INSTRUCTIONS

- Dimensional stability after 3 home washes: ±3% length and width
- Colour fastness to washing: grade 4
- Colour fastness to rubbing: dry 4, wet 3
- Pilling (Martindale 2,000 rubs): grade 3.5
- Heat-seal adhesion after 5 washes: no peeling or cracking
- Zip and drawcord pull test: 70 N, no slipping
- Tests by the third-party lab the customer nominates, on the PP sample fabric and on bulk

OPTIONAL DATA

Field	Value
Fabric - running top	polyester interlock, 100% polyester, 150 g/m²
Fabric - jogging shorts	polyester interlock, 100% polyester, 150 g/m²
Accessories	heat-seal, care label, size label, polybag, elastic (m), drawcord (m), eyelet, thread cones (5,000 m)

STYLE AND SIZE CONFIGURATION

Field	Value
Sizes	XS / S / M / L / XL
Size ratio	XS 2 : S 2 : M 2 : L 1 : XL 1
Colours	black / olive / forest green
Garments	running top + jogging shorts
Size set	graded from size M (Measurement Spec)

QUALITY CONTROL APPROVAL

Field	Value
Approved by	QC
Date	23 Jul 2026
Status	approved

02. Order Colour & Size Qty

Order YAICC11 | Men's running / jogging set | 12,000 pcs | 2 of 10

Unit: sets | Garment: running top | Total: 6,000 pcs

Colour	XS	S	M	L	XL	Total
black	400	400	400	200	200	1600
olive	538	537	537	269	269	2150
forest green	563	563	562	281	281	2250
TOTAL	1501	1500	1499	750	750	6000

ORDER REFERENCES

Field	Value
Order	YAICC11
Buyer PO	CC2610-9796
Customer style	CC-TS26-544
Product	Men's jogging set
Ex-factory	16 Oct 2026

DATES

Milestone	Date
Order confirmed	21 Jul 2026
Tech-pack published	27 Jul 2026
PP sample	28 Sep 2026
PP meeting	03 Oct 2026
Cutting	05 Oct 2026 → 08 Oct 2026
Sewing	07 Oct 2026 → 12 Oct 2026
Finishing	10 Oct 2026 → 14 Oct 2026
Final inspection	15 Oct 2026
Ex-factory	16 Oct 2026

03. Measurement Chart

Order YAICC11 | Men's running / jogging set | 12,000 pcs | 3 of 10

Garment: running top | Unit: cm | Base size: M | Method: flat, after pressing | Version V3

POINT-OF-MEASURE CHART - BASE SIZE

No.	Code	Area	Point of measure	Base M
1	LEN-001	Body	Body length from HPS	71
2	CHS-001	Chest	Chest width (1/2, 2.5 cm below armhole)	52.0
3	SWP-001	Sweep / hem	Bottom width (1/2)	51.0
4	SHD-001	Shoulder	Shoulder width	45.0
5	SLV-001	Sleeve	Sleeve length from shoulder point	20.0
6	SLV-005	Sleeve	Sleeve opening (1/2)	17.0
7	ARM-001	Armhole	Armhole (straight)	23
8	NCK-001	Neck	Neck width (seam to seam)	18.0
9	NCK-004	Neck	Front neck drop	9.5
10	NCK-005	Neck	Back neck drop	2
11	NCK-010	Neck	Neck rib height	2
12	HEM-002	Hem	Bottom hem height	2.5
13	WST-007	Waist	Waist relaxed (1/2)	36.0
14	WST-008	Waist	Waist extended (1/2)	52.0
15	HIP-011	Hip	Hip (1/2, 18 cm below waist)	54.0
16	RIS-001	Rise	Front rise (incl. waistband)	28
17	RIS-002	Rise	Back rise (incl. waistband)	37.0
18	LEG-002	Leg	Inseam	17.0
19	LEG-012	Leg	Leg opening (1/2)	30.0
20	WBH-001	Waistband	Waistband height	4
21	HEM-006	Hem	Leg hem height	2.5
22	PKT-025	Pocket	Side pocket opening	15.0

All points are taken on the garment flat after pressing. Point codes correspond to the measurement positions shown on the garment technical sketch.

04. Measurement Spec

Order YAICC11 | Men's running / jogging set | 12,000 pcs | 4 of 10

Version V3 | Status: approved | Unit: cm | Base size: M | Prepared by Y-02 on 28 Jul 2026 | Measured flat, after pressing

No.	Code	Area / point	Tol -	Tol +	Grade	XS	S	M	L	XL
1	LEN-001	Body length from HPS	1.5	1.5	2	67	69	71	73	75
2	CHS-001	Chest width (1/2, 2.5 cm below armhole)	1	1	2.5	47.0	49.5	52.0	54.5	57.0
3	SWP-001	Bottom width (1/2)	1	1	2.5	46.0	48.5	51.0	53.5	56.0
4	SHD-001	Shoulder width	1	1	1.5	42.0	43.5	45.0	46.5	48.0
5	SLV-001	Sleeve length from shoulder point	0.5	0.5	0.75	18.5	19.25	20.0	20.75	21.5
6	SLV-005	Sleeve opening (1/2)	0.5	0.5	0.75	15.5	16.25	17.0	17.75	18.5
7	ARM-001	Armhole (straight)	0.5	0.5	1	21	22	23	24	25
8	NCK-001	Neck width (seam to seam)	0.5	0.5	0.5	17.0	17.5	18.0	18.5	19.0
9	NCK-004	Front neck drop	0.5	0.5	0.25	9.0	9.25	9.5	9.75	10.0
10	NCK-005	Back neck drop	0.3	0.3	0	2	2	2	2	2
11	NCK-010	Neck rib height	0.2	0.2	0	2	2	2	2	2
12	HEM-002	Bottom hem height	0.2	0.2	0	2.5	2.5	2.5	2.5	2.5
13	WST-007	Waist relaxed (1/2)	1	1	2.5	31.0	33.5	36.0	38.5	41.0
14	WST-008	Waist extended (1/2)	1	1	2.5	47.0	49.5	52.0	54.5	57.0
15	HIP-011	Hip (1/2, 18 cm below waist)	1	1	2.5	49.0	51.5	54.0	56.5	59.0
16	RIS-001	Front rise (incl. waistband)	0.5	0.5	1	26	27	28	29	30
17	RIS-002	Back rise (incl. waistband)	0.5	0.5	1.25	34.5	35.75	37.0	38.25	39.5
18	LEG-002	Inseam	0.5	0.5	0.5	16.0	16.5	17.0	17.5	18.0
19	LEG-012	Leg opening (1/2)	0.5	0.5	1.25	27.5	28.75	30.0	31.25	32.5
20	WBH-001	Waistband height	0.2	0.2	0	4	4	4	4	4
21	HEM-006	Leg hem height	0.2	0.2	0	2.5	2.5	2.5	2.5	2.5
22	PKT-025	Side pocket opening	0.5	0.5	0.5	14.0	14.5	15.0	15.5	16.0

05. Buyer Technical Sketch

Order YAICC11 | Men's running / jogging set | 12,000 pcs | 5 of 10

FIELD	VALUE
Style ID	CC-TS26-544
Garment	running top, jogging shorts
Description	MENS KNIT CREW NECK TEE + KNIT RUNNING SHORT SET
Department	Men's active
Season	SS27
Size range	XS-XL
Retail price	USD 12.99 + USD 19.99 (set USD 32.98)
Colours	{'name': 'black', 'code': 'BLA-671'}, {'name': 'olive', 'code': 'OLI-571'}, {'name': 'forest green', 'code': 'FOR-687'}
Thread specification	['Thread colour to match body colour - dyed to match per colour', 'Needle thread: spun polyester 60/3', 'Looper thread: textured polyester 150D/1', 'Bartack and bobbin: spun polyester 60/3']
Label instructions	['Size / brand heat-transfer label at CB neck, 150 °C 12 s - no woven size tab', 'Size label: woven size tab under the main label', "Care label: printed satin, left side seam 10 cm above the hem; content and care as the customer's artwork, Made in Cambodia"]

TECHNICAL CALLOUTS

- 1. Neck: 1x1 rib 2 cm finished, 4-thread overlock attach, 0.6 cm twin-needle coverstitch top-stitch, SPI 12-14
- 2. Shoulder: 4-thread overlock with 0.6 cm clear tape, SPI 12-14
- 3. Chest logo: Heat-seal logo 8 cm below HPS, centred
- 4. Sleeve hem: 2 cm 2-needle 3-thread coverstitch, SPI 12-14
- 5. Side seam: 4-thread overlock, SPI 12-14, care label left side 10 cm above hem
- 6. Bottom hem: 2.5 cm 2-needle 3-thread coverstitch, start and finish at the left side seam
- 7. Waistband: 4 cm folded band, 3 cm elastic inside, drawcord through 2 eyelets
- 8. Drawcord: Drawcord ends equal, eyelets reinforced
- 9. Pocket: Side pocket opening 15 cm, bartack top and bottom
- 10. Crotch: Crotch cross-seam must meet
- 11. Leg hem: 2.5 cm 2-needle coverstitch, SPI 12-14
- 12. Logo: Heat-seal logo on the left leg, 5 cm above hem

GARMENT DESCRIPTION AND CONSTRUCTION

- running top: knit crew neck tee in polyester interlock (100% polyester)
- jogging shorts: knit running short in polyester interlock (100% polyester)
- running top - Neck: Neck must not be slanted - rib even all round, 2 cm
- running top - Shoulder: Shoulder seam taped, no puckering
- running top - Chest logo: Heat-seal logo 8 cm below HPS, centred - 150 °C, 12 s
- jogging shorts - Waistband: Waistband elastic evenly gathered, no twisting
- jogging shorts - Drawcord: Drawcord ends equal, eyelets reinforced
- jogging shorts - Pocket: Side pocket opening 15 cm, bartack top and bottom

Reference: simulated garment flat for running top; check the approved buyer artwork and physical sample for exact style geometry.

06. Production Sheet - Order Details

Order YAICC11 | Men's running / jogging set | 12,000 pcs | 6 of 10

FIELD	VALUE
Order reference	YAICC11
Order date	21 Jul 2026
Ex-factory	16 Oct 2026
Customer PO	CC2610-9796
Season	SS27
Country of origin	CAMBODIA
Description	MENS KNIT CREW NECK TEE 100% POLYESTER + MENS KNIT RUNNING SHORT 100% POLYESTER
Quantity	12,000 sets
Total packs	6000

PACK ALLOCATION

Pack ID	Buyer PO	Pack name	Ex-factory	Qty	Cartons
YAICC11-P01	CC2610-9796	RATIO	16 Oct 2026	1480	37
YAICC11-P02	CC2610-9796	LOOSE	16 Oct 2026	10	Balance
YAICC11-P03	CC2610-1803	RATIO	16 Oct 2026	2240	56
YAICC11-P04	CC2610-1803	LOOSE	16 Oct 2026	15	Balance
YAICC11-P05	CC2610-1810	RATIO	16 Oct 2026	2240	56
YAICC11-P06	CC2610-1810	LOOSE	16 Oct 2026	15	Balance

PROCESSING REQUIREMENTS

Process	Requirement
Print	running top: chest screen print, 1 colour, subcontract
Embroidery	None
Washing	None
Heat_Transfer	running top: heat-seal logo / label, in house 150 °C 12 s; jogging shorts: heat-seal logo / label, in house 150 °C 12 s

PRODUCTION SCHEDULE

Milestone	Date
Order confirmed	21 Jul 2026
Tech-pack published	27 Jul 2026
PP sample	28 Sep 2026
PP meeting	03 Oct 2026
Cutting	05 Oct 2026 → 08 Oct 2026
Sewing	07 Oct 2026 → 12 Oct 2026
Finishing	10 Oct 2026 → 14 Oct 2026
Final inspection	15 Oct 2026
Ex-factory	16 Oct 2026

07. Production Instruction

Order YAICC11 | Men's running / jogging set | 12,000 pcs | 7 of 10

PACKING AND FOLDING INSTRUCTIONS

- Size tag: woven size tab stitched under the main label at CB neck, 2 ends, SPI 10-12
- Tack pin: none - no hang tag, no pins on this style
- Folding: running top: Folded flat 25 x 32 cm, sleeves folded back, front facing up; jogging shorts: Folded in two, 25 x 30 cm, drawcord tied inside
- Individual polybag: 1 piece per self-seal polybag with suffocation warning; size sticker upper left, barcode lower right
- Carton fill: 40 pcs per carton, one garment and colour, sizes in the carton ratio; loose pieces in balance cartons marked MIXED, filled to the top
- Carton label: on both short ends, top right, 3 cm from the edges
- Strapping: 2 PP straps, horizontal, no metal clips
- Liner: polybag liner inside the carton, corrugated pad top and bottom

SHIPPING MARK

Line	Mark
1	CUSTOMER: CC
2	PO NO.: CC2610-9796
3	STYLE NO.: CC-TS26-544
4	COLOUR: _____
5	SIZE / RATIO: _____
6	QTY: 40 PCS
7	CARTON NO.: ___ OF 300
8	MADE IN CAMBODIA

SIDE MARK

Line	Mark
1	N.W.: 6.2 KG
2	G.W.: 7.8 KG
3	MEAS.: 60 x 40 x 30 cm
4	STYLE: CC-TS26-544
5	COO: CAMBODIA

HEADER

Field	Value
Customer code	CC
Style	Men's running / jogging set (CC-TS26-544)
Quantity	12,000 pieces
Order date	21 Jul 2026
Ex-factory date	16 Oct 2026
Product description	Men's jogging set: running top in polyester interlock 150 g/m²; jogging shorts in polyester interlock 150 g/m²

FABRIC AND CUTTING

- Relax the fabric before spreading: polyester interlock 24 hours (given by the technical department); one dye lot per lay, the bundle ticket carries the lot
- Cut to the markers MK-YAICC11-RT-BLA, MK-YAICC11-RT-OLI, MK-YAICC11-RT-FOR, MK-YAICC11-JS-BLA, MK-YAICC11-JS-OLI, MK-YAICC11-JS-FOR - cutting allowance 1.5%
- Plies per lay: polyester interlock 80 max

SEWING

- running top: lines L20, SMV 6.00 min, target 1,869 a day per line
- jogging shorts: lines L21, SMV 6.50 min, target 1,725 a day per line
- SPI 10 to 12 on lockstitch and overlock, 12 to 14 on coverstitch
- Needles: polyester interlock ball-point 75/11
- Thread: spun polyester 40/2, dyed to match each colour (Thread Consumptions)

FINISHING

- Pressing: polyester interlock steam iron 120 °C
- Heat-seal at 150 °C for 12 s; adhesion checked every 2 hours
- Trim every thread end; measurement check of 5 pieces per size and colour a day

QUALITY

- Roving QC on the line every 2 hours, 7 pieces per operator
- End-of-line check of every piece
- Final inspection AQL 2.5 major / 4.0 minor on 15 Oct 2026

PACKING

- As the Packing page: Folded flat 25 x 32 cm, sleeves folded back, front facing up, 40 pieces per carton

LANGUAGES

- Published in Khmer, English and Chinese for the line

EDITED

Field	Value
Edited by	merchandiser
Last updated	26 Jul 2026

SPECIAL INSTRUCTIONS

- Shade: one dye lot per garment and per bundle - never mix lots in a garment; both garments of a set from the same lot
- Cut-to-ship: cut 1.5% over the order, no more; the balance fabric goes back to the warehouse
- Heat-seal: 150 °C for 12 s, artwork position as on the sketch; first piece approved by QC every shift
- Labels: main, care and size labels from the customer's approved supplier - count them in and out (brand protection)
- Shipping sample: 3 pieces per colour to the customer with the TOP sample
- Packing: 40 pieces per carton, sizes assorted as the Packing page

08. Packing

Order YAICC11 | Men's running / jogging set | 12,000 pcs | 8 of 10

Carton size: 60 x 40 x 30 cm | Pieces per carton: 40 | Carton ratio: XS 10, S 10, M 10, L 5, XL 5

PACKING METHOD

Field	Value
Fold	running top: Folded flat 25 x 32 cm, sleeves folded back, front facing up; jogging shorts: Folded in two, 25 x 30 cm, drawcord tied inside
Polybag	LDPE polybag, self-seal, suffocation warning printed - 1 per piece, 12,360 on the BOM
Carton	5-ply export carton, carton marks as per the customer's packing manual, 60 x 40 x 30 cm
Pieces per carton	40, one colour, sizes assorted, one garment of the set per carton
Carton weight (full)	running top net 6.2 kg, gross 7.8 kg; jogging shorts net 6.9 kg, gross 8.5 kg
Shipment mode	sea freight, LCL (consolidated), ex-factory 16 Oct 2026

Garment	Colour	Size	Qty	Pcs / pack	Packs	In packs	Loose
running top	black	XS	400	10	40	400	0
running top	black	S	400	10	40	400	0
running top	black	M	400	10	40	400	0
running top	black	L	200	5	40	200	0
running top	black	XL	200	5	40	200	0
running top	olive	XS	538	10	53	530	8
running top	olive	S	537	10	53	530	7
running top	olive	M	537	10	53	530	7
running top	olive	L	269	5	53	265	4
running top	olive	XL	269	5	53	265	4
running top	forest green	XS	563	10	56	560	3
running top	forest green	S	563	10	56	560	3
running top	forest green	M	562	10	56	560	2
running top	forest green	L	281	5	56	280	1
running top	forest green	XL	281	5	56	280	1
jogging shorts	black	XS	400	10	40	400	0
jogging shorts	black	S	400	10	40	400	0
jogging shorts	black	M	400	10	40	400	0
jogging shorts	black	L	200	5	40	200	0
jogging shorts	black	XL	200	5	40	200	0
jogging shorts	olive	XS	538	10	53	530	8
jogging shorts	olive	S	537	10	53	530	7
jogging shorts	olive	M	537	10	53	530	7
jogging shorts	olive	L	269	5	53	265	4
jogging shorts	olive	XL	269	5	53	265	4
jogging shorts	forest green	XS	563	10	56	560	3
jogging shorts	forest green	S	563	10	56	560	3
jogging shorts	forest green	M	562	10	56	560	2
jogging shorts	forest green	L	281	5	56	280	1
jogging shorts	forest green	XL	281	5	56	280	1

FIELD	VALUE
Total pieces	12000
Total cartons	300
Loose pieces	
Packing note	Ratio cartons of 40: one garment, one colour, sizes XS 10 : S 10 : M 10 : L 5 : XL 5; the loose pieces go in balance cartons marked MIXED. BOM carton line 300.

SIZE RATIO PER CARTON (40 PIECES)

XS	S	M	L	XL	Total
10	10	10	5	5	40

CARTONS - 300 ON THE BOM

Garment	Colour	Pieces	Cartons	Pieces left over
running top	black	1600	40	0
running top	olive	2150	53	30
running top	forest green	2250	56	10
jogging shorts	black	1600	40	0
jogging shorts	olive	2150	53	30
jogging shorts	forest green	2250	56	10
Balance cartons	mixed	80	2	0
Total		12000	300	

CARTON MARKS

- Main mark: customer CC / PO CC2610-9796 / style CC-TS26-544 / colour / size ratio / 40 pcs / carton no. __ of 300

- Side mark: net / gross weight / carton size / Made in Cambodia

- Balance cartons: 'MIXED' on both ends with the content list

09. Process Sheet

Order YAICC11 | Men's running / jogging set | 12,000 pcs | 9 of 10

FIELD	VALUE
Product	running top + jogging shorts
SMV	6.0
Target / 8 h	1600
Efficiency	80% for 8 h
Operators	25
Prepared by / date	IE-03 / 21 Sep 2026

No.	Department	Pre-sewing item	Specification
1	Warehouse	Dye lot and width	Separate the rolls by dye lot and by width; one dye lot per lay, the lot on the bundle ticket
2	Cutting	Fabric relaxing	Fabric relaxed before spreading - polyester interlock 24 hours (given by the technical department): each roll through the relaxing machine into the flat trays of the cutting room, tension-free; record relax start and end time on the roll ticket
3	Cutting	Spreading	Face up, tension-free; ends aligned; plies per lay polyester interlock 80 max
4	Cutting	Cutting	Cut all panels in one direction (one-way); notches 3 mm; check the top and bottom ply against the pattern
5	Cutting	Numbering and bundling	Number every ply; bundle by size and lot
6	Heat press	Heat-transfer label	Heat-transfer label / logo applied as the sketch, 150 °C 12 s, peel cold; first piece approved by QC each shift

No.	Operation	Machine	Top thread	Bottom thread	SPI	Needle	St.	Key points	SAM
1	Front + back match	manual - table	-	-	-	-		Match front and back by size and lot ticket - never mix dye lots	0.19
2	Shoulder join	4-thread overlock	2 x spun polyester 60/3, colour to match body	2 x textured polyester 150D/1 looper	12-14	ball-point 75/11		Clear tape in the seam, no puckering, notches matched	0.56
3	Collar / neck make	SNLS	spun polyester 60/3, colour to match body	spun polyester 60/3 bobbin	10-12	ball-point 75/11		Collar points / hood panels even, notches matched	0.24
4	Collar / neck attach	4-thread overlock	2 x spun polyester 60/3, colour to match body	2 x textured polyester 150D/1 looper	12-14	ball-point 75/11		Centre back matched, no twisting	0.28
5	Collar / neck attach	SNLS	spun polyester 60/3, colour to match body	spun polyester 60/3 bobbin	10-12	ball-point 75/11		Centre back matched, no twisting	0.24
6	Top-stitch	flatlock	3 x spun polyester 60/3, colour to match body	1 x textured polyester 150D/1 looper (+ cover thread)	14-16	ball-point 75/11		Top-stitch even from the seam, SPI as the sheet	0.34
7	Label attach	SNLS	spun polyester 60/3, colour to match body	spun polyester 60/3 bobbin	10-12	ball-point 75/11		Centred at CB, 1 cm below the seam	0.23
8	Pocket / placket make	SNLS	spun polyester 60/3, colour to match body	spun polyester 60/3 bobbin	10-12	ball-point 75/11		Openings even, edges clean	0.27
9	Pocket / placket attach	SNLS	spun polyester 60/3, colour to match body	spun polyester 60/3 bobbin	10-12	ball-point 75/11		Position from the template; both sides level	0.23
10	Sleeve hem	flatlock	3 x spun polyester 60/3, colour to match body	1 x textured polyester 150D/1 looper (+ cover thread)	14-16	ball-point 75/11		Use the folder, hem width even all round	0.3
11	Sleeve attach	4-thread overlock	2 x spun polyester 60/3, colour to match body	2 x textured polyester 150D/1 looper	12-14	ball-point 75/11		Shoulder notch to sleeve crown, no pleats	0.53
12	Side seam	4-thread overlock	2 x spun polyester 60/3, colour to match body	2 x textured polyester 150D/1 looper	12-14	ball-point 75/11		Underarm cross matched, seam straight - no twisting	0.57
13	Waistband / hem band make	SNLS	spun polyester 60/3, colour to match body	spun polyester 60/3 bobbin	10-12	ball-point 75/11		Band joined into a ring, joint at the side seam	0.21
14	Elastic / drawcord insert	SNLS	spun polyester 60/3, colour to match body	spun polyester 60/3 bobbin	10-12	ball-point 75/11		Elastic flat, no twisting; drawcord ends equal from CF	0.22
15	Waistband / hem attach	4-thread overlock	2 x spun polyester 60/3, colour to match body	2 x textured polyester 150D/1 looper	12-14	ball-point 75/11		Quarter-mark; band even all round	0.31
16	Bottom hem	flatlock	3 x spun polyester 60/3, colour to match body	1 x textured polyester 150D/1 looper (+ cover thread)	14-16	ball-point 75/11		Use the folder; start and finish at the left side seam, 1 cm overlap	0.27
17	Bartack	bartack	spun polyester 60/3, colour to match body	spun polyester 60/3 bobbin	42 stitches / 10 mm	ball-point 75/11		Bartack 10 mm at every stress point on the sketch	0.16
18	Thread trim	manual - trimming	-	-	-	-		Trim every thread end to 3 mm max	0.14
19	In-line check	manual - checking	-	-	-	-		7 pieces per operator every 2 hours	0.18
20	Press	heat press	-	-	-	-		steam iron 120 °C - no shine marks	0.23
21	End-line check	manual - checking	-	-	-	-		Every piece: measurements, seams, shade, stains	0.14
22	Fold and pack	manual - table	-	-	-	-		Folded flat 25 x 32 cm, sleeves folded back, front facing up	0.16
23	Front + back match	manual - table	-	-	-	-		Match front and back by size and lot ticket - never mix dye lots	0.19
24	Shoulder join	4-thread overlock	2 x spun polyester 60/3, colour to match body	2 x textured polyester 150D/1 looper	12-14	ball-point 75/11		Clear tape in the seam, no puckering, notches matched	0.58
25	Collar / neck make	SNLS	spun polyester 60/3, colour to match body	spun polyester 60/3 bobbin	10-12	ball-point 75/11		Collar points / hood panels even, notches matched	0.3
26	Collar / neck attach	4-thread overlock	2 x spun polyester 60/3, colour to match body	2 x textured polyester 150D/1 looper	12-14	ball-point 75/11		Centre back matched, no twisting	0.26
27	Collar / neck attach	SNLS	spun polyester 60/3, colour to match body	spun polyester 60/3 bobbin	10-12	ball-point 75/11		Centre back matched, no twisting	0.25
28	Top-stitch	flatlock	3 x spun polyester 60/3, colour to match body	1 x textured polyester 150D/1 looper (+ cover thread)	14-16	ball-point 75/11		Top-stitch even from the seam, SPI as the sheet	0.31
29	Label attach	SNLS	spun polyester 60/3, colour to match body	spun polyester 60/3 bobbin	10-12	ball-point 75/11		Centred at CB, 1 cm below the seam	0.3
30	Pocket / placket make	SNLS	spun polyester 60/3, colour to match body	spun polyester 60/3 bobbin	10-12	ball-point 75/11		Openings even, edges clean	0.28
31	Pocket / placket attach	SNLS	spun polyester 60/3, colour to match body	spun polyester 60/3 bobbin	10-12	ball-point 75/11		Position from the template; both sides level	0.24
32	Sleeve hem	flatlock	3 x spun polyester 60/3, colour to match body	1 x textured polyester 150D/1 looper (+ cover thread)	14-16	ball-point 75/11		Use the folder, hem width even all round	0.34
33	Sleeve attach	4-thread overlock	2 x spun polyester 60/3, colour to match body	2 x textured polyester 150D/1 looper	12-14	ball-point 75/11		Shoulder notch to sleeve crown, no pleats	0.59
34	Side seam	4-thread overlock	2 x spun polyester 60/3, colour to match body	2 x textured polyester 150D/1 looper	12-14	ball-point 75/11		Underarm cross matched, seam straight - no twisting	0.53
35	Waistband / hem band make	SNLS	spun polyester 60/3, colour to match body	spun polyester 60/3 bobbin	10-12	ball-point 75/11		Band joined into a ring, joint at the side seam	0.28
36	Elastic / drawcord insert	SNLS	spun polyester 60/3, colour to match body	spun polyester 60/3 bobbin	10-12	ball-point 75/11		Elastic flat, no twisting; drawcord ends equal from CF	0.29
37	Waistband / hem attach	4-thread overlock	2 x spun polyester 60/3, colour to match body	2 x textured polyester 150D/1 looper	12-14	ball-point 75/11		Quarter-mark; band even all round	0.31
38	Bottom hem	flatlock	3 x spun polyester 60/3, colour to match body	1 x textured polyester 150D/1 looper (+ cover thread)	14-16	ball-point 75/11		Use the folder; start and finish at the left side seam, 1 cm overlap	0.31
39	Bartack	bartack	spun polyester 60/3, colour to match body	spun polyester 60/3 bobbin	42 stitches / 10 mm	ball-point 75/11		Bartack 10 mm at every stress point on the sketch	0.14
40	Thread trim	manual - trimming	-	-	-	-		Trim every thread end to 3 mm max	0.16
41	In-line check	manual - checking	-	-	-	-		7 pieces per operator every 2 hours	0.2
42	Press	heat press	-	-	-	-		steam iron 120 °C - no shine marks	0.23
43	End-line check	manual - checking	-	-	-	-		Every piece: measurements, seams, shade, stains	0.2
44	Fold and pack	manual - table	-	-	-	-		Folded in two, 25 x 30 cm, drawcord tied inside	0.21

Operations, machines and SAM as the CE garment analysis - any change goes through the IE office. Thread colour to match body; needles: polyester interlock ball-point 75/11. Change needles every shift on stretch fabric.

10. Thread Consumption

Order YAICC11 | Men's running / jogging set | 12,000 pcs | 10 of 10

Calibration: {'running top': 1.23, 'jogging shorts': 1.41} | Total thread per garment: 300 m/pc

Garment	Material	Specification	Position	m / pc
running top	Needle thread	spun polyester 60/3, colour to match body	overlock, coverstitch, lockstitch and bartack needles	51.5
running top	Looper thread	textured polyester 150D/1, colour to match body	overlock and coverstitch loopers	77.7
running top	Bobbin thread	spun polyester 60/3, colour to match body	lockstitch and bartack bobbins	10.8
jogging shorts	Needle thread	spun polyester 60/3, colour to match body	overlock, coverstitch, lockstitch and bartack needles	58.9
jogging shorts	Looper thread	textured polyester 150D/1, colour to match body	overlock and coverstitch loopers	88.6
jogging shorts	Bobbin thread	spun polyester 60/3, colour to match body	lockstitch and bartack bobbins	12.5

Garment	Process	Machine	Seam cm	Stitch x	Freq	Allowance cm	Calc m	Yield m
running top	Shoulder join	Overlock 4-thread	14.0	18.0	2	0.6	5.04	6.2
running top	Collar / neck make	Single-needle lockstitch	45.0	2.5	1	1.0	1.12	1.4
running top	Collar / neck attach	Overlock 4-thread	50.0	18.0	1	1.0	9.0	11.1
running top	Collar / neck attach	Single-needle lockstitch	50.0	2.5	1	1.0	1.25	1.5
running top	Top-stitch	Flatlock / coverstitch	60.0	18.0	1	0.6	10.8	13.3
running top	Label attach	Single-needle lockstitch	8.0	2.5	1	1.0	0.2	0.2
running top	Pocket / placket make	Single-needle lockstitch	30.0	2.5	1	1.0	0.75	0.9
running top	Pocket / placket attach	Single-needle lockstitch	20.0	2.5	2	1.0	1.0	1.2
running top	Sleeve hem	Flatlock / coverstitch	36.0	18.0	2	0.6	12.96	16.0
running top	Sleeve attach	Overlock 4-thread	48.0	18.0	2	0.6	17.28	21.3
running top	Side seam	Overlock 4-thread	40.0	18.0	2	0.6	14.4	17.7
running top	Waistband / hem band make	Single-needle lockstitch	10.0	2.5	1	1.0	0.25	0.3
running top	Elastic / drawcord insert	Single-needle lockstitch	20.0	2.5	1	1.0	0.5	0.6
running top	Waistband / hem attach	Overlock 4-thread	95.0	18.0	1	0.6	17.1	21.1
running top	Bottom hem	Flatlock / coverstitch	102.0	18.0	1	0.6	18.36	22.8
running top	Bartack	Bartack		0.6	6		3.6	4.4
jogging shorts	Shoulder join	Overlock 4-thread	14.0	18.0	2	0.6	5.04	7.1
jogging shorts	Collar / neck make	Single-needle lockstitch	45.0	2.5	1	1.0	1.12	1.6
jogging shorts	Collar / neck attach	Overlock 4-thread	50.0	18.0	1	1.0	9.0	12.7
jogging shorts	Collar / neck attach	Single-needle lockstitch	50.0	2.5	1	1.0	1.25	1.8
jogging shorts	Top-stitch	Flatlock / coverstitch	60.0	18.0	1	0.6	10.8	15.2
jogging shorts	Label attach	Single-needle lockstitch	8.0	2.5	1	1.0	0.2	0.3
jogging shorts	Pocket / placket make	Single-needle lockstitch	30.0	2.5	1	1.0	0.75	1.1
jogging shorts	Pocket / placket attach	Single-needle lockstitch	20.0	2.5	2	1.0	1.0	1.4
jogging shorts	Sleeve hem	Flatlock / coverstitch	36.0	18.0	2	0.6	12.96	18.3
jogging shorts	Sleeve attach	Overlock 4-thread	48.0	18.0	2	0.6	17.28	24.3
jogging shorts	Side seam	Overlock 4-thread	40.0	18.0	2	0.6	14.4	20.3
jogging shorts	Waistband / hem band make	Single-needle lockstitch	10.0	2.5	1	1.0	0.25	0.4
jogging shorts	Elastic / drawcord insert	Single-needle lockstitch	20.0	2.5	1	1.0	0.5	0.7
jogging shorts	Waistband / hem attach	Overlock 4-thread	95.0	18.0	1	0.6	17.1	24.1
jogging shorts	Bottom hem	Flatlock / coverstitch	102.0	18.0	1	0.6	18.36	25.6
jogging shorts	Bartack	Bartack		0.6	6		3.6	5.1

COLOURS AND CONES (5,000 M) - AS ON THE BOM

Colour	Thread	Metres net	With 15% wastage	Cones on the BOM
black	dyed to match black	480000	552000	111
olive	dyed to match olive	645000	741750	148
forest green	dyed to match forest green	675000	776250	155
Total		1800000	2070000	414

spun polyester 40/2, 5,000 m cone; the cones are the Material Portal BOM's sewing-thread lines.

net consumption only; add waste separately (the BOM adds 15% wastage). Yield = seam length x freq x stitch multiple, calibrated (x calibration) to the thread per garment measured on the sample - the BOM figure.