01. Specification Sheet

Order YAIAA5 | Round-neck T-shirt | 17,900 pcs | 1 of 10

FIELD	VALUE
Customer	AA
Customer style	AA-TS26-473
Order number	ORD-2610-0010
Buyer PO	AA2610-4513
Season	
Article / style	AA-TS26-473 / Round-neck T-shirt
Ex-factory	26 Oct 2026
Order quantity	17,900 pieces
Retail pack	single piece in a polybag
Prepared	07 Aug 2026 by Y-01

MAJOR POINTS

- Repeat order of YAIAA4 - same pattern and fit block, re-check grading

- Extra sample qty 5 pcs per colour

- Inline sample qty as chart (sample size by colour)

- Measurements in inches

- Neck rib even, neck must not be slanted

- Spirality after wash 5% max - twisting side seams are rejected

CONSTRUCTION / IMAGE COMMENTS

Garment	Part	Comment
T-shirt	Neck	1x1 rib 3/4" finished, 4-thread overlock attach, 1/4" twin-needle coverstitch top-stitch, SPI 12-14
T-shirt	Shoulder	4-thread overlock with 1/4" clear tape, SPI 12-14
T-shirt	Sleeve hem	3/4" 2-needle 3-thread coverstitch, SPI 12-14
T-shirt	Bottom hem	1" 2-needle 3-thread coverstitch, start and finish at the left side seam
T-shirt	Side seams	4-thread overlock, SPI 12-14, care label left side 3 7/8" above hem

SAMPLE SIZE BY COLOUR

Colour	Sample size	Qty	Remarks
navy	M	3	inline sample - 1 customer QA, 1 tech team, 1 line reference
navy	assorted	5	extra samples - shipment / photo
navy	S-XXL	5	size set, 1 per size (first colour only)
sky blue	M	3	inline sample - 1 customer QA, 1 tech team, 1 line reference
sky blue	assorted	5	extra samples - shipment / photo
sand	M	3	inline sample - 1 customer QA, 1 tech team, 1 line reference
sand	assorted	5	extra samples - shipment / photo

SIZE BREAKDOWN

Size	Quantity
ratio	{'S': 1, 'M': 2, 'L': 2, 'XL': 2, 'XXL': 1}
qty	{'S': 2238, 'M': 4476, 'L': 4475, 'XL': 4474, 'XXL': 2237}
total	17900

PRODUCT IMAGE AND REFERENCE NOTES

- Front view, as the approved PP sample

- Colour as per the approved lab dip, one dye lot per garment

- Logo as per the artwork - heat-seal

ADDITIONAL IMAGES

- T-shirt - back view

- T-shirt - neck detail

- Heat-seal artwork position

RETAIL SINGLE

Field	Value
Pack	single piece in a polybag
Hang tag	no hang tag on this style
Price ticket	none - retail price printed by the customer
Barcode	size and colour barcode sticker on the polybag, lower right
Size sticker	on the polybag, upper left
Folded size	Folded flat 25 x 32 cm, sleeves folded back, front facing up

TEST INSTRUCTIONS

- Dimensional stability after 3 home washes: ±5% length and width

- Colour fastness to washing: grade 4

- Colour fastness to rubbing: dry 4, wet 3

- Spirality after wash: 5% max

- Heat-seal adhesion after 5 washes: no peeling or cracking

- Tests by the third-party lab the customer nominates, on the PP sample fabric and on bulk

OPTIONAL DATA

Field	Value
Fabric	cotton single jersey, 100% cotton, 160 g/m²
Accessories	main label, side label, care label, size label, heat-seal, polybag, thread cones (5,000 m)

STYLE AND SIZE CONFIGURATION

Field	Value
Sizes	S / M / L / XL / XXL
Size ratio	S 1 : M 2 : L 2 : XL 2 : XXL 1
Colours	navy / sky blue / sand
Garments	T-shirt
Size set	graded from size M (Measurement Spec)

QUALITY CONTROL APPROVAL

Field	Value
Approved by	QC
Date	07 Aug 2026
Status	approved

02. Order Colour & Size Qty

Order YAIAA5 | Round-neck T-shirt | 17,900 pcs | 2 of 10

Unit: pieces | Garment: T-shirt | Total: 17,900 pcs

Colour	S	M	L	XL	XXL	Total
navy	856	1713	1713	1712	856	6850
sky blue	544	1088	1087	1087	544	4350
sand	838	1675	1675	1675	837	6700
TOTAL	2238	4476	4475	4474	2237	17900

ORDER REFERENCES

Field	Value
Order	YAIAA5
Buyer PO	AA2610-4513
Customer style	AA-TS26-473
Product	T-shirt
Ex-factory	26 Oct 2026

DATES

Milestone	Date
Order confirmed	03 Aug 2026
Tech-pack published	09 Aug 2026
PP sample	01 Oct 2026
PP meeting	06 Oct 2026
Cutting	08 Oct 2026 → 16 Oct 2026
Sewing	10 Oct 2026 → 21 Oct 2026
Finishing	13 Oct 2026 → 23 Oct 2026
Final inspection	24 Oct 2026
Ex-factory	26 Oct 2026

03. Measurement Chart

Order YAIAA5 | Round-neck T-shirt | 17,900 pcs | 3 of 10

Garment: T-shirt | Unit: inches | Base size: M | Method: flat, after washing | Version V3

POINT-OF-MEASURE CHART - BASE SIZE

No.	Code	Area	Point of measure	Base M
1	LEN-001	Body	Body length from HPS	28 3/8
2	CHS-001	Chest	Chest width (1/2, 1" below armhole)	20 1/2
3	SWP-001	Sweep / hem	Bottom width (1/2)	20 1/8
4	SHD-001	Shoulder	Shoulder width	17 3/4
5	SLV-001	Sleeve	Sleeve length from shoulder point	8 1/4
6	SLV-005	Sleeve	Sleeve opening (1/2)	6 3/4
7	ARM-001	Armhole	Armhole (straight)	9
8	NCK-001	Neck	Neck width (seam to seam)	7 1/8
9	NCK-004	Neck	Front neck drop	3 3/4
10	NCK-005	Neck	Back neck drop	3/4
11	NCK-010	Neck	Neck rib height	3/4
12	HEM-002	Hem	Bottom hem height	1

All points are taken on the garment flat after pressing. Point codes correspond to the measurement positions shown on the garment technical sketch.

04. Measurement Spec

Order YAIAA5 | Round-neck T-shirt | 17,900 pcs | 4 of 10

Version V3 | Status: approved | Unit: inches | Base size: M | Prepared by Y-02 on 09 Aug 2026 | Measured flat, after washing

No.	Code	Area / point	Tol -	Tol +	Grade	S	M	L	XL	XXL
1	LEN-001	Body length from HPS	5/8	5/8	3/4	27 5/8	28 3/8	29 1/8	29 7/8	30 5/8
2	CHS-001	Chest width (1/2, 1" below armhole)	3/8	3/8	1	19 1/2	20 1/2	21 1/2	22 1/2	23 1/2
3	SWP-001	Bottom width (1/2)	3/8	3/8	1	19 1/8	20 1/8	21 1/8	22 1/8	23 1/8
4	SHD-001	Shoulder width	3/8	3/8	5/8	17 1/8	17 3/4	18 3/8	19	19 5/8
5	SLV-001	Sleeve length from shoulder point	1/4	1/4	1/4	8	8 1/4	8 1/2	8 3/4	9
6	SLV-005	Sleeve opening (1/2)	1/4	1/4	1/4	6 1/2	6 3/4	7	7 1/4	7 1/2
7	ARM-001	Armhole (straight)	1/4	1/4	3/8	8 5/8	9	9 3/8	9 3/4	10 1/8
8	NCK-001	Neck width (seam to seam)	1/4	1/4	1/4	6 7/8	7 1/8	7 3/8	7 5/8	7 7/8
9	NCK-004	Front neck drop	1/4	1/4	1/8	3 5/8	3 3/4	3 7/8	4	4 1/8
10	NCK-005	Back neck drop	1/8	1/8	0	3/4	3/4	3/4	3/4	3/4
11	NCK-010	Neck rib height	1/8	1/8	0	3/4	3/4	3/4	3/4	3/4
12	HEM-002	Bottom hem height	1/8	1/8	0	1	1	1	1	1

05. Buyer Technical Sketch

Order YAIAA5 | Round-neck T-shirt | 17,900 pcs | 5 of 10

FIELD	VALUE
Style ID	AA-TS26-473
Garment	T-shirt
Description	MENS KNIT CREW NECK TEE
Department	Men's knit tops
Season	SS27
Size range	S-XXL
Retail price	USD 11.99
Colours	{'name': 'navy', 'code': 'NAV-124'}, {'name': 'sky blue', 'code': 'SKY-918'}, {'name': 'sand', 'code': 'SAN-975'}
Thread specification	['Thread colour to match body colour - dyed to match per colour', 'Needle thread: spun polyester 60/3', 'Looper thread: textured polyester 150D/1', 'Bartack and bobbin: spun polyester 60/3']
Label instructions	['Size / brand heat-transfer label at CB neck, 150 °C 12 s - no woven size tab', 'Main label: woven, centred at CB, 1 cm below the seam, stitched on 2 ends', 'Size label: woven size tab under the main label', 'Side flag label: left side seam, 10 cm above the hem', "Care label: printed satin, left side seam 10 cm above the hem; content and care as the customer's artwork, Made in Cambodia"]

TECHNICAL CALLOUTS

- 1. Neck: 1x1 rib 3/4" finished, 4-thread overlock attach, 1/4" twin-needle coverstitch top-stitch, SPI 12-14

- 2. Shoulder: 4-thread overlock with 1/4" clear tape, SPI 12-14

- 3. Chest logo: Heat-seal logo 3 1/8" below HPS, centred

- 4. Sleeve hem: 3/4" 2-needle 3-thread coverstitch, SPI 12-14

- 5. Side seam: 4-thread overlock, SPI 12-14, care label left side 3 7/8" above hem

- 6. Bottom hem: 1" 2-needle 3-thread coverstitch, start and finish at the left side seam

GARMENT DESCRIPTION AND CONSTRUCTION

- T-shirt: knit crew neck tee in cotton single jersey (100% cotton)

- T-shirt - Neck: Neck must not be slanted - rib even all round, 2 cm

- T-shirt - Shoulder: Shoulder seam taped, no puckering

- T-shirt - Chest logo: Heat-seal logo 8 cm below HPS, centred - 150 °C, 12 s

Reference: simulated garment flat for T-shirt; check the approved buyer artwork and physical sample for exact style geometry.

06. Production Sheet - Order Details

Order YAIAA5 | Round-neck T-shirt | 17,900 pcs | 6 of 10

FIELD	VALUE
Order reference	YAIAA5
Order date	03 Aug 2026
Ex-factory	26 Oct 2026
Customer PO	AA2610-4513
Season	SS27
Country of origin	CAMBODIA
Description	MENS KNIT CREW NECK TEE 100% COTTON
Quantity	17,900 pieces
Total packs	17900

PACK ALLOCATION

Pack ID	Buyer PO	Pack name	Ex-factory	Qty	Cartons
YAIAA5-P01	AA2610-4513	RATIO	26 Oct 2026	17840	446
YAIAA5-P02	AA2610-4513	LOOSE	26 Oct 2026	60	Balance

PROCESSING REQUIREMENTS

Process	Requirement
Print	T-shirt: chest screen print, 1 colour, subcontract
Embroidery	None
Washing	None
Heat_Transfer	T-shirt: heat-seal logo / label, in house 150 °C 12 s

PRODUCTION SCHEDULE

Milestone	Date
Order confirmed	03 Aug 2026
Tech-pack published	09 Aug 2026
PP sample	01 Oct 2026
PP meeting	06 Oct 2026
Cutting	08 Oct 2026 → 16 Oct 2026
Sewing	10 Oct 2026 → 21 Oct 2026
Finishing	13 Oct 2026 → 23 Oct 2026
Final inspection	24 Oct 2026
Ex-factory	26 Oct 2026

07. Production Instruction

Order YAIAA5 | Round-neck T-shirt | 17,900 pcs | 7 of 10

PACKING AND FOLDING INSTRUCTIONS

- Size tag: woven size tab stitched under the main label at CB neck, 2 ends, SPI 10-12
- Tack pin: none - no hang tag, no pins on this style
- Folding: Folded flat 25 x 32 cm, sleeves folded back, front facing up
- Individual polybag: 1 piece per self-seal polybag with suffocation warning; size sticker upper left, barcode lower right
- Carton fill: 40 pcs per carton, one colour, sizes in the carton ratio; loose pieces in balance cartons marked MIXED, filled to the top
- Carton label: on both short ends, top right, 3 cm from the edges
- Strapping: 2 PP straps, horizontal, no metal clips
- Liner: polybag liner inside the carton, corrugated pad top and bottom

SHIPPING MARK

Line	Mark
1	CUSTOMER: AA
2	PO NO.: AA2610-4513
3	STYLE NO.: AA-TS26-473
4	COLOUR: _____
5	SIZE / RATIO: _____
6	QTY: 40 PCS
7	CARTON NO.: ___ OF 448
8	MADE IN CAMBODIA

SIDE MARK

Line	Mark
1	N.W.: 6.4 KG
2	G.W.: 8.0 KG
3	MEAS.: 60 x 40 x 30 cm
4	STYLE: AA-TS26-473
5	COO: CAMBODIA

HEADER

Field	Value
Customer code	AA
Style	Round-neck T-shirt (AA-TS26-473)
Quantity	17,900 pieces
Order date	03 Aug 2026
Ex-factory date	26 Oct 2026
Product description	T-shirt: T-shirt in cotton single jersey 160 g/m²

FABRIC AND CUTTING

- Relax the fabric before spreading: cotton single jersey 24 hours (given by the mill); one dye lot per lay, the bundle ticket carries the lot
- Cut to the markers MK-YAIAA5-NAV, MK-YAIAA5-SKY, MK-YAIAA5-SAN - cutting allowance 1.5%
- Plies per lay: cotton single jersey 100 max

SEWING

- T-shirt: lines L06, SMV 5.00 min, target 2,243 a day per line
- SPI 10 to 12 on lockstitch and overlock, 12 to 14 on coverstitch
- Needles: cotton single jersey ball-point 75/11
- Thread: spun polyester 40/2, dyed to match each colour (Thread Consumptions)

FINISHING

- Pressing: cotton single jersey steam iron 150 °C
- Heat-seal at 150 °C for 12 s; adhesion checked every 2 hours
- Trim every thread end; measurement check of 5 pieces per size and colour a day

QUALITY

- Roving QC on the line every 2 hours, 7 pieces per operator
- End-of-line check of every piece
- Final inspection AQL 2.5 major / 4.0 minor on 24 Oct 2026

PACKING

- As the Packing page: Folded flat 25 x 32 cm, sleeves folded back, front facing up, 40 pieces per carton

LANGUAGES

- Published in Khmer, English and Chinese for the line

EDITED

Field	Value
Edited by	merchandiser
Last updated	11 Aug 2026

SPECIAL INSTRUCTIONS

- Shade: one dye lot per garment and per bundle - never mix lots in a garment
- Cut-to-ship: cut 1.5% over the order, no more; the balance fabric goes back to the warehouse
- Heat-seal: 150 °C for 12 s, artwork position as on the sketch; first piece approved by QC every shift
- Needle detector: every piece passes the needle detector before polybagging; broken-needle log kept
- Labels: main, care and size labels from the customer's nominated supplier - count them in and out (brand protection)
- Shipping sample: 3 pieces per colour to the customer with the TOP sample
- Packing: 40 pieces per carton, sizes assorted as the Packing page

08. Packing

Order YAIAA5 | Round-neck T-shirt | 17,900 pcs | 8 of 10

Carton size: 60 x 40 x 30 cm | Pieces per carton: 40 | Carton ratio: S 5, M 10, L 10, XL 10, XXL 5

PACKING METHOD

Field	Value
Fold	Folded flat 25 x 32 cm, sleeves folded back, front facing up
Polybag	LDPE polybag, self-seal, suffocation warning printed - 1 per piece, 18,437 on the BOM
Carton	5-ply export carton, carton marks as per the customer's packing manual, 60 x 40 x 30 cm
Pieces per carton	40, one colour, sizes assorted
Carton weight (full)	T-shirt net 6.4 kg, gross 8.0 kg
Shipment mode	sea freight, FCL 40' HC, ex-factory 26 Oct 2026

Garment	Colour	Size	Qty	Pcs / pack	Packs	In packs	Loose
T-shirt	navy	S	856	5	171	855	1
T-shirt	navy	M	1713	10	171	1710	3
T-shirt	navy	L	1713	10	171	1710	3
T-shirt	navy	XL	1712	10	171	1710	2
T-shirt	navy	XXL	856	5	171	855	1
T-shirt	sky blue	S	544	5	108	540	4
T-shirt	sky blue	M	1088	10	108	1080	8
T-shirt	sky blue	L	1087	10	108	1080	7
T-shirt	sky blue	XL	1087	10	108	1080	7
T-shirt	sky blue	XXL	544	5	108	540	4
T-shirt	sand	S	838	5	167	835	3
T-shirt	sand	M	1675	10	167	1670	5
T-shirt	sand	L	1675	10	167	1670	5
T-shirt	sand	XL	1675	10	167	1670	5
T-shirt	sand	XXL	837	5	167	835	2

FIELD	VALUE
Total pieces	17900
Total cartons	448
Loose pieces	
Packing note	Ratio cartons of 40: one garment, one colour, sizes S 5 : M 10 : L 10 : XL 10 : XXL 5; the loose pieces go in balance cartons marked MIXED. BOM carton line 448.

SIZE RATIO PER CARTON (40 PIECES)

S	M	L	XL	XXL	Total
5	10	10	10	5	40

CARTONS - 448 ON THE BOM

Garment	Colour	Pieces	Cartons	Pieces left over
T-shirt	navy	6850	171	10
T-shirt	sky blue	4350	108	30
T-shirt	sand	6700	167	20
Balance cartons	mixed	60	2	0
Total		17900	448	

CARTON MARKS

- Main mark: customer AA / PO AA2610-4513 / style AA-TS26-473 / colour / size ratio / 40 pcs / carton no. __ of 448

- Side mark: net / gross weight / carton size / Made in Cambodia

- Balance cartons: 'MIXED' on both ends with the content list

09. Process Sheet

Order YAIAA5 | Round-neck T-shirt | 17,900 pcs | 9 of 10

FIELD	VALUE
Product	T-shirt
SMV	5.0
Target / 8 h	1920
Efficiency	80% for 8 h
Operators	25
Prepared by / date	IE-04 / 22 Sep 2026

No.	Department	Pre-sewing item	Specification
1	Warehouse	Dye lot and width	Separate the rolls by dye lot and by width; one dye lot per lay, the lot on the bundle ticket
2	Cutting	Fabric relaxing	Fabric relaxed before spreading - cotton single jersey 24 hours (given by the mill): each roll through the relaxing machine into the flat trays of the cutting room, tension-free; record relax start and end time on the roll ticket
3	Cutting	Spreading	Face up, tension-free; ends aligned; plies per lay cotton single jersey 100 max
4	Cutting	Cutting	Cut all panels in one direction (one-way); notches 3 mm; check the top and bottom ply against the pattern
5	Cutting	Numbering and bundling	Number every ply; bundle by size and lot
6	Heat press	Heat-transfer label	Heat-transfer label / logo applied as the sketch, 150 °C 12 s, peel cold; first piece approved by QC each shift

No.	Operation	Machine	Top thread	Bottom thread	SPI	Needle	St.	Key points	SAM
1	Shoulder join	4-thread overlock	2 x spun polyester 60/3, colour to match body	2 x textured polyester 150D/1 looper	12-14	ball-point 75/11		Clear tape in the seam, no puckering, notches matched	0.47
2	Neck rib make	SNLS	spun polyester 60/3, colour to match body	spun polyester 60/3 bobbin	10-12	ball-point 75/11		Rib joined into a ring, seam at the left shoulder	0.17
3	Neck rib attach	4-thread overlock	2 x spun polyester 60/3, colour to match body	2 x textured polyester 150D/1 looper	12-14	ball-point 75/11		Quarter-mark the rib; even stretch all round - neck not slanted	0.43
4	Back neck tape	SNLS	spun polyester 60/3, colour to match body	spun polyester 60/3 bobbin	10-12	ball-point 75/11		Tape shoulder to shoulder, flat, edges even	0.21
5	Neck top-stitch	flatlock	3 x spun polyester 60/3, colour to match body	1 x textured polyester 150D/1 looper (+ cover thread)	14-16	ball-point 75/11		Twin-needle top-stitch even from the edge, no skipped stitches	0.23
6	Main label attach	SNLS	spun polyester 60/3, colour to match body	spun polyester 60/3 bobbin	10-12	ball-point 75/11		Centred at CB, 1 cm below the neck seam	0.22
7	Sleeve hem	flatlock	3 x spun polyester 60/3, colour to match body	1 x textured polyester 150D/1 looper (+ cover thread)	14-16	ball-point 75/11		Use the folder, hem width even all round	0.5
8	Sleeve attach	4-thread overlock	2 x spun polyester 60/3, colour to match body	2 x textured polyester 150D/1 looper	12-14	ball-point 75/11		Shoulder notch to sleeve crown, no pleats	0.47
9	Side seam	4-thread overlock	2 x spun polyester 60/3, colour to match body	2 x textured polyester 150D/1 looper	12-14	ball-point 75/11		Underarm cross matched, seam straight - no twisting	0.44
10	Side seam + care label	4-thread overlock	2 x spun polyester 60/3, colour to match body	2 x textured polyester 150D/1 looper	12-14	ball-point 75/11		Care label in the left side seam, 10 cm above the hem	0.2
11	Sleeve tack	SNLS	spun polyester 60/3, colour to match body	spun polyester 60/3 bobbin	10-12	ball-point 75/11		Tack the seam allowance at the underarm, 1 cm	0.19
12	Bottom hem	flatlock	3 x spun polyester 60/3, colour to match body	1 x textured polyester 150D/1 looper (+ cover thread)	14-16	ball-point 75/11		Use the folder; start and finish at the left side seam, 1 cm overlap	0.48
13	Thread trim	manual - trimming	-	-	-	-		Trim every thread end to 3 mm max	0.22
14	In-line check	manual - checking	-	-	-	-		7 pieces per operator every 2 hours	0.14
15	Heat-seal	heat press	-	-	-	-		150 °C, 12 s, position from the artwork template; peel cold	0.17
16	Press	heat press	-	-	-	-		steam iron 150 °C - no shine marks	0.17
17	End-line check	manual - checking	-	-	-	-		Every piece: measurements, seams, shade, stains	0.15
18	Fold and pack	manual - table	-	-	-	-		Folded flat 25 x 32 cm, sleeves folded back, front facing up	0.14

Operations, machines and SAM as the CE garment analysis - any change goes through the IE office. Thread colour to match body; needles: cotton single jersey ball-point 75/11. Change needles every shift on stretch fabric.

10. Thread Consumption

Order YAIAA5 | Round-neck T-shirt | 17,900 pcs | 10 of 10

Calibration: {'T-shirt': 1.27} | Total thread per garment: 120 m/pc

Garment	Material	Specification	Position	m / pc
T-shirt	Needle thread	spun polyester 60/3, colour to match body	overlock, coverstitch, lockstitch and bartack needles	41.4
T-shirt	Looper thread	textured polyester 150D/1, colour to match body	overlock and coverstitch loopers	78.0
T-shirt	Bobbin thread	spun polyester 60/3, colour to match body	lockstitch and bartack bobbins	0.6

Garment	Process	Machine	Seam cm	Stitch x	Freq	Allowance cm	Calc m	Yield m
T-shirt	Shoulder join	Overlock 4-thread	14.0	18.0	2	0.6	5.04	6.4
T-shirt	Neck rib make	Single-needle lockstitch	4.0	2.5	1	1.0	0.1	0.1
T-shirt	Neck rib attach	Overlock 4-thread	52.0	18.0	1	0.6	9.36	11.8
T-shirt	Back neck tape	Single-needle lockstitch	18.0	2.5	1	1.0	0.45	0.6
T-shirt	Neck top-stitch	Flatlock / coverstitch	52.0	18.0	1	0.6	9.36	11.8
T-shirt	Main label attach	Single-needle lockstitch	8.0	2.5	1	1.0	0.2	0.3
T-shirt	Sleeve hem	Flatlock / coverstitch	36.0	18.0	2	0.6	12.96	16.4
T-shirt	Sleeve attach	Overlock 4-thread	48.0	18.0	2	0.6	17.28	21.9
T-shirt	Side seam	Overlock 4-thread	40.0	18.0	2	0.6	14.4	18.2
T-shirt	Side seam + care label	Overlock 4-thread	40.0	18.0	1	0.6	7.2	9.1
T-shirt	Sleeve tack	Single-needle lockstitch	2.0	2.5	2	1.0	0.1	0.1
T-shirt	Bottom hem	Flatlock / coverstitch	102.0	18.0	1	0.6	18.36	23.3

COLOURS AND CONES (5,000 M) - AS ON THE BOM

Colour	Thread	Metres net	With 15% wastage	Cones on the BOM
navy	dyed to match navy	822000	945300	190
sky blue	dyed to match sky blue	522000	600300	120
sand	dyed to match sand	804000	924600	185
Total		2148000	2470200	495

spun polyester 40/2, 5,000 m cone; the cones are the Material Portal BOM's sewing-thread lines.

net consumption only; add waste separately (the BOM adds 15% wastage). Yield = seam length x freq x stitch multiple, calibrated (x calibration) to the thread per garment measured on the sample - the BOM figure.