

Markmap Reference

Markmap turns a Markdown outline into an interactive mind map. Write your outline inside a ````\markmap` fenced block — headings and bullet lists become tree nodes. Click any node to collapse or expand its subtree.

Minimal map — one heading, one level of bullets

The `#` heading becomes the root node. Each `-` bullet becomes a child.




```
```\markmap
Project

- Planning
- Development
- Testing
- Release
```
```

Headings as levels

`##` headings become direct children of the root. `###` headings become their children. Headings and bullets can be mixed freely.



```
````markmap
Software Architecture

Frontend
- React
- TypeScript
- CSS Modules


Backend
- Node.js
- Express
- PostgreSQL

Infrastructure
Cloud
- AWS Lambda
- S3
CI/CD
- GitHub Actions
- Docker
...

```

## Deep nesting

Bullets can nest as many levels as needed. Each extra indent level adds a child layer in the map.




```
```\markmap
# Music Genres

- Electronic
  - Ambient
    - Dark ambient
    - Space music
  - Techno
  - House
- Jazz
  - Bebop
  - Modal
  - Fusion
```\
```

## Inline formatting

Node text supports **bold**, *italic*, `inline code`, and ~~strikethrough~~.




```
```markmap
# Text Styles

- **Bold** for emphasis
- *Italic* for titles or terms
- `code` for commands or identifiers
- ~~Strikethrough~~ for deprecated items
```
```

---

## Inline math (KaTeX)

Markmap supports inline KaTeX expressions with  $\dots$ . Use them directly inside node text.



```
```\markmap
# Key Equations

- Quadratic formula:  $x = \frac{-b \pm \sqrt{b^2 - 4ac}}{2a}$ 
- Euler's identity:  $e^{i\pi} + 1 = 0$ 
- Pythagorean theorem:  $a^2 + b^2 = c^2$ 
...
```

Links

Standard Markdown links `[label] (url)` work in node text.




```
```\markmap
Resources

- Documentation
 - [MDN Web Docs] (https://developer.mozilla.org)
 - [React Docs] (https://react.dev)
- Tools
 - [VS Code] (https://code.visualstudio.com)
```
```

Collapsible subtrees

Nodes with children show a small circle indicator. Click any node to collapse or expand its subtree. This is automatic — no special syntax needed.




```
```\markmap
Annual Review

Q1
- Shipped new onboarding flow
- Reduced load time by 40%

Q2
- Launched mobile app
- Reached 10k users
...
\\`
```

## Mixed headings and bullets

Headings and bullets can be freely combined. A `##` heading and a `-` bullet at the same depth are both direct children of the root.




```
```markmap
# Cooking

## Equipment
- Chef's knife
- Cast iron pan

## Techniques
- Mise en place
  - Chop and measure before cooking
- Sautéing
```
```

## Complete example — language learning map



```

````markmap
# Learning French

## Foundations
### Pronunciation
- Nasal vowels
- Silent letters

## Vocabulary
### High-frequency words
- Top 100 verbs

## Practice
### Input
- Podcasts
### Output
- **Daily journaling** in French

## Milestones
- A1 - Survival phrases ✓
- B1 - Understand native speech
...
  
```

Quick syntax card

| Element | Syntax | Result in map |
|-----------------|-----------------|-----------------------|
| Root node | # Title | Central root |
| Level-2 branch | ## Heading | Direct child of root |
| Level-3 branch | ### Heading | Child of ## |
| Leaf node | - item | Bullet child |
| Nested leaf | - sub-item | Indented bullet child |
| Bold text | **text** | Bold node label |
| Italic text | <i>*text*</i> | Italic node label |
| Inline code | `code` | Monospace node label |
| Strikethrough | ~~text~~ | Struck-through label |
| Inline math | $\$formula\$$ | KaTeX-rendered label |
| Link | [label] (url) | Clickable node label |
| Collapse/expand | Click any node | Toggles subtree |