

```

static Queue<int> SameNumInRow(Queue<int> st)
{
    Queue<int> t = new Queue<int>();
    Queue<int> q = new Queue<int>();
    while (!st.IsEmpty())
    {
        int current = st.Remove();
        t.Insert(current);
        while (!st.IsEmpty())
        {
            int c = st.Remove();
            if (c == current)
                t.Insert(c);
            else
                q.Insert(c);
        }
        while (!q.IsEmpty())
            st.Insert(q.Remove());
    }
    return t;
}

```

```

public static int MaxDistance(Stack<int> st)
{
    int maxDist = 0;
    Stack<int> temp = new Stack<int>();
    Stack<int> searchTemp = new Stack<int>();
    while (!st.IsEmpty())
    {
        int current = st.Pop();
        int count = 0;
        bool found = false;
        while (!st.IsEmpty() && !found)
        {
            int top = st.Pop();
            if (top == current)
            {
                found = true;
                if (count > maxDist)
                    maxDist = count;
            }
            else
                count++;
            searchTemp.Push(top);
        }
        while (!searchTemp.IsEmpty())
            st.Push(searchTemp.Pop());
        temp.Push(current);
    }
    while (!temp.IsEmpty())
        st.Push(temp.Pop());
    return maxDist;
}

```

```
static Stack<int> sortOrder(Stack<int> s)
{
    Stack<int> temp = new Stack<int>();
    while (!s.IsEmpty())
    {
        int current = s.Pop();
        while (!temp.IsEmpty() && temp.Top() < current)
            s.Push(temp.Pop());
        temp.Push(current);
    }
    while (!temp.IsEmpty())
        s.Push(temp.Pop());
    return s;
}
```