






File Edit View Query Database Server Tools Scripting Help
Navigator
MANAGEMENT
Server Status
Client Connections
Users and Privileges
Status and System Variables
Data Export
Data Import/Restore
INSTANCE
Startup / Shutdown
Server Logs
Options File
PERFORMANCE
Dashboard
Administration Schemas
Information
No object selected
Object Info Session
sql project-1* event_management_system SQL File 4*
Limit to 1000 rows
53
54 -- Sample data for Employees
55 INSERT INTO Employees (EmployeeID, FirstName, LastName, Department, HireDate, Salary) VALUES
56 (1, 'Mark', 'Johnson', 'Sales', '2020-01-15', 50000.00),
57 (2, 'Susan', 'Lee', 'HR', '2021-03-20', 55000.00),
58 (3, 'Neha', 'Desai', 'IT', '2019-06-10', 72000.00),
59 (4, 'Arjun', 'Patel', 'Finance', '2022-09-01', 46000.00),
60 (5, 'Sara', 'Khan', 'IT', '2018-11-25', 85000.00);
61
62 -- Check the tables and sample records
63 SELECT * FROM Customers;
64 SELECT * FROM Orders;
Result Grid Filter Rows: Edit: Export/Import: Wrap Cell Content:
CustomerID FirstName LastName Email RegistrationDate
1 John Doe john.doe@email.com 2022-03-15
2 Jane Smith jane.smith@email.com 2021-11-02
3 Amit Shah amit.shah@email.com 2023-01-10
4 Priya Patel priya.patel@email.com 2023-06-22
5 Ravi Mehta ravi.mehta@email.com 2024-02-05
Customers 1
Apply
Output
Action Output
Time Action Message Duration / Fetch
47 13:01:37 CREATE TABLE Orders (OrderID INT PRIMARY KEY, CustomerID INT, OrderDate DATE, TotalAm... 0 row(s) affected 0.047 sec
48 13:01:41 CREATE TABLE Employees (EmployeeID INT PRIMARY KEY, FirstName VARCHAR(50) NOT NULL, ... 0 row(s) affected 0.031 sec
49 13:01:45 INSERT INTO Customers (CustomerID, FirstName, LastName, Email, RegistrationDate) VALUES (1, 'John', 'Do... 5 row(s) affected Records: 5 Duplicates: 0 Warnings: 0 0.031 sec
50 13:01:55 INSERT INTO Orders (OrderID, CustomerID, OrderDate, TotalAmount) VALUES (101, 1, '2023-07-01', 150.50),... 5 row(s) affected Records: 5 Duplicates: 0 Warnings: 0 0.000 sec
51 13:01:58 INSERT INTO Employees (EmployeeID, FirstName, LastName, Department, HireDate, Salary) VALUES (1, 'Ma... 5 row(s) affected Records: 5 Duplicates: 0 Warnings: 0 0.000 sec
52 13:02:02 SELECT * FROM Customers LIMIT 0, 1000 5 row(s) returned 0.000 sec / 0.000
Query Completed



View Query Database Server Tools Scripting Help
sql project-1*
event_management_system
File 4*
Limit to 1000 rows
(4, 'Arjun', 'Patel', 'Finance', '2022-09-01', 46000.00),
(5, 'Sara', 'Khan', 'IT', '2018-11-25', 85000.00);
-- Check the tables and sample records
SELECT * FROM Customers;
SELECT * FROM Orders;
SELECT * FROM Employees;
-- 1. INNER JOIN: orders that have matching customer records
SELECT o.OrderID, c.CustomerID, c.FirstName, c.LastName, o.OrderDate, o.TotalAmount
FROM Orders o
INNER JOIN Customers c ON o.CustomerID = c.CustomerID;
Result Grid
Filter Rows:
Edit:
Export/Import:
Wrap Cell Content:
OrderID CustomerID OrderDate TotalAmount
101 1 2023-07-01 150.50
102 2 2023-07-03 200.75
103 1 2023-07-10 650.00
104 3 2023-08-12 1250.00
105 4 2024-01-05 520.00
Orders 2
Output
Schemas
bject selected



sql project-1*
event_management_system
File 4*
Limit to 1000 rows
59 (4, 'Arjun', 'Patel', 'Finance', '2022-09-01', 46000.00),
60 (5, 'Sara', 'Khan', 'IT', '2018-11-25', 85000.00);
61
62 -- Check the tables and sample records
63 SELECT * FROM Customers;
64 SELECT * FROM Orders;
65 SELECT * FROM Employees;
66
67 -- 1. INNER JOIN: orders that have matching customer records
68 SELECT o.OrderID, c.CustomerID, c.FirstName, c.LastName, o.OrderDate, o.TotalAmount
69 FROM Orders o
70 INNER JOIN Customers c ON o.CustomerID = c.CustomerID;
Result Grid
Filter Rows:
Edit:
Export/Import:
Wrap Cell Content:
OrderID CustomerID OrderDate TotalAmount
101 1 2023-07-01 150.50
102 2 2023-07-03 200.75
103 1 2023-07-10 650.00
104 3 2023-08-12 1250.00
105 4 2024-01-05 520.00
Orders 2
Apply
Output
Action Output
Time Action Message Duration / Fetch
48 13:01:41 CREATE TABLE Employees (EmployeeID INT PRIMARY KEY, FirstName VARCHAR(50) NOT NULL, ... 0 row(s) affected 0.031 sec
49 13:01:45 INSERT INTO Customers (CustomerID, FirstName, LastName, Email, RegistrationDate) VALUES (1, 'John', 'Do... 5 row(s) affected Records: 5 Duplicates: 0 Warnings: 0 0.031 sec
50 13:01:55 INSERT INTO Orders (OrderID, CustomerID, OrderDate, TotalAmount) VALUES (101, 1, '2023-07-01', 150.50),... 5 row(s) affected Records: 5 Duplicates: 0 Warnings: 0 0.000 sec
51 13:01:58 INSERT INTO Employees (EmployeeID, FirstName, LastName, Department, HireDate, Salary) VALUES (1, 'Ma... 5 row(s) affected Records: 5 Duplicates: 0 Warnings: 0 0.000 sec
52 13:02:02 SELECT * FROM Customers LIMIT 0, 1000 5 row(s) returned 0.000 sec / 0.0
53 13:02:18 SELECT * FROM Orders LIMIT 0, 1000 5 row(s) returned 0.000 sec / 0.0
Schemas
Session
Search
ENG
IN



sql project-1*
event_management_system
SQL File 4*
Limit to 1000 rows
(4, 'Arjun', 'Patel', 'Finance', '2022-09-01', 46000.00),
(5, 'Sara', 'Khan', 'IT', '2018-11-25', 85000.00);
-- Check the tables and sample records
SELECT * FROM Customers;
SELECT * FROM Orders;
SELECT * FROM Employees;
-- 1. INNER JOIN: orders that have matching customer records
SELECT o.OrderID, c.CustomerID, c.FirstName, c.LastName, o.OrderDate, o.TotalAmount
FROM Orders o
INNER JOIN Customers c ON o.CustomerID = c.CustomerID;
Result Grid
Filter Rows:
Edit:
Export/Import:
Wrap Cell Content:
EmployeeID FirstName LastName Department HireDate Salary
1 Mark Johnson Sales 2020-01-15 50000.00
2 Susan Lee HR 2021-03-20 55000.00
3 Neha Desai IT 2019-06-10 72000.00
4 Arjun Patel Finance 2022-09-01 46000.00
5 Sara Khan IT 2018-11-25 85000.00
Employees 3
Output
Action Output
Time Action Message Duration
49 13:01:45 INSERT INTO Customers (CustomerID, FirstName, LastName, Email, RegistrationDate) VALUES (1, 'John', 'Do... 5 row(s) affected Records: 5 Duplicates: 0 Warnings: 0 0.031 sec
50 13:01:55 INSERT INTO Orders (OrderID, CustomerID, OrderDate, TotalAmount) VALUES (101, 1, '2023-07-01', 150.50),... 5 row(s) affected Records: 5 Duplicates: 0 Warnings: 0 0.000 sec
51 13:01:58 INSERT INTO Employees (EmployeeID, FirstName, LastName, Department, HireDate, Salary) VALUES (1, 'Ma... 5 row(s) affected Records: 5 Duplicates: 0 Warnings: 0 0.000 sec
52 13:02:02 SELECT * FROM Customers LIMIT 0, 1000 5 row(s) returned 0.000 sec
53 13:02:18 SELECT * FROM Orders LIMIT 0, 1000 5 row(s) returned 0.000 sec
54 13:03:57 SELECT * FROM Employees LIMIT 0, 1000 5 row(s) returned 0.000 sec
Session
ENG



sql project-1*
event_management_system
SQL File 4*
Limit to 1000 rows
65 SELECT * FROM Employees;
66
67 -- 1. INNER JOIN: orders that have matching customer records
68 SELECT o.OrderID, c.CustomerID, c.FirstName, c.LastName, o.OrderDate, o.TotalAmount
69 FROM Orders o
70 INNER JOIN Customers c ON o.CustomerID = c.CustomerID;
71
72 -- 2. LEFT JOIN: all customers, whether they have an order or not
73 SELECT c.CustomerID, c.FirstName, c.LastName, o.OrderID, o.TotalAmount
74 FROM Customers c
75 LEFT JOIN Orders o ON c.CustomerID = o.CustomerID;
76
Result Grid
Filter Rows:
Export:
Wrap Cell Content:
OrderID CustomerID FirstName LastName OrderDate TotalAmount
101 1 John Doe 2023-07-01 150.50
102 2 Jane Smith 2023-07-03 200.75
103 1 John Doe 2023-07-10 650.00
104 3 Amit Shah 2023-08-12 1250.00
105 4 Priya Patel 2024-01-05 520.00
Result 4
Output
Action Output
Time Action Message
50 13:01:55 INSERT INTO Orders (OrderID, CustomerID, OrderDate, TotalAmount) VALUES (101, 1, '2023-07-01', 150.50),... 5 row(s) affected Records: 5 Duplicates: 0 Warnings: 0
51 13:01:58 INSERT INTO Employees (EmployeeID, FirstName, LastName, Department, HireDate, Salary) VALUES (1, 'Ma... 5 row(s) affected Records: 5 Duplicates: 0 Warnings: 0
52 13:02:02 SELECT * FROM Customers LIMIT 0, 1000 5 row(s) returned
53 13:02:18 SELECT * FROM Orders LIMIT 0, 1000 5 row(s) returned
54 13:03:57 SELECT * FROM Employees LIMIT 0, 1000 5 row(s) returned
55 13:04:48 SELECT o.OrderID, c.CustomerID, c.FirstName, c.LastName, o.OrderDate, o.TotalAmount FROM Orders o IN... 5 row(s) returned
Schemas
Session



sql project-1*
event_management_system
SQL File 4*
Limit to 1000 rows
65 SELECT * FROM Employees;
67 -- 1. INNER JOIN: orders that have matching customer records
68 SELECT o.OrderID, c.CustomerID, c.FirstName, c.LastName, o.OrderDate, o.TotalAmount
69 FROM Orders o
70 INNER JOIN Customers c ON o.CustomerID = c.CustomerID;
72 -- 2. LEFT JOIN: all customers, whether they have an order or not
73 SELECT c.CustomerID, c.FirstName, c.LastName, o.OrderID, o.TotalAmount
74 FROM Customers c
75 LEFT JOIN Orders o ON c.CustomerID = o.CustomerID;
Result Grid
Filter Rows:
Export:
Wrap Cell Content:
OrderID CustomerID FirstName LastName OrderDate TotalAmount
101 1 John Doe 2023-07-01 150.50
102 2 Jane Smith 2023-07-03 200.75
103 1 John Doe 2023-07-10 650.00
104 3 Amit Shah 2023-08-12 1250.00
105 4 Priya Patel 2024-01-05 520.00
Result 4
Read Only
Output
Action Output
Time Action Message Duration / Fetc
50 13:01:55 INSERT INTO Orders (OrderID, CustomerID, OrderDate, TotalAmount) VALUES (101, 1, '2023-07-01', 150.50),... 5 row(s) affected Records: 5 Duplicates: 0 Warnings: 0 0.000 sec
51 13:01:58 INSERT INTO Employees (EmployeeID, FirstName, LastName, Department, HireDate, Salary) VALUES (1, 'Ma... 5 row(s) affected Records: 5 Duplicates: 0 Warnings: 0 0.000 sec
52 13:02:02 SELECT * FROM Customers LIMIT 0, 1000 5 row(s) returned 0.000 sec / 0.0
53 13:02:18 SELECT * FROM Orders LIMIT 0, 1000 5 row(s) returned 0.000 sec / 0.0
54 13:03:57 SELECT * FROM Employees LIMIT 0, 1000 5 row(s) returned 0.000 sec / 0.0
55 13:04:48 SELECT o.OrderID, c.CustomerID, c.FirstName, c.LastName, o.OrderDate, o.TotalAmount FROM Orders o IN... 5 row(s) returned 0.000 sec / 0.0
Schemas
Session
Search
ENG



Edit View Query Database Server Tools Scripting Help
sql project-1* event_management_system File 4*
Limit to 1000 rows
74 FROM Customers c
75 LEFT JOIN Orders o ON c.CustomerID = o.CustomerID;
76
77 -- 3. RIGHT JOIN: all orders and matching customer details, if any
78 SELECT o.OrderID, o.CustomerID, c.FirstName, c.LastName, o.TotalAmount
79 FROM Customers c
80 RIGHT JOIN Orders o ON c.CustomerID = o.CustomerID;
81
82 -- 4. FULL OUTER JOIN equivalent in MySQL using LEFT JOIN + unmatched RIGHT JOIN rows
83 SELECT c.CustomerID, c.FirstName, c.LastName, o.OrderID, o.TotalAmount
84 FROM Customers c
85 LEFT JOIN Orders o ON c.CustomerID = o.CustomerID
Result Grid Filter Rows: Export: Wrap Cell Content:
OrderID CustomerID FirstName LastName TotalAmount
101 1 John Doe 150.50
102 2 Jane Smith 200.75
103 1 John Doe 650.00
104 3 Amit Shah 1250.00
105 4 Priya Patel 520.00
Result 5
Output
Action Output
Time Action Message Duration
51 13:01:58 INSERT INTO Employees (EmployeeID, FirstName, LastName, Department, HireDate, Salary) VALUES (1, 'Ma... 5 row(s) affected Records: 5 Duplicates: 0 Warnings: 0 0.000 sec
52 13:02:02 SELECT * FROM Customers LIMIT 0, 1000 5 row(s) returned 0.000 sec
53 13:02:18 SELECT * FROM Orders LIMIT 0, 1000 5 row(s) returned 0.000 sec
54 13:03:57 SELECT * FROM Employees LIMIT 0, 1000 5 row(s) returned 0.000 sec
55 13:04:48 SELECT o.OrderID, o.CustomerID, c.FirstName, c.LastName, o.OrderDate, o.TotalAmount FROM Orders o IN... 5 row(s) returned 0.000 sec
56 13:05:55 SELECT o.OrderID, o.CustomerID, c.FirstName, c.LastName, o.TotalAmount FROM Customers c RIGHT JOIN ... 5 row(s) returned 0.000 sec
GEMENT
Server Status
Client Connections
Users and Privileges
Status and System Variables
Data Export
Data Import/Restore
NCE
Startup / Shutdown
Server Logs
Options File
RMANCE
Dashboard
stration Schemas
object selected
Info Session
ompleted



Edit View Query Database Server Tools Scripting Help
sql project-1* event_management_system SQL File 4*
Limit to 1000 rows
80 RIGHT JOIN Orders o ON c.CustomerID = o.CustomerID;
81
82 -- 4. FULL OUTER JOIN equivalent in MySQL using LEFT JOIN + unmatched RIGHT JOIN rows
83 SELECT c.CustomerID, c.FirstName, c.LastName, o.OrderID, o.TotalAmount
84 FROM Customers c
85 LEFT JOIN Orders o ON c.CustomerID = o.CustomerID
86 UNION
87 SELECT c.CustomerID, c.FirstName, c.LastName, o.OrderID, o.TotalAmount
88 FROM Customers c
89 RIGHT JOIN Orders o ON c.CustomerID = o.CustomerID;
90
91 -- 5. Customers whose total order amount is above the average order amount
Result Grid Filter Rows: Export: Wrap Cell Content:
CustomerID FirstName LastName OrderID TotalAmount
1 John Doe 101 150.50
1 John Doe 103 650.00
2 Jane Smith 102 200.75
3 Amit Shah 104 1250.00
4 Priya Patel 105 520.00
Result 6
Read Only
Output
Action Output
Time Action Message Duration / Fetch
52 13:02:02 SELECT * FROM Customers LIMIT 0, 1000 5 row(s) returned 0.000 sec / 0.000 sec
53 13:02:18 SELECT * FROM Orders LIMIT 0, 1000 5 row(s) returned 0.000 sec / 0.000 sec
54 13:03:57 SELECT * FROM Employees LIMIT 0, 1000 5 row(s) returned 0.000 sec / 0.000 sec
55 13:04:48 SELECT o.OrderID, c.CustomerID, c.FirstName, c.LastName, o.OrderDate, o.TotalAmount FROM Orders o IN... 5 row(s) returned 0.000 sec / 0.000 sec
56 13:05:55 SELECT o.OrderID, o.CustomerID, c.FirstName, c.LastName, o.TotalAmount FROM Customers c RIGHT JOIN ... 5 row(s) returned 0.000 sec / 0.000 sec
57 13:06:14 SELECT c.CustomerID, c.FirstName, c.LastName, o.OrderID, o.TotalAmount FROM Customers c LEFT JOIN O... 6 row(s) returned 0.000 sec / 0.000 sec
No object selected
Server Status
Client Connections
Users and Privileges
Status and System Variables
Data Export
Data Import/Restore
Startup / Shutdown
Server Logs
Options File
Dashboard
Schemas
Session
Completed
35°C
Search
ENG



class project
unconnected
unconnected
Edit View Query Database Server Tools Scripting Help
sql project-1*
event_management_system
SQL File 4*
Limit to 1000 rows
GEMENT
Server Status
Client Connections
Users and Privileges
Status and System Variables
Data Export
Data Import/Restore
NCE
Startup / Shutdown
Server Logs
Options File
RMANCE
Dashboard
istration
Schemas
object selected
RIGHT JOIN Orders o ON c.CustomerID = o.CustomerID;
-- 5. Customers whose total order amount is above the average order amount
SELECT c.CustomerID, c.FirstName, c.LastName, SUM(o.TotalAmount) AS TotalSpent
FROM Customers c
JOIN Orders o ON c.CustomerID = o.CustomerID
GROUP BY c.CustomerID, c.FirstName, c.LastName
HAVING SUM(o.TotalAmount) > (SELECT AVG(TotalAmount) FROM Orders);
-- 6. Employees whose salary is above the average employee salary
SELECT EmployeeID, FirstName, LastName, Department, Salary
FROM Employees
Result Grid
Filter Rows:
Export:
Wrap Cell Content:
CustomerID FirstName LastName TotalSpent
1 John Doe 800.50
3 Amit Shah 1250.00



File Edit View Query Database Server Tools Scripting Help
Navigator
MANAGEMENT
Server Status
Client Connections
Users and Privileges
Status and System Variables
Data Export
Data Import/Restore
INSTANCE
Startup / Shutdown
Server Logs
Options File
PERFORMANCE
Dashboard
Administration Schemas
Information
No object selected
Object Info Session
sql project-1* event_management_system File 4*
Limit to 1000 rows
89 RIGHT JOIN Orders o ON c.CustomerID = o.CustomerID;
90
91 -- 5. Customers whose total order amount is above the average order amount
92 SELECT c.CustomerID, c.FirstName, c.LastName, SUM(o.TotalAmount) AS TotalSpent
93 FROM Customers c
94 JOIN Orders o ON c.CustomerID = o.CustomerID
95 GROUP BY c.CustomerID, c.FirstName, c.LastName
96 HAVING SUM(o.TotalAmount) > (SELECT AVG(TotalAmount) FROM Orders);
97
98 -- 6. Employees whose salary is above the average employee salary
99 SELECT EmployeeID, FirstName, LastName, Department, Salary
100 FROM Employees
Result Grid Filter Rows: Export: Wrap Cell Content:
CustomerID FirstName LastName TotalSpent
1 John Doe 800.50
3 Amit Shah 1250.00
Result 7
Read Only
Output
Action Output
Time Action Message Duration / Fe
53 13:02:18 SELECT * FROM Orders LIMIT 0, 1000 5 row(s) returned 0.000 sec / 0
54 13:03:57 SELECT * FROM Employees LIMIT 0, 1000 5 row(s) returned 0.000 sec / 0
55 13:04:48 SELECT o.OrderID, c.CustomerID, c.FirstName, c.LastName, o.OrderDate, o.TotalAmount FROM Orders o IN... 5 row(s) returned 0.000 sec / 0
56 13:05:55 SELECT o.OrderID, o.CustomerID, c.FirstName, c.LastName, o.TotalAmount FROM Customers c RIGHT JOIN ... 5 row(s) returned 0.000 sec / 0
57 13:06:14 SELECT c.CustomerID, c.FirstName, c.LastName, o.OrderID, o.TotalAmount FROM Customers c LEFT JOIN O... 6 row(s) returned 0.000 sec / 0
58 13:06:41 SELECT c.CustomerID, c.FirstName, c.LastName, SUM(o.TotalAmount) AS TotalSpent FROM Customers c JO... 2 row(s) returned 0.000 sec / 0
uery Completed



View Query Database Server Tools Scripting Help
sql project-1* event_management_system SQL File 4*
Limit to 1000 rows
98 -- 6. Employees whose salary is above the average employee salary
99 SELECT EmployeeID, FirstName, LastName, Department, Salary
100 FROM Employees
101 WHERE Salary > (SELECT AVG(Salary) FROM Employees);
102
103 -- 7. Extract the year and month from each order date
104 SELECT OrderID, OrderDate,
105 YEAR(OrderDate) AS OrderYear,
106 MONTH(OrderDate) AS OrderMonth
107 FROM Orders;
108
109 -- 8. Difference in days between order date and current date
Result Grid Filter Rows: Edit: Export/Import: Wrap Cell Content:
EmployeeID FirstName LastName Department Salary
3 Neha Desai IT 72000.00
5 Sara Khan IT 85000.00
Employees 8
Output
Action Output
Time Action Message Duration / Fet
54 13:03:57 SELECT * FROM Employees LIMIT 0, 1000 5 row(s) returned 0.000 sec / 0.
55 13:04:48 SELECT o.OrderID, c.CustomerID, c.FirstName, c.LastName, o.OrderDate, o.TotalAmount FROM Orders o IN... 5 row(s) returned 0.000 sec / 0.
56 13:05:55 SELECT o.OrderID, o.CustomerID, c.FirstName, c.LastName, o.TotalAmount FROM Customers c RIGHT JOIN ... 5 row(s) returned 0.000 sec / 0.
57 13:06:14 SELECT c.CustomerID, c.FirstName, c.LastName, o.OrderID, o.TotalAmount FROM Customers c LEFT JOIN O... 6 row(s) returned 0.000 sec / 0.
58 13:06:41 SELECT c.CustomerID, c.FirstName, c.LastName, SUM(o.TotalAmount) AS TotalSpent FROM Customers c JO... 2 row(s) returned 0.000 sec / 0.
59 13:07:06 SELECT EmployeeID, FirstName, LastName, Department, Salary FROM Employees WHERE Salary > (SELEC... 2 row(s) returned 0.000 sec / 0.
Search
ENG IN



sql project-1*
event_management_system
SQL File 4*
Limit to 1000 rows
-- 6. Employees whose salary is above the average employee salary
SELECT EmployeeID, FirstName, LastName, Department, Salary
FROM Employees
WHERE Salary > (SELECT AVG(Salary) FROM Employees);
-- 7. Extract the year and month from each order date
SELECT OrderID, OrderDate,
YEAR(OrderDate) AS OrderYear,
MONTH(OrderDate) AS OrderMonth
FROM Orders;
-- 8. Difference in days between order date and current date
Result Grid
Filter Rows:
Export:
Wrap Cell Content:
OrderID OrderDate OrderYear OrderMonth
101 2023-07-01 2023 7
102 2023-07-03 2023 7
103 2023-07-10 2023 7
104 2023-08-12 2023 8
105 2024-01-05 2024 1
Result 9
Output
Action Output
Time Action Message
55 13:04:48 SELECT o.OrderID, c.CustomerID, c.FirstName, c.LastName, o.OrderDate, o.TotalAmount FROM Orders o IN... 5 row(s) returned
56 13:05:55 SELECT o.OrderID, o.CustomerID, c.FirstName, c.LastName, o.TotalAmount FROM Customers c RIGHT JOIN ... 5 row(s) returned
57 13:06:14 SELECT c.CustomerID, c.FirstName, c.LastName, o.OrderID, o.TotalAmount FROM Customers c LEFT JOIN O... 6 row(s) returned
58 13:06:41 SELECT c.CustomerID, c.FirstName, c.LastName, SUM(o.TotalAmount) AS TotalSpent FROM Customers c JO... 2 row(s) returned
59 13:07:06 SELECT EmployeeID, FirstName, LastName, Department, Salary FROM Employees WHERE Salary > (SELEC... 2 row(s) returned
60 13:07:21 SELECT OrderID, OrderDate, YEAR(OrderDate) AS OrderYear, MONTH(OrderDate) AS OrderMonth F... 5 row(s) returned
No object selected
Schemas
Session



sql project-1*
event_management_system
SQL File 4*
Limit to 1000 rows
104 • SELECT OrderID, OrderDate,
105 YEAR(OrderDate) AS OrderYear,
106 MONTH(OrderDate) AS OrderMonth
107 FROM Orders;
108
109 -- 8. Difference in days between order date and current date
110 • SELECT OrderID, OrderDate,
111 DATEDIFF(CURDATE(), OrderDate) AS DaysSinceOrder
112 FROM Orders;
113
114 -- 9. Format the order date in a readable format
115 • SELECT OrderID, OrderDate,
Result Grid
Filter Rows:
Export:
Wrap Cell Content:
OrderID OrderDate DaysSinceOrder
101 2023-07-01 1203
102 2023-07-03 1201
103 2023-07-10 1194
104 2023-08-12 1161
105 2024-01-05 1015
Result 10
Output
Action Output
Time Action Message Duration
56 13:05:55 SELECT o.OrderID, o.CustomerID, c.FirstName, c.LastName, o.TotalAmount FROM Customers c RIGHT JOIN ... 5 row(s) returned 0.000 sec
57 13:06:14 SELECT c.CustomerID, c.FirstName, c.LastName, o.OrderID, o.TotalAmount FROM Customers c LEFT JOIN O... 6 row(s) returned 0.000 sec
58 13:06:41 SELECT c.CustomerID, c.FirstName, c.LastName, SUM(o.TotalAmount) AS TotalSpent FROM Customers c JO... 2 row(s) returned 0.000 sec
59 13:07:06 SELECT EmployeeID, FirstName, LastName, Department, Salary FROM Employees WHERE Salary > (SELEC... 2 row(s) returned 0.000 sec
60 13:07:21 SELECT OrderID, OrderDate, YEAR(OrderDate) AS OrderYear, MONTH(OrderDate) AS OrderMonth F... 5 row(s) returned 0.000 sec
61 13:07:34 SELECT OrderID, OrderDate, DATEDIFF(CURDATE(), OrderDate) AS DaysSinceOrder FROM Orders LIM... 5 row(s) returned 0.000 sec
Schemas
Session
Search
ENG
IN



dit View Query Database Server Tools Scripting Help
sql project-1* event_management_system SQL File 4*
Limit to 1000 rows
110 SELECT OrderID, OrderDate,
111 DATEDIFF(CURDATE(), OrderDate) AS DaysSinceOrder
112 FROM Orders;
113
114 -- 9. Format the order date in a readable format
115 SELECT OrderID, OrderDate,
116 DATE_FORMAT(OrderDate, '%d-%b-%Y') AS FormattedOrderDate
117 FROM Orders;
118
119 -- 10. Concatenate first and last names to create a full name
120 SELECT CustomerID,
121 CONCAT(FirstName, ' ', LastName) AS FullName
Result Grid Filter Rows: Export: Wrap Cell Content:
OrderID OrderDate FormattedOrderDate
101 2023-07-01 01-Jul-2023
102 2023-07-03 03-Jul-2023
103 2023-07-10 10-Jul-2023
104 2023-08-12 12-Aug-2023
105 2024-01-05 05-Jan-2024
Result 11
Output
Action Output
Time Action Message Duration
57 13:06:14 SELECT c.CustomerID, c.FirstName, c.LastName, o.OrderID, o.TotalAmount FROM Customers c LEFT JOIN O... 6 row(s) returned 0.000 se
58 13:06:41 SELECT c.CustomerID, c.FirstName, c.LastName, SUM(o.TotalAmount) AS TotalSpent FROM Customers c JO... 2 row(s) returned 0.000 se
59 13:07:06 SELECT EmployeeID, FirstName, LastName, Department, Salary FROM Employees WHERE Salary > (SELEC... 2 row(s) returned 0.000 se
60 13:07:21 SELECT OrderID, OrderDate, YEAR(OrderDate) AS OrderYear, MONTH(OrderDate) AS OrderMonth F... 5 row(s) returned 0.000 se
61 13:07:34 SELECT OrderID, OrderDate, DATEDIFF(CURDATE(), OrderDate) AS DaysSinceOrder FROM Orders LIM... 5 row(s) returned 0.000 se
62 13:07:50 SELECT OrderID, OrderDate, DATE_FORMAT(OrderDate, '%d-%b-%Y') AS FormattedOrderDate FROM Or... 5 row(s) returned 0.000 se



sql project-1*
event_management_system
SQL File 4*
Limit to 1000 rows
DATE_FORMAT(OrderDate, '%d-%b-%Y') AS FormattedOrderDate
FROM Orders;
-- 10. Concatenate first and last names to create a full name
SELECT CustomerID,
CONCAT(FirstName, ' ', LastName) AS FullName
FROM Customers;
-- 11. Replace 'John' with 'Jonathan' in the first-name output
SELECT CustomerID, FirstName,
REPLACE(FirstName, 'John', 'Jonathan') AS UpdatedFirstName
FROM Customers;
Result Grid
Filter Rows:
Export:
Wrap Cell Content:
CustomerID FullName
1 John Doe
2 Jane Smith
3 Amit Shah
4 Priya Patel
5 Ravi Mehta
Result 12
Output
Action Output
Time Action Message
58 13:06:41 SELECT c.CustomerID, c.FirstName, c.LastName, SUM(o.TotalAmount) AS TotalSpent FROM Customers c JO... 2 row(s) returned
59 13:07:06 SELECT EmployeeID, FirstName, LastName, Department, Salary FROM Employees WHERE Salary > (SELEC... 2 row(s) returned
60 13:07:21 SELECT OrderID, OrderDate, YEAR(OrderDate) AS OrderYear, MONTH(OrderDate) AS OrderMonth F... 5 row(s) returned
61 13:07:34 SELECT OrderID, OrderDate, DATEDIFF(CURDATE(), OrderDate) AS DaysSinceOrder FROM Orders LIM... 5 row(s) returned
62 13:07:50 SELECT OrderID, OrderDate, DATE_FORMAT(OrderDate, '%d-%b-%Y') AS FormattedOrderDate FROM Or... 5 row(s) returned
63 13:08:04 SELECT CustomerID, CONCAT(FirstName, ' ', LastName) AS FullName FROM Customers LIMIT 0, 1000 5 row(s) returned
Session
35°C
Sunny
Search
ENG
IN


sql project-1*
event_management_system
SQL File 4*
Limit to 1000 rows
FROM Customers;
-- 11. Replace 'John' with 'Jonathan' in the first-name output
SELECT CustomerID, FirstName,
REPLACE(FirstName, 'John', 'Jonathan') AS UpdatedFirstName
FROM Customers;
-- 12. Convert first names to uppercase and last names to lowercase
SELECT CustomerID,
UPPER(FirstName) AS FirstNameUppercase,
LOWER(LastName) AS LastNameLowercase
FROM Customers;
Result Grid
Filter Rows:
Export:
Wrap Cell Content:
CustomerID FirstName UpdatedFirstName
1 John Jonathan
2 Jane Jane
3 Amit Amit
4 Priya Priya
5 Ravi Ravi
Result 13
Output
Action Output
Message
59 13:07:06 SELECT EmployeeID, FirstName, LastName, Department, Salary FROM Employees WHERE Salary > (SELEC... 2 row(s) returned
60 13:07:21 SELECT OrderID, OrderDate, YEAR(OrderDate) AS OrderYear, MONTH(OrderDate) AS OrderMonth F... 5 row(s) returned
61 13:07:34 SELECT OrderID, OrderDate, DATEDIFF(CURDATE(), OrderDate) AS DaysSinceOrder FROM Orders LIM... 5 row(s) returned
62 13:07:50 SELECT OrderID, OrderDate, DATE_FORMAT(OrderDate, '%d-%b-%Y') AS FormattedOrderDate FROM Or... 5 row(s) returned
63 13:08:04 SELECT CustomerID, CONCAT(FirstName, ' ', LastName) AS FullName FROM Customers LIMIT 0, 1000 5 row(s) returned
64 13:08:49 SELECT CustomerID, FirstName, REPLACE(FirstName, 'John', 'Jonathan') AS UpdatedFirstName FROM C... 5 row(s) returned


sql project-1*
event_management_system
SQL File 4*
Limit to 1000 rows
-- 12. Convert first names to uppercase and last names to lowercase
SELECT CustomerID,
UPPER(FirstName) AS FirstNameUppercase,
LOWER(LastName) AS LastNameLowercase
FROM Customers;
-- 13. Remove extra spaces from the email field
SELECT CustomerID, Email,
TRIM(Email) AS CleanEmail
FROM Customers;
Result Grid
Filter Rows:
Export:
Wrap Cell Content:
CustomerID FirstNameUppercase LastNameLowercase
1 JOHN doe
2 JANE smith
3 AMIT shah
4 PRIYA patel
5 RAVI mehta
Result 14
Read Only
Output
Action Output
Time Action Message Duration / Fetch
60 13:07:21 SELECT OrderID, OrderDate, YEAR(OrderDate) AS OrderYear, MONTH(OrderDate) AS OrderMonth F... 5 row(s) returned 0.000 sec / 0.000
61 13:07:34 SELECT OrderID, OrderDate, DATEDIFF(CURDATE(), OrderDate) AS DaysSinceOrder FROM Orders LIM... 5 row(s) returned 0.000 sec / 0.000
62 13:07:50 SELECT OrderID, OrderDate, DATE_FORMAT(OrderDate, '%d-%b-%Y') AS FormattedOrderDate FROM Or... 5 row(s) returned 0.000 sec / 0.000
63 13:08:04 SELECT CustomerID, CONCAT(FirstName, ' ', LastName) AS FullName FROM Customers LIMIT 0, 1000 5 row(s) returned 0.015 sec / 0.000
64 13:08:49 SELECT CustomerID, FirstName, REPLACE(FirstName, 'John', 'Jonathan') AS UpdatedFirstName FROM C... 5 row(s) returned 0.000 sec / 0.000
65 13:09:08 SELECT CustomerID, UPPER(FirstName) AS FirstNameUppercase, LOWER(LastName) AS LastNam... 5 row(s) returned 0.000 sec / 0.000


Edit View Query Database Server Tools Scripting Help
sql project-1* event_management_system SQL File 4*
Limit to 1000 rows
131 UPPER(FirstName) AS FirstNameUppercase,
132 LOWER(LastName) AS LastNameLowercase
133 FROM Customers;
134
135 -- 13. Remove extra spaces from the email field
136 SELECT CustomerID, Email,
137 TRIM(Email) AS CleanEmail
138 FROM Customers;
139
140 -- 14. Running total of TotalAmount for each order, in order-date order
141 SELECT OrderID, OrderDate, TotalAmount,
142 SUM(TotalAmount) OVER (
Result Grid Filter Rows: Export: Wrap Cell Content:
CustomerID Email CleanEmail
1 john.doe@email.com john.doe@email.com
2 jane.smith@email.com jane.smith@email.com
3 amit.shah@email.com amit.shah@email.com
4 priya.patel@email.com priya.patel@email.com
5 ravi.mehta@email.com ravi.mehta@email.com
Result 15
Output
Action Output
Time Action Message Duration / Fe
61 13:07:34 SELECT OrderID, OrderDate, DATEDIFF(CURDATE(), OrderDate) AS DaysSinceOrder FROM Orders LIM... 5 row(s) returned 0.000 sec /
62 13:07:50 SELECT OrderID, OrderDate, DATE_FORMAT(OrderDate, '%d-%b-%Y') AS FormattedOrderDate FROM Or... 5 row(s) returned 0.000 sec /
63 13:08:04 SELECT CustomerID, CONCAT(FirstName, ' ', LastName) AS FullName FROM Customers LIMIT 0, 1000 5 row(s) returned 0.015 sec /
64 13:08:49 SELECT CustomerID, FirstName, REPLACE(FirstName, 'John', 'Jonathan') AS UpdatedFirstName FROM C... 5 row(s) returned 0.000 sec /
65 13:09:08 SELECT CustomerID, UPPER(FirstName) AS FirstNameUppercase, LOWER(LastName) AS LastNam... 5 row(s) returned 0.000 sec /
66 13:09:37 SELECT CustomerID, Email, TRIM(Email) AS CleanEmail FROM Customers LIMIT 0, 1000 5 row(s) returned 0.000 sec /
Completed


class project
unconnected
unconnected
File Edit View Query Database Server Tools Scripting Help
Navigator
MANAGEMENT
Server Status
Client Connections
Users and Privileges
Status and System Variables
Data Export
Data Import/Restore
INSTANCE
Startup / Shutdown
Server Logs
Options File
PERFORMANCE
Dashboard
Administration Schemas
Information
No object selected
Object Info Session
sql project-1*
event_management_system
SQL File 4*
Limit to 1000 rows
137 TRIM(Email) AS CleanEmail
138 FROM Customers;
139
140 -- 14. Running total of TotalAmount for each order, in order-date order
141 SELECT OrderID, OrderDate, TotalAmount,
142 SUM(TotalAmount) OVER (
143 ORDER BY OrderDate, OrderID
144 ROWS BETWEEN UNBOUNDED PRECEDING AND CURRENT ROW
145) AS RunningTotal
146 FROM Orders;
147
148 -- 15. Rank orders by TotalAmount, highest amount gets rank 1
Result Grid
Filter Rows:
Export:
Wrap Cell Content:
OrderID OrderDate TotalAmount RunningTotal
101 2023-07-01 150.50 150.50
102 2023-07-03 200.75 351.25
103 2023-07-10 650.00 1001.25
104 2023-08-12 1250.00 2251.25
105 2024-01-05 520.00 2771.25
Result 16
Read Only
Output
Action Output
Time Action Message Duration / Fetch
62 13:07:50 SELECT OrderID, OrderDate, DATE_FORMAT(OrderDate, '%d-%b-%Y') AS FormattedOrderDate FROM Or... 5 row(s) returned 0.000 sec / 0.000 sec
63 13:08:04 SELECT CustomerID, CONCAT(FirstName, ' ', LastName) AS FullName FROM Customers LIMIT 0, 1000 5 row(s) returned 0.015 sec / 0.000 sec
64 13:08:49 SELECT CustomerID, FirstName, REPLACE(FirstName, 'John', 'Jonathan') AS UpdatedFirstName FROM C... 5 row(s) returned 0.000 sec / 0.000 sec
65 13:09:08 SELECT CustomerID, UPPER(FirstName) AS FirstNameUppercase, LOWER(LastName) AS LastNam... 5 row(s) returned 0.000 sec / 0.000 sec
66 13:09:37 SELECT CustomerID, Email, TRIM(Email) AS CleanEmail FROM Customers LIMIT 0, 1000 5 row(s) returned 0.000 sec / 0.000 sec
67 13:09:53 SELECT OrderID, OrderDate, TotalAmount, SUM(TotalAmount) OVER (ORDER BY OrderDate, Or... 5 row(s) returned 0.000 sec / 0.000 sec
Query Completed
35°C
Search
ENG
IN
13:10
16-10-2026


View Query Database Server Tools Scripting Help
sql project-1* event_management_system SQL File 4*
Limit to 1000 rows
ORDER BY OrderDate, OrderID
ROWS BETWEEN UNBOUNDED PRECEDING AND CURRENT ROW
) AS RunningTotal
FROM Orders;
-- 15. Rank orders by TotalAmount, highest amount gets rank 1
SELECT OrderID, TotalAmount,
RANK() OVER (ORDER BY TotalAmount DESC) AS OrderRank
FROM Orders;
-- 16. Assign discount based on TotalAmount
-- Assumption: amount > 1000 = 10%, amount > 500 = 5%, otherwise 0%.
Result Grid Filter Rows: Export: Wrap Cell Content:
OrderID TotalAmount OrderRank
104 1250.00 1
103 650.00 2
105 520.00 3
102 200.75 4
101 150.50 5
Result 17
Output
Action Output
Time Action Message
63 13:08:04 SELECT CustomerID, CONCAT(FirstName, ' ', LastName) AS FullName FROM Customers LIMIT 0, 1000 5 row(s) returned
64 13:08:49 SELECT CustomerID, FirstName, REPLACE(FirstName, 'John', 'Jonathan') AS UpdatedFirstName FROM C... 5 row(s) returned
65 13:09:08 SELECT CustomerID, UPPER(FirstName) AS FirstNameUppercase, LOWER(LastName) AS LastNam... 5 row(s) returned
66 13:09:37 SELECT CustomerID, Email, TRIM(Email) AS CleanEmail FROM Customers LIMIT 0, 1000 5 row(s) returned
67 13:09:53 SELECT OrderID, OrderDate, TotalAmount, SUM(TotalAmount) OVER (ORDER BY OrderDate, Or... 5 row(s) returned
68 13:10:15 SELECT OrderID, TotalAmount, RANK() OVER (ORDER BY TotalAmount DESC) AS OrderRank FROM O... 5 row(s) returned