






class project
File Edit View Query Database Server Tools Scripting Help
Navigator
MANAGEMENT
Server Status
Client Connections
Users and Privileges
Status and System Variables
Data Export
Data Import/Restore
INSTANCE
Startup / Shutdown
Server Logs
Options File
PERFORMANCE
Dashboard
Performance Reports
Administration Schemas
Information
No object selected
Object Info Session
sql project-1*
SQL File 3*
Limit to 1000 rows
71
72 -- ---
73 -- 2. SAMPLE DATA INSERTION
74 -- ---
75
76 INSERT INTO venues (venue_name, city, capacity) VALUES
77 ('Grand Hall', 'New York', 500),
78 ('City Center', 'Chicago', 300),
79 ('Tech Park Auditorium', 'San Francisco', 1000),
80 ('Open Air Arena', 'Austin', 1500);
81 select * from venues;
82
Result Grid
Filter Rows:
Edit:
Export/Import:
Wrap Cell Content:
venue_id venue_name city capacity
1 Grand Hall New York 500
2 City Center Chicago 300
3 Tech Park Auditorium San Francisco 1000
4 Open Air Arena Austin 1500
NULL NULL NULL NULL
venues 1
Output
Action Output
Time Action Message
9 11:43:38 INSERT INTO organizers (organizer_name, email) VALUES ('tech global inc', 'contact@techglobal.com'), ('musi... 5 row(s) affected Records: 5 Duplicates: 0 Warnings: 0
10 11:43:45 INSERT INTO events (event_name, event_date, venue_id, organizer_id, total_seats, available_seats, ticket_p... 6 row(s) affected Records: 6 Duplicates: 0 Warnings: 0
11 11:43:50 INSERT INTO attendees (attendee_name, email) VALUES (' Alice Smith ', 'alice@example.com'), ('Bob Johns... 6 row(s) affected Records: 6 Duplicates: 0 Warnings: 0
12 11:43:58 INSERT INTO tickets (event_id, attendee_id, booking_date) VALUES (1, 1, '2026-10-01 10:00:00'), (1, 2, '202... 7 row(s) affected Records: 7 Duplicates: 0 Warnings: 0
13 11:44:04 INSERT INTO payments (ticket_id, amount, payment_status, payment_date) VALUES (1, 150.00, 'Success', '2... 6 row(s) affected Records: 6 Duplicates: 0 Warnings: 0
14 11:46:29 select * from venues LIMIT 0, 1000 4 row(s) returned



File Edit View Query Database Server Tools Scripting Help
Navigator
MANAGEMENT
Server Status
Client Connections
Users and Privileges
Status and System Variables
Data Export
Data Import/Restore
INSTANCE
Startup / Shutdown
Server Logs
Options File
PERFORMANCE
Dashboard
Performance Reports
Administration Schemas
Information
No object selected
Object Info Session
sql project-1*
SQL File 3*
Limit to 1000 rows
83 INSERT INTO organizers (organizer_name, email) VALUES
84 ('tech global inc', 'contact@techglobal.com'),
85 ('music fest org', 'info@musicfest.com'),
86 ('corp events co', NULL),
87 ('community hub', 'hello@communityhub.org'),
88 ('creative minds', 'support@creativeminds.com');
89 select*from organizers;
90
91 INSERT INTO events (event_name, event_date, venue_id, organizer_id, total_seats, available_seats, ticket_price) VALUES
92 ('Tech Conference 2026', '2026-11-15 09:00:00', 1, 1, 500, 50, 150.00),
93 ('Music Festival', '2026-12-01 18:00:00', 4, 2, 1000, 300, 80.00),
94 ('Business Leadership Summit', '2026-10-25 10:00:00', 2, 1, 200, 150, 200.00),
Result Grid Filter Rows: Edit: Export/Import: Wrap Cell Content:
organizer_id organizer_name email
1 tech global inc contact@techglobal.com
2 music fest org info@musicfest.com
3 corp events co NULL
4 community hub hello@communityhub.org
5 creative minds support@creativeminds.com
NULL NULL NULL
organizers 2
Output
Action Output
Time Action Message Duration
10 11:43:45 INSERT INTO events (event_name, event_date, venue_id, organizer_id, total_seats, available_seats, ticket_p... 6 row(s) affected Records: 6 Duplicates: 0 Warnings: 0 0.016 s
11 11:43:50 INSERT INTO attendees (attendee_name, email) VALUES (' Alice Smith ', 'alice@example.com'), ('Bob Johns... 6 row(s) affected Records: 6 Duplicates: 0 Warnings: 0 0.000 s
12 11:43:58 INSERT INTO tickets (event_id, attendee_id, booking_date) VALUES (1, 1, '2026-10-01 10:00:00'), (1, 2, '202... 7 row(s) affected Records: 7 Duplicates: 0 Warnings: 0 0.000 s
13 11:44:04 INSERT INTO payments (ticket_id, amount, payment_status, payment_date) VALUES (1, 150.00, 'Success', '2... 6 row(s) affected Records: 6 Duplicates: 0 Warnings: 0 0.016 s
14 11:46:29 select * from venues LIMIT 0, 1000 4 row(s) returned 0.000 s
15 11:46:50 select*from organizers LIMIT 0, 1000 5 row(s) returned 0.000 s
33°C
ENG



class project
File Edit View Query Database Server Tools Scripting Help
Navigator
MANAGEMENT
Server Status
Client Connections
Users and Privileges
Status and System Variables
Data Export
Data Import/Restore
INSTANCE
Startup / Shutdown
Server Logs
Options File
PERFORMANCE
Dashboard
Performance Reports
Administration Schemas
Information
No object selected
Object Info Session
sql project-1* SQL File 3*
Limit to 1000 rows
92 ('Tech Conference 2026', '2026-11-15 09:00:00', 1, 1, 500, 50, 150.00),
93 ('Music Festival', '2026-12-01 18:00:00', 4, 2, 1000, 300, 80.00),
94 ('Business Leadership Summit', '2026-10-25 10:00:00', 2, 1, 200, 150, 200.00),
95 ('AI & Data Expo', '2026-11-01 09:30:00', 3, 1, 800, 50, 250.00),
96 ('Local Art Workshop', '2026-10-20 14:00:00', NULL, 4, 50, 45, 30.00),
97 ('Developer Summit', '2026-12-10 10:00:00', 1, 1, 400, 100, 120.00);
98 select*from events;
99
100 INSERT INTO attendees (attendee_name, email) VALUES
101 (' Alice Smith ', 'alice@example.com'),
102 ('Bob Johnson', NULL),
103 (' Charlie Brown ', 'charlie@example.com'),
Result Grid Filter Rows: Edit: Export/Import: Wrap Cell Content:
event_id event_name event_date venue_id organizer_id total_seats available_seats ticket_price
1 Tech Conference 2026 2026-11-15 09:00:00 1 1 500 50 150.00
2 Music Festival 2026-12-01 18:00:00 4 2 1000 300 80.00
3 Business Leadership Summit 2026-10-25 10:00:00 2 1 200 150 200.00
4 AI & Data Expo 2026-11-01 09:30:00 3 1 800 50 250.00
5 Local Art Workshop 2026-10-20 14:00:00 NULL 4 50 45 30.00
6 Developer Summit 2026-12-10 10:00:00 1 1 400 100 120.00
events 3
Apply
Output
Action Output
Time Action Message Duration / Fe
11 11:43:50 INSERT INTO attendees (attendee_name, email) VALUES (' Alice Smith ', 'alice@example.com'), ('Bob Johns... 6 row(s) affected Records: 6 Duplicates: 0 Warnings: 0 0.000 sec
12 11:43:58 INSERT INTO tickets (event_id, attendee_id, booking_date) VALUES (1, 1, '2026-10-01 10:00:00'), (1, 2, '202... 7 row(s) affected Records: 7 Duplicates: 0 Warnings: 0 0.000 sec
13 11:44:04 INSERT INTO payments (ticket_id, amount, payment_status, payment_date) VALUES (1, 150.00, 'Success', '2... 6 row(s) affected Records: 6 Duplicates: 0 Warnings: 0 0.016 sec
14 11:46:29 select * from venues LIMIT 0, 1000 4 row(s) returned 0.000 sec /
15 11:46:50 select*from organizers LIMIT 0, 1000 5 row(s) returned 0.000 sec /
16 11:47:04 select*from events LIMIT 0, 1000 6 row(s) returned 0.000 sec /
33°C
ENG



class project
File Edit View Query Database Server Tools Scripting Help
Navigator
MANAGEMENT
Server Status
Client Connections
Users and Privileges
Status and System Variables
Data Export
Data Import/Restore
INSTANCE
Startup / Shutdown
Server Logs
Options File
PERFORMANCE
Dashboard
Performance Reports
Administration Schemas
Information
No object selected
Object Info Session
sql project-1* SQL File 3*
Limit to 1000 rows
92 ('Tech Conference 2026', '2026-11-15 09:00:00', 1, 1, 500, 50, 150.00),
93 ('Music Festival', '2026-12-01 18:00:00', 4, 2, 1000, 300, 80.00),
94 ('Business Leadership Summit', '2026-10-25 10:00:00', 2, 1, 200, 150, 200.00),
95 ('AI & Data Expo', '2026-11-01 09:30:00', 3, 1, 800, 50, 250.00),
96 ('Local Art Workshop', '2026-10-20 14:00:00', NULL, 4, 50, 45, 30.00),
97 ('Developer Summit', '2026-12-10 10:00:00', 1, 1, 400, 100, 120.00);
98 select*from events;
99
100 INSERT INTO attendees (attendee_name, email) VALUES
101 (' Alice Smith ', 'alice@example.com'),
102 ('Bob Johnson', NULL),
103 (' Charlie Brown ', 'charlie@example.com'),
Result Grid Filter Rows: Edit: Export/Import: Wrap Cell Content:
event_id event_name event_date venue_id organizer_id total_seats available_seats ticket_price
1 Tech Conference 2026 2026-11-15 09:00:00 1 1 500 50 150.00
2 Music Festival 2026-12-01 18:00:00 4 2 1000 300 80.00
3 Business Leadership Summit 2026-10-25 10:00:00 2 1 200 150 200.00
4 AI & Data Expo 2026-11-01 09:30:00 3 1 800 50 250.00
5 Local Art Workshop 2026-10-20 14:00:00 NULL 4 50 45 30.00
6 Developer Summit 2026-12-10 10:00:00 1 1 400 100 120.00
events 3
Apply
Output
Action Output
Time Action Message Duration / Fe
11 11:43:50 INSERT INTO attendees (attendee_name, email) VALUES (' Alice Smith ', 'alice@example.com'), ('Bob Johns... 6 row(s) affected Records: 6 Duplicates: 0 Warnings: 0 0.000 sec
12 11:43:58 INSERT INTO tickets (event_id, attendee_id, booking_date) VALUES (1, 1, '2026-10-01 10:00:00'), (1, 2, '202... 7 row(s) affected Records: 7 Duplicates: 0 Warnings: 0 0.000 sec
13 11:44:04 INSERT INTO payments (ticket_id, amount, payment_status, payment_date) VALUES (1, 150.00, 'Success', '2... 6 row(s) affected Records: 6 Duplicates: 0 Warnings: 0 0.016 sec
14 11:46:29 select * from venues LIMIT 0, 1000 4 row(s) returned 0.000 sec /
15 11:46:50 select*from organizers LIMIT 0, 1000 5 row(s) returned 0.000 sec /
16 11:47:04 select*from events LIMIT 0, 1000 6 row(s) returned 0.000 sec /
33°C
ENG



File Edit View Query Database Server Tools Scripting Help
Navigator
MANAGEMENT
Server Status
Client Connections
Users and Privileges
Status and System Variables
Data Export
Data Import/Restore
INSTANCE
Startup / Shutdown
Server Logs
Options File
PERFORMANCE
Dashboard
Performance Reports
Administration Schemas
Information
No object selected
Object Info Session
sql project-1* SQL File 3*
Limit to 1000 rows
(' Alice Smith ', 'alice@example.com'),
('Bob Johnson', NULL),
(' Charlie Brown ', 'charlie@example.com'),
('Diana Prince', 'diana@example.com'),
(' Evan Wright', NULL),
('Fiona Gallagher', 'fiona@example.com');
select*from attendees;
INSERT INTO tickets (event_id, attendee_id, booking_date) VALUES
(1, 1, '2026-10-01 10:00:00'),
(1, 2, '2026-10-02 11:30:00'),
(2, 1, '2026-10-03 14:15:00'),
Result Grid Filter Rows: Edit: Export/Import: Wrap Cell Content:
attendee_id attendee_name email
1 Alice Smith alice@example.com
2 Bob Johnson NULL
3 Charlie Brown charlie@example.com
4 Diana Prince diana@example.com
5 Evan Wright NULL
6 Fiona Gallagher fiona@example.com
attendees 4 attendees 5
Apply
Output
Action Output
Time Action Message Duration / Fetch
13 11:44:04 INSERT INTO payments (ticket_id, amount, payment_status, payment_date) VALUES (1, 150.00, 'Success', '2... 6 row(s) affected Records: 6 Duplicates: 0 Warnings: 0 0.016 sec
14 11:46:29 select * from venues LIMIT 0, 1000 4 row(s) returned 0.000 sec / 0.000 se
15 11:46:50 select*from organizers LIMIT 0, 1000 5 row(s) returned 0.000 sec / 0.000 se
16 11:47:04 select*from events LIMIT 0, 1000 6 row(s) returned 0.000 sec / 0.000 se
17 11:47:27 select*from attendees LIMIT 0, 1000 6 row(s) returned 0.016 sec / 0.000 se
18 11:47:27 select*from attendees LIMIT 0, 1000 6 row(s) returned 0.000 sec / 0.000 se
33°C
Search
ENG



class project
Edit View Query Database Server Tools Scripting Help
sql project-1*
SQL File 3*
Limit to 1000 rows
107 select*from attendees;
108
109 INSERT INTO tickets (event_id, attendee_id, booking_date) VALUES
110 (1, 1, '2026-10-01 10:00:00'),
111 (1, 2, '2026-10-02 11:30:00'),
112 (2, 1, '2026-10-03 14:15:00'),
113 (2, 3, '2026-10-04 09:00:00'),
114 (3, 4, '2026-10-05 16:45:00'),
115 (4, 1, '2026-10-06 12:00:00'),
116 (4, 5, '2026-10-07 15:30:00');
117 select*from tickets;
118
Result Grid
ticket_id event_id attendee_id booking_date
1 1 1 2026-10-01 10:00:00
2 1 2 2026-10-02 11:30:00
3 2 1 2026-10-03 14:15:00
4 2 3 2026-10-04 09:00:00
5 3 4 2026-10-05 16:45:00
6 4 1 2026-10-06 12:00:00
7 4 5 2026-10-07 15:30:00
tickets 6
Output
Action Output
Time Action Message Duration / Fetch
14 11:46:29 select * from venues LIMIT 0, 1000 4 row(s) returned 0.000 sec / 0.000
15 11:46:50 select*from organizers LIMIT 0, 1000 5 row(s) returned 0.000 sec / 0.000
16 11:47:04 select*from events LIMIT 0, 1000 6 row(s) returned 0.000 sec / 0.000
17 11:47:27 select*from attendees LIMIT 0, 1000 6 row(s) returned 0.016 sec / 0.000
18 11:47:27 select*from attendees LIMIT 0, 1000 6 row(s) returned 0.000 sec / 0.000
19 11:48:12 select*from tickets LIMIT 0, 1000 7 row(s) returned 0.000 sec / 0.000
Server Status
Client Connections
Users and Privileges
Status and System Variables
Data Export
Data Import/Restore
Startup / Shutdown
Server Logs
Options File
Dashboard
Performance Reports
Schemas
o object selected
Session
33°C
Search
ENG



class project
File Edit View Query Database Server Tools Scripting Help
Navigator
MANAGEMENT
Server Status
Client Connections
Users and Privileges
Status and System Variables
Data Export
Data Import/Restore
INSTANCE
Startup / Shutdown
Server Logs
Options File
PERFORMANCE
Dashboard
Performance Reports
Administration Schemas
Information
No object selected
Object Info Session
sql project-1*
SQL File 3*
Limit to 1000 rows
119 INSERT INTO payments (ticket_id, amount, payment_status, payment_date) VALUES
120 (1, 150.00, 'Success', '2026-10-01 10:05:00'),
121 (2, 150.00, 'Failed', '2026-10-02 11:35:00'),
122 (3, 80.00, 'Success', '2026-10-03 14:20:00'),
123 (4, 80.00, 'Success', '2026-10-04 09:05:00'),
124 (5, 200.00, 'Pending', '2026-10-05 16:50:00'),
125 (6, 250.00, 'Success', '2026-10-06 12:10:00');
126 select*from payments;
127
128 -- --
129 -- 4. BASIC QUERIES (Sorting, Counting, Total Revenue)
130 -- --
Result Grid Filter Rows: Edit: Export/Import: Wrap Cell Content:
payment_id ticket_id amount payment_status payment_date
1 1 150.00 Success 2026-10-01 10:05:00
2 2 150.00 Failed 2026-10-02 11:35:00
3 3 80.00 Success 2026-10-03 14:20:00
4 4 80.00 Success 2026-10-04 09:05:00
5 5 200.00 Pending 2026-10-05 16:50:00
6 6 250.00 Success 2026-10-06 12:10:00
payments 7
Apply Revert
Output
Action Output
Time Action Message Duration / Fetch
15 11:46:50 select*from organizers LIMIT 0, 1000 5 row(s) returned 0.000 sec / 0.000 sec
16 11:47:04 select*from events LIMIT 0, 1000 6 row(s) returned 0.000 sec / 0.000 sec
17 11:47:27 select*from attendees LIMIT 0, 1000 6 row(s) returned 0.016 sec / 0.000 sec
18 11:47:27 select*from attendees LIMIT 0, 1000 6 row(s) returned 0.000 sec / 0.000 sec
19 11:48:12 select*from tickets LIMIT 0, 1000 7 row(s) returned 0.000 sec / 0.000 sec
20 11:48:24 select*from payments LIMIT 0, 1000 6 row(s) returned 0.000 sec / 0.000 sec
33°C Sunny
Search
ENG IN
11:48 16-10-2026



sql project-1*
SQL File 3*
Limit to 1000 rows
(6, 250.00, 'Success', '2026-10-06 12:10:00');
select*from payments;
-- 4. BASIC QUERIES (Sorting, Counting, Total Revenue)
-- Sort events by date in ascending order
SELECT event_id, event_name, event_date, ticket_price
FROM events
ORDER BY event_date ASC;
Result Grid
Filter Rows:
Edit:
Export/Import:
Wrap Cell Content:
event_id | event_name | event_date | ticket_price
5 | Local Art Workshop | 2026-10-20 14:00:00 | 30.00
3 | Business Leadership Summit | 2026-10-25 10:00:00 | 200.00
4 | AI & Data Expo | 2026-11-01 09:30:00 | 250.00
1 | Tech Conference 2026 | 2026-11-15 09:00:00 | 150.00
2 | Music Festival | 2026-12-01 18:00:00 | 80.00
6 | Developer Summit | 2026-12-10 10:00:00 | 120.00
events 8
Apply
Revert
Output
Action Output
| Time | Action | Message | Duration / Fetch
16 | 11:47:04 | select*from events LIMIT 0, 1000 | 6 row(s) returned | 0.000 sec / 0.000 sec
17 | 11:47:27 | select*from attendees LIMIT 0, 1000 | 6 row(s) returned | 0.016 sec / 0.000 sec
18 | 11:47:27 | select*from attendees LIMIT 0, 1000 | 6 row(s) returned | 0.000 sec / 0.000 sec
19 | 11:48:12 | select*from tickets LIMIT 0, 1000 | 7 row(s) returned | 0.000 sec / 0.000 sec
20 | 11:48:24 | select*from payments LIMIT 0, 1000 | 6 row(s) returned | 0.000 sec / 0.000 sec
21 | 11:49:10 | SELECT event_id, event_name, event_date, ticket_price FROM events ORDER BY event_date ASC LIMIT 0... | 6 row(s) returned | 0.000 sec / 0.000 sec
No object selected
Server Status
Client Connections
Users and Privileges
Status and System Variables
Data Export
Data Import/Restore
Startup / Shutdown
Server Logs
Options File
Dashboard
Performance Reports
Schemas
Session
33°C
Sunny
Search
ENG
IN



class project
Edit View Query Database Server Tools Scripting Help
sql project-1*
SQL File 3*
Limit to 1000 rows
132 -- Sort events by date in ascending order
133 SELECT event_id, event_name, event_date, ticket_price
134 FROM events
135 ORDER BY event_date ASC;
136
137 -- Count the number of attendees per event
138 SELECT e.event_id, e.event_name, COUNT(t.attendee_id) AS attendee_count
139 FROM events e
140 LEFT JOIN tickets t ON e.event_id = t.event_id
141 GROUP BY e.event_id, e.event_name;
142
143 -- Show the total revenue generated per event
Result Grid
event_id event_name attendee_count
1 Tech Conference 2026 2
2 Music Festival 2
3 Business Leadership Summit 1
4 AI & Data Expo 2
5 Local Art Workshop 0
6 Developer Summit 0
Result 9
Read Only
Output
Action Output
Time Action Message
17 11:47:27 select*from attendees LIMIT 0, 1000 6 row(s) returned
18 11:47:27 select*from attendees LIMIT 0, 1000 6 row(s) returned
19 11:48:12 select*from tickets LIMIT 0, 1000 7 row(s) returned
20 11:48:24 select*from payments LIMIT 0, 1000 6 row(s) returned
21 11:49:10 SELECT event_id, event_name, event_date, ticket_price FROM events ORDER BY event_date ASC LIMIT 0... 6 row(s) returned
22 11:49:29 SELECT e.event_id, e.event_name, COUNT(t.attendee_id) AS attendee_count FROM events e LEFT JOIN ti... 6 row(s) returned
Server Status
Client Connections
Users and Privileges
Status and System Variables
Data Export
Data Import/Restore
Startup / Shutdown
Server Logs
Options File
Dashboard
Performance Reports
Schemas
o object selected
Session
33°C
ENG



lass project
View Query Database Server Tools Scripting Help
sql project-1*
SQL File 3*
Limit to 1000 rows
141 GROUP BY e.event_id, e.event_name;
142
143 -- Show the total revenue generated per event
144 SELECT e.event_id, e.event_name, COALESCE(SUM(p.amount), 0) AS total_revenue
145 FROM events e
146 JOIN tickets t ON e.event_id = t.event_id
147 JOIN payments p ON t.ticket_id = p.ticket_id
148 WHERE p.payment_status = 'Success'
149 GROUP BY e.event_id, e.event_name;
150
151 -- --
152 -- 5. AGGREGATE FUNCTIONS (SUM, AVG, MAX, MIN, COUNT)
Result Grid
Filter Rows:
Export:
Wrap Cell Content:
event_id event_name total_revenue
1 Tech Conference 2026 150.00
2 Music Festival 160.00
4 AI & Data Expo 250.00
Result 10
Output
Action Output
Time Action Message
18 11:47:27 select*from attendees LIMIT 0, 1000 6 row(s) returned
19 11:48:12 select*from tickets LIMIT 0, 1000 7 row(s) returned
20 11:48:24 select*from payments LIMIT 0, 1000 6 row(s) returned
21 11:49:10 SELECT event_id, event_name, event_date, ticket_price FROM events ORDER BY event_date ASC LIMIT 0... 6 row(s) returned
22 11:49:29 SELECT e.event_id, e.event_name, COUNT(t.attendee_id) AS attendee_count FROM events e LEFT JOIN ti... 6 row(s) returned
23 11:50:14 SELECT e.event_id, e.event_name, COALESCE(SUM(p.amount), 0) AS total_revenue FROM events e JOIN ti... 3 row(s) returned
Session
Search
ENG
IN



lass project
View Query Database Server Tools Scripting Help
sql project-1*
SQL File 3*
Limit to 1000 rows
141 GROUP BY e.event_id, e.event_name;
142
143 -- Show the total revenue generated per event
144 SELECT e.event_id, e.event_name, COALESCE(SUM(p.amount), 0) AS total_revenue
145 FROM events e
146 JOIN tickets t ON e.event_id = t.event_id
147 JOIN payments p ON t.ticket_id = p.ticket_id
148 WHERE p.payment_status = 'Success'
149 GROUP BY e.event_id, e.event_name;
150
151 -- --
152 -- 5. AGGREGATE FUNCTIONS (SUM, AVG, MAX, MIN, COUNT)
Result Grid
Filter Rows:
Export:
Wrap Cell Content:
event_id event_name total_revenue
1 Tech Conference 2026 150.00
2 Music Festival 160.00
4 AI & Data Expo 250.00
Result 10
Output
Action Output
Time Action Message
18 11:47:27 select*from attendees LIMIT 0, 1000 6 row(s) returned
19 11:48:12 select*from tickets LIMIT 0, 1000 7 row(s) returned
20 11:48:24 select*from payments LIMIT 0, 1000 6 row(s) returned
21 11:49:10 SELECT event_id, event_name, event_date, ticket_price FROM events ORDER BY event_date ASC LIMIT 0... 6 row(s) returned
22 11:49:29 SELECT e.event_id, e.event_name, COUNT(t.attendee_id) AS attendee_count FROM events e LEFT JOIN ti... 6 row(s) returned
23 11:50:14 SELECT e.event_id, e.event_name, COALESCE(SUM(p.amount), 0) AS total_revenue FROM events e JOIN ti... 3 row(s) returned
Session
Search
ENG
IN



class project
File Edit View Query Database Server Tools Scripting Help
Navigator
MANAGEMENT
Server Status
Client Connections
Users and Privileges
Status and System Variables
Data Export
Data Import/Restore
INSTANCE
Startup / Shutdown
Server Logs
Options File
PERFORMANCE
Dashboard
Performance Reports
Administration Schemas
Information
No object selected
Object Info Session
sql project-1*
SQL File 3*
Limit to 1000 rows
153 -- ----------
154
155 -- Calculate the total revenue generated from all events
156 SELECT SUM(amount) AS total_revenue_all_events
157 FROM payments
158 WHERE payment_status = 'Success';
159
160 -- Find the event with the highest number of attendees
161 SELECT e.event_id, e.event_name, COUNT(t.attendee_id) AS max_attendees
162 FROM events e
163 JOIN tickets t ON e.event_id = t.event_id
164 GROUP BY e.event_id, e.event_name
Result Grid
Filter Rows:
Export:
Wrap Cell Content:
total_revenue_all_events
560.00
Result 11
Read Only
Output
Action Output
Time Action Message Duration / Fetch
19 11:48:12 select from tickets LIMIT 0, 1000 7 row(s) returned 0.000 sec / 0.000 sec
20 11:48:24 select from payments LIMIT 0, 1000 6 row(s) returned 0.000 sec / 0.000 sec
21 11:49:10 SELECT event_id, event_name, event_date, ticket_price FROM events ORDER BY event_date ASC LIMIT 0... 6 row(s) returned 0.000 sec / 0.000 sec
22 11:49:29 SELECT e.event_id, e.event_name, COUNT(t.attendee_id) AS attendee_count FROM events e LEFT JOIN ti... 6 row(s) returned 0.000 sec / 0.000 sec
23 11:50:14 SELECT e.event_id, e.event_name, COALESCE(SUM(p.amount), 0) AS total_revenue FROM events e JOIN ti... 3 row(s) returned 0.000 sec / 0.000 sec
24 11:50:40 SELECT SUM(amount) AS total_revenue_all_events FROM payments WHERE payment_status = 'Success' LI... 1 row(s) returned 0.000 sec / 0.000 sec



class project
File Edit View Query Database Server Tools Scripting Help
Navigator
MANAGEMENT
Server Status
Client Connections
Users and Privileges
Status and System Variables
Data Export
Data Import/Restore
INSTANCE
Startup / Shutdown
Server Logs
Options File
PERFORMANCE
Dashboard
Performance Reports
Administration Schemas
Information
No object selected
Object Info Session
sql project-1*
SQL File 3*
Limit to 1000 rows
153 -- ----------
154
155 -- Calculate the total revenue generated from all events
156 SELECT SUM(amount) AS total_revenue_all_events
157 FROM payments
158 WHERE payment_status = 'Success';
159
160 -- Find the event with the highest number of attendees
161 SELECT e.event_id, e.event_name, COUNT(t.attendee_id) AS max_attendees
162 FROM events e
163 JOIN tickets t ON e.event_id = t.event_id
164 GROUP BY e.event_id, e.event_name
Result Grid
Filter Rows:
Export:
Wrap Cell Content:
total_revenue_all_events
560.00
Result 11
Read Only
Output
Action Output
Time Action Message Duration / Fetch
19 11:48:12 select from tickets LIMIT 0, 1000 7 row(s) returned 0.000 sec / 0.000 sec
20 11:48:24 select from payments LIMIT 0, 1000 6 row(s) returned 0.000 sec / 0.000 sec
21 11:49:10 SELECT event_id, event_name, event_date, ticket_price FROM events ORDER BY event_date ASC LIMIT 0... 6 row(s) returned 0.000 sec / 0.000 sec
22 11:49:29 SELECT e.event_id, e.event_name, COUNT(t.attendee_id) AS attendee_count FROM events e LEFT JOIN ti... 6 row(s) returned 0.000 sec / 0.000 sec
23 11:50:14 SELECT e.event_id, e.event_name, COALESCE(SUM(p.amount), 0) AS total_revenue FROM events e JOIN ti... 3 row(s) returned 0.000 sec / 0.000 sec
24 11:50:40 SELECT SUM(amount) AS total_revenue_all_events FROM payments WHERE payment_status = 'Success' LI... 1 row(s) returned 0.000 sec / 0.000 sec



sql project-1*
SQL File 3*
Limit to 1000 rows
-- INNER JOIN: Retrieve event details along with venue information
SELECT e.event_id, e.event_name, e.event_date, v.venue_name, v.city
FROM events e
INNER JOIN venues v ON e.venue_id = v.venue_id;
-- LEFT JOIN: Get a list of attendees who booked a ticket but did not complete payment
SELECT a.attendee_id, a.attendee_name, t.ticket_id, p.payment_status
FROM attendees a
JOIN tickets t ON a.attendee_id = t.attendee_id
LEFT JOIN payments p ON t.ticket_id = p.ticket_id
Result Grid
Filter Rows:
Export:
Wrap Cell Content:
event_id event_name event_date venue_name city
1 Tech Conference 2026 2026-11-15 09:00:00 Grand Hall New York
6 Developer Summit 2026-12-10 10:00:00 Grand Hall New York
3 Business Leadership Summit 2026-10-25 10:00:00 City Center Chicago
4 AI & Data Expo 2026-11-01 09:30:00 Tech Park Auditorium San Francisco
2 Music Festival 2026-12-01 18:00:00 Open Air Arena Austin
Result 14
Output
Action Output
Time Action Message
22 11:49:29 SELECT e.event_id, e.event_name, COUNT(t.attendee_id) AS attendee_count FROM events e LEFT JOIN ti... 6 row(s) returned
23 11:50:14 SELECT e.event_id, e.event_name, COALESCE(SUM(p.amount), 0) AS total_revenue FROM events e JOIN ti... 3 row(s) returned
24 11:50:40 SELECT SUM(amount) AS total_revenue_all_events FROM payments WHERE payment_status = 'Success' LI... 1 row(s) returned
25 11:51:01 SELECT e.event_id, e.event_name, COUNT(t.attendee_id) AS max_attendees FROM events e JOIN tickets t ... 1 row(s) returned
26 11:51:18 SELECT AVG(ticket_price) AS average_ticket_price FROM events LIMIT 0, 1000 1 row(s) returned
27 11:51:49 SELECT e.event_id, e.event_name, e.event_date, v.venue_name, v.city FROM events e INNER JOIN venue... 5 row(s) returned



File Edit View Query Database Server Tools Scripting Help
Navigator
MANAGEMENT
Server Status
Client Connections
Users and Privileges
Status and System Variables
Data Export
Data Import/Restore
INSTANCE
Startup / Shutdown
Server Logs
Options File
PERFORMANCE
Dashboard
Performance Reports
Administration Schemas
Information
No object selected
Object Info Session
sql project-1*
SQL File 3*
Limit to 1000 rows
183 SELECT e.event_id, e.event_name, e.event_date, v.venue_name, v.city
184 FROM events e
185 INNER JOIN venues v ON e.venue_id = v.venue_id;
186
187 -- LEFT JOIN: Get a list of attendees who booked a ticket but did not complete payment
188 SELECT a.attendee_id, a.attendee_name, t.ticket_id, p.payment_status
189 FROM attendees a
190 JOIN tickets t ON a.attendee_id = t.attendee_id
191 LEFT JOIN payments p ON t.ticket_id = p.ticket_id
192 WHERE p.payment_status IS NULL OR p.payment_status != 'Success';
193
194 -- RIGHT JOIN: Identify events without any attendees
Result Grid
Filter Rows:
Export:
Wrap Cell Content:
attendee_id attendee_name ticket_id payment_status
2 Bob Johnson 2 Failed
4 Diana Prince 5 Pending
5 Evan Wright 7
Result 15
Read Only
Output
Action Output
Time Action Message Duration / Fetch
23 11:50:14 SELECT e.event_id, e.event_name, COALESCE(SUM(p.amount), 0) AS total_revenue FROM events e JOIN ti... 3 row(s) returned 0.000 sec / 0.000 s
24 11:50:40 SELECT SUM(amount) AS total_revenue_all_events FROM payments WHERE payment_status = 'Success' LI... 1 row(s) returned 0.000 sec / 0.000 s
25 11:51:01 SELECT e.event_id, e.event_name, COUNT(t.attendee_id) AS max_attendees FROM events e JOIN tickets t ... 1 row(s) returned 0.000 sec / 0.000 s
26 11:51:18 SELECT AVG(ticket_price) AS average_ticket_price FROM events LIMIT 0, 1000 1 row(s) returned 0.000 sec / 0.000 s
27 11:51:49 SELECT e.event_id, e.event_name, e.event_date, v.venue_name, v.city FROM events e INNER JOIN venue... 5 row(s) returned 0.000 sec / 0.000 s
28 11:52:07 SELECT a.attendee_id, a.attendee_name, t.ticket_id, p.payment_status FROM attendees a JOIN tickets t ON ... 3 row(s) returned 0.016 sec / 0.000 s
34°C
Search
ENG



File Edit View Query Database Server Tools Scripting Help
Navigator
MANAGEMENT
Server Status
Client Connections
Users and Privileges
Status and System Variables
Data Export
Data Import/Restore
INSTANCE
Startup / Shutdown
Server Logs
Options File
PERFORMANCE
Dashboard
Performance Reports
Administration Schemas
Information
No object selected
Object Info Session
sql project-1*
SQL File 3*
Limit to 1000 rows
183 SELECT e.event_id, e.event_name, e.event_date, v.venue_name, v.city
184 FROM events e
185 INNER JOIN venues v ON e.venue_id = v.venue_id;
186
187 -- LEFT JOIN: Get a list of attendees who booked a ticket but did not complete payment
188 SELECT a.attendee_id, a.attendee_name, t.ticket_id, p.payment_status
189 FROM attendees a
190 JOIN tickets t ON a.attendee_id = t.attendee_id
191 LEFT JOIN payments p ON t.ticket_id = p.ticket_id
192 WHERE p.payment_status IS NULL OR p.payment_status != 'Success';
193
194 -- RIGHT JOIN: Identify events without any attendees
Result Grid
Filter Rows:
Export:
Wrap Cell Content:
attendee_id attendee_name ticket_id payment_status
2 Bob Johnson 2 Failed
4 Diana Prince 5 Pending
5 Evan Wright 7
Result 15
Read Only
Output
Action Output
Time Action Message Duration / Fetch
23 11:50:14 SELECT e.event_id, e.event_name, COALESCE(SUM(p.amount), 0) AS total_revenue FROM events e JOIN ti... 3 row(s) returned 0.000 sec / 0.000 s
24 11:50:40 SELECT SUM(amount) AS total_revenue_all_events FROM payments WHERE payment_status = 'Success' LI... 1 row(s) returned 0.000 sec / 0.000 s
25 11:51:01 SELECT e.event_id, e.event_name, COUNT(t.attendee_id) AS max_attendees FROM events e JOIN tickets t ... 1 row(s) returned 0.000 sec / 0.000 s
26 11:51:18 SELECT AVG(ticket_price) AS average_ticket_price FROM events LIMIT 0, 1000 1 row(s) returned 0.000 sec / 0.000 s
27 11:51:49 SELECT e.event_id, e.event_name, e.event_date, v.venue_name, v.city FROM events e INNER JOIN venue... 5 row(s) returned 0.000 sec / 0.000 s
28 11:52:07 SELECT a.attendee_id, a.attendee_name, t.ticket_id, p.payment_status FROM attendees a JOIN tickets t ON ... 3 row(s) returned 0.016 sec / 0.000 s
34°C
Search
ENG



File Edit View Query Database Server Tools Scripting Help
Navigator
MANAGEMENT
Server Status
Client Connections
Users and Privileges
Status and System Variables
Data Export
Data Import/Restore
INSTANCE
Startup / Shutdown
Server Logs
Options File
PERFORMANCE
Dashboard
Performance Reports
Administration Schemas
Information
No object selected
Object Info Session
sql project-1*
SQL File 3*
Limit to 1000 rows
189 FROM attendees a
190 JOIN tickets t ON a.attendee_id = t.attendee_id
191 LEFT JOIN payments p ON t.ticket_id = p.ticket_id
192 WHERE p.payment_status IS NULL OR p.payment_status != 'Success';
193
194 -- RIGHT JOIN: Identify events without any attendees
195 SELECT e.event_id, e.event_name
196 FROM tickets t
197 RIGHT JOIN events e ON t.event_id = e.event_id
198 WHERE t.ticket_id IS NULL;
199
200 -- FULL OUTER JOIN (Emulated via UNION for MySQL compatibility): Show attendees who have not booked any ticket
Result Grid
Filter Rows:
Export:
Wrap Cell Content:
event_id event_name
5 Local Art Workshop
6 Developer Summit
Result 16
Read Only
Output
Action Output
Time Action Message Duration / Fetch
24 11:50:40 SELECT SUM(amount) AS total_revenue_all_events FROM payments WHERE payment_status = 'Success' LI... 1 row(s) returned 0.000 sec / 0.0
25 11:51:01 SELECT e.event_id, e.event_name, COUNT(t.attendee_id) AS max_attendees FROM events e JOIN tickets t ... 1 row(s) returned 0.000 sec / 0.0
26 11:51:18 SELECT AVG(ticket_price) AS average_ticket_price FROM events LIMIT 0, 1000 1 row(s) returned 0.000 sec / 0.0
27 11:51:49 SELECT e.event_id, e.event_name, e.event_date, v.venue_name, v.city FROM events e INNER JOIN venue... 5 row(s) returned 0.000 sec / 0.0
28 11:52:07 SELECT a.attendee_id, a.attendee_name, t.ticket_id, p.payment_status FROM attendees a JOIN tickets t ON ... 3 row(s) returned 0.016 sec / 0.0
29 11:52:27 SELECT e.event_id, e.event_name FROM tickets t RIGHT JOIN events e ON t.event_id = e.event_id WHER... 2 row(s) returned 0.000 sec / 0.0
34°C
Search
ENG
IN



File Edit View Query Database Server Tools Scripting Help
Navigator
MANAGEMENT
Server Status
Client Connections
Users and Privileges
Status and System Variables
Data Export
Data Import/Restore
INSTANCE
Startup / Shutdown
Server Logs
Options File
PERFORMANCE
Dashboard
Performance Reports
Administration Schemas
Information
No object selected
Object Info Session
sql project-1*
SQL File 3*
Limit to 1000 rows
189 FROM attendees a
190 JOIN tickets t ON a.attendee_id = t.attendee_id
191 LEFT JOIN payments p ON t.ticket_id = p.ticket_id
192 WHERE p.payment_status IS NULL OR p.payment_status != 'Success';
193
194 -- RIGHT JOIN: Identify events without any attendees
195 SELECT e.event_id, e.event_name
196 FROM tickets t
197 RIGHT JOIN events e ON t.event_id = e.event_id
198 WHERE t.ticket_id IS NULL;
199
200 -- FULL OUTER JOIN (Emulated via UNION for MySQL compatibility): Show attendees who have not booked any ticket
Result Grid
Filter Rows:
Export:
Wrap Cell Content:
event_id event_name
5 Local Art Workshop
6 Developer Summit
Result 16
Read Only
Output
Action Output
Time Action Message Duration / Fetch
24 11:50:40 SELECT SUM(amount) AS total_revenue_all_events FROM payments WHERE payment_status = 'Success' LI... 1 row(s) returned 0.000 sec / 0.0
25 11:51:01 SELECT e.event_id, e.event_name, COUNT(t.attendee_id) AS max_attendees FROM events e JOIN tickets t ... 1 row(s) returned 0.000 sec / 0.0
26 11:51:18 SELECT AVG(ticket_price) AS average_ticket_price FROM events LIMIT 0, 1000 1 row(s) returned 0.000 sec / 0.0
27 11:51:49 SELECT e.event_id, e.event_name, e.event_date, v.venue_name, v.city FROM events e INNER JOIN venue... 5 row(s) returned 0.000 sec / 0.0
28 11:52:07 SELECT a.attendee_id, a.attendee_name, t.ticket_id, p.payment_status FROM attendees a JOIN tickets t ON ... 3 row(s) returned 0.016 sec / 0.0
29 11:52:27 SELECT e.event_id, e.event_name FROM tickets t RIGHT JOIN events e ON t.event_id = e.event_id WHER... 2 row(s) returned 0.000 sec / 0.0
34°C
Search
ENG
IN



class project
File Edit View Query Database Server Tools Scripting Help
Navigator
MANAGEMENT
Server Status
Client Connections
Users and Privileges
Status and System Variables
Data Export
Data Import/Restore
INSTANCE
Startup / Shutdown
Server Logs
Options File
PERFORMANCE
Dashboard
Performance Reports
Administration Schemas
Information
No object selected
Object Info Session
sql project-1*
SQL File 3*
Limit to 1000 rows
RIGHT JOIN tickets t ON a.attendee_id = t.attendee_id
WHERE a.attendee_id IS NULL;
-- --
-- 8. SUBQUERIES
-- --
-- Find events that generated revenue above the average ticket sales
SELECT event_id, event_name, total_revenue
FROM (
SELECT e.event_id, e.event_name, SUM(p.amount) AS total_revenue
FROM events e
Result Grid
Filter Rows:
Export:
Wrap Cell Content:
attendee_id
attendee_name
ticket_id
6
Fiona Gallagher
NULL
Result 17
Read Only
Output
Action Output
Time Action Message Duration / Fetch
25 11:51:01 SELECT e.event_id, e.event_name, COUNT(a.attendee_id) AS max_attendees FROM events e JOIN tickets t ... 1 row(s) returned 0.000 sec / 0.000 se
26 11:51:18 SELECT AVG(ticket_price) AS average_ticket_price FROM events LIMIT 0, 1000 1 row(s) returned 0.000 sec / 0.000 se
27 11:51:49 SELECT e.event_id, e.event_name, e.event_date, v.venue_name, v.city FROM events e INNER JOIN venue... 5 row(s) returned 0.000 sec / 0.000 se
28 11:52:07 SELECT a.attendee_id, a.attendee_name, t.ticket_id, p.payment_status FROM attendees a JOIN tickets t ON ... 3 row(s) returned 0.016 sec / 0.000 se
29 11:52:27 SELECT e.event_id, e.event_name FROM tickets t RIGHT JOIN events e ON t.event_id = e.event_id WHER... 2 row(s) returned 0.000 sec / 0.015 se
30 11:52:56 SELECT a.attendee_id, a.attendee_name, t.ticket_id FROM attendees a LEFT JOIN tickets t ON a.attendee_i... 1 row(s) returned 0.000 sec / 0.000 se
34°C
ENG



class project
File Edit View Query Database Server Tools Scripting Help
Navigator
MANAGEMENT
Server Status
Client Connections
Users and Privileges
Status and System Variables
Data Export
Data Import/Restore
INSTANCE
Startup / Shutdown
Server Logs
Options File
PERFORMANCE
Dashboard
Performance Reports
Administration Schemas
Information
No object selected
Object Info Session
sql project-1*
SQL File 3*
Limit to 1000 rows
RIGHT JOIN tickets t ON a.attendee_id = t.attendee_id
WHERE a.attendee_id IS NULL;
-- --
-- 8. SUBQUERIES
-- --
-- Find events that generated revenue above the average ticket sales
SELECT event_id, event_name, total_revenue
FROM (
SELECT e.event_id, e.event_name, SUM(p.amount) AS total_revenue
FROM events e
Result Grid
Filter Rows:
Export:
Wrap Cell Content:
attendee_id
attendee_name
ticket_id
6
Fiona Gallagher
NULL
Result 17
Read Only
Output
Action Output
Time Action Message Duration / Fetch
25 11:51:01 SELECT e.event_id, e.event_name, COUNT(a.attendee_id) AS max_attendees FROM events e JOIN tickets t ... 1 row(s) returned 0.000 sec / 0.000 se
26 11:51:18 SELECT AVG(ticket_price) AS average_ticket_price FROM events LIMIT 0, 1000 1 row(s) returned 0.000 sec / 0.000 se
27 11:51:49 SELECT e.event_id, e.event_name, e.event_date, v.venue_name, v.city FROM events e INNER JOIN venue... 5 row(s) returned 0.000 sec / 0.000 se
28 11:52:07 SELECT a.attendee_id, a.attendee_name, t.ticket_id, p.payment_status FROM attendees a JOIN tickets t ON ... 3 row(s) returned 0.016 sec / 0.000 se
29 11:52:27 SELECT e.event_id, e.event_name FROM tickets t RIGHT JOIN events e ON t.event_id = e.event_id WHER... 2 row(s) returned 0.000 sec / 0.015 se
30 11:52:56 SELECT a.attendee_id, a.attendee_name, t.ticket_id FROM attendees a LEFT JOIN tickets t ON a.attendee_i... 1 row(s) returned 0.000 sec / 0.000 se
34°C
ENG



Edit View Query Database Server Tools Scripting Help
sql project-1*
SQL File 3*
Limit to 1000 rows
GROUP BY t.event_id
) AS avg_table
);
-- Identify attendees who have booked tickets for multiple events
SELECT attendee_id, attendee_name
FROM attendees
WHERE attendee_id IN (
SELECT attendee_id
FROM tickets
GROUP BY attendee_id
HAVING COUNT(DISTINCT event_id) > 1
Result Grid
Filter Rows:
Export:
Wrap Cell Content:
event_id event_name total_revenue
4 AI & Data Expo 250.00
Result 18
Output
Action Output
Time Action Message
26 11:51:18 SELECT AVG(ticket_price) AS average_ticket_price FROM events LIMIT 0, 1000 1 row(s) returned
27 11:51:49 SELECT e.event_id, e.event_name, e.event_date, v.venue_name, v.city FROM events e INNER JOIN venue... 5 row(s) returned
28 11:52:07 SELECT a.attendee_id, a.attendee_name, t.ticket_id, p.payment_status FROM attendees a JOIN tickets t ON ... 3 row(s) returned
29 11:52:27 SELECT e.event_id, e.event_name FROM tickets t RIGHT JOIN events e ON t.event_id = e.event_id WHER... 2 row(s) returned
30 11:52:56 SELECT a.attendee_id, a.attendee_name, t.ticket_id FROM attendees a LEFT JOIN tickets t ON a.attendee_i... 1 row(s) returned
31 11:53:28 SELECT event_id, event_name, total_revenue FROM (SELECT e.event_id, e.event_name, SUM(p.amount... 1 row(s) returned
No object selected



Edit View Query Database Server Tools Scripting Help
sql project-1*
SQL File 3*
Limit to 1000 rows
GROUP BY t.event_id
) AS avg_table
);
-- Identify attendees who have booked tickets for multiple events
SELECT attendee_id, attendee_name
FROM attendees
WHERE attendee_id IN (
SELECT attendee_id
FROM tickets
GROUP BY attendee_id
HAVING COUNT(DISTINCT event_id) > 1
Result Grid
Filter Rows:
Export:
Wrap Cell Content:
event_id event_name total_revenue
4 AI & Data Expo 250.00
Result 18
Output
Action Output
Time Action Message
26 11:51:18 SELECT AVG(ticket_price) AS average_ticket_price FROM events LIMIT 0, 1000 1 row(s) returned
27 11:51:49 SELECT e.event_id, e.event_name, e.event_date, v.venue_name, v.city FROM events e INNER JOIN venue... 5 row(s) returned
28 11:52:07 SELECT a.attendee_id, a.attendee_name, t.ticket_id, p.payment_status FROM attendees a JOIN tickets t ON ... 3 row(s) returned
29 11:52:27 SELECT e.event_id, e.event_name FROM tickets t RIGHT JOIN events e ON t.event_id = e.event_id WHER... 2 row(s) returned
30 11:52:56 SELECT a.attendee_id, a.attendee_name, t.ticket_id FROM attendees a LEFT JOIN tickets t ON a.attendee_i... 1 row(s) returned
31 11:53:28 SELECT event_id, event_name, total_revenue FROM (SELECT e.event_id, e.event_name, SUM(p.amount... 1 row(s) returned
No object selected



class project
File Edit View Query Database Server Tools Scripting Help
Navigator
MANAGEMENT
Server Status
Client Connections
Users and Privileges
Status and System Variables
Data Export
Data Import/Restore
INSTANCE
Startup / Shutdown
Server Logs
Options File
PERFORMANCE
Dashboard
Performance Reports
Administration Schemas
Information
No object selected
Object Info Session
sql project-1*
SQL File 3*
Limit to 1000 rows
245
246 -- Retrieve organizers who have managed more than 3 events
247 SELECT organizer_id, organizer_name
248 FROM organizers
249 WHERE organizer_id IN (
250 SELECT organizer_id
251 FROM events
252 GROUP BY organizer_id
253 HAVING COUNT(event_id) > 3
254);
255
256 -- ----------
Result Grid Filter Rows: Edit: Export/Import: Wrap Cell Content:
organizer_id organizer_name
1 tech global inc
NULL NULL
organizers 19
Apply
Output
Action Output
Time Action Message Duration / Fetc
27 11:51:49 SELECT e.event_id, e.event_name, e.event_date, v.venue_name, v.city FROM events e INNER JOIN venue... 5 row(s) returned 0.000 sec / 0.
28 11:52:07 SELECT a.attendee_id, a.attendee_name, t.ticket_id, p.payment_status FROM attendees a JOIN tickets t ON ... 3 row(s) returned 0.016 sec / 0.
29 11:52:27 SELECT e.event_id, e.event_name FROM tickets t RIGHT JOIN events e ON t.event_id = e.event_id WHER... 2 row(s) returned 0.000 sec / 0.
30 11:52:56 SELECT a.attendee_id, a.attendee_name, t.ticket_id FROM attendees a LEFT JOIN tickets t ON a.attendee_i... 1 row(s) returned 0.000 sec / 0.
31 11:53:28 SELECT event_id, event_name, total_revenue FROM (SELECT e.event_id, e.event_name, SUM(p.amount... 1 row(s) returned 0.000 sec / 0.
32 11:54:02 SELECT organizer_id, organizer_name FROM organizers WHERE organizer_id IN (SELECT organizer_id ... 1 row(s) returned 0.000 sec / 0.



class project
File Edit View Query Database Server Tools Scripting Help
Navigator
MANAGEMENT
Server Status
Client Connections
Users and Privileges
Status and System Variables
Data Export
Data Import/Restore
INSTANCE
Startup / Shutdown
Server Logs
Options File
PERFORMANCE
Dashboard
Performance Reports
Administration Schemas
Information
No object selected
Object Info Session
sql project-1*
SQL File 3*
Limit to 1000 rows
245
246 -- Retrieve organizers who have managed more than 3 events
247 SELECT organizer_id, organizer_name
248 FROM organizers
249 WHERE organizer_id IN (
250 SELECT organizer_id
251 FROM events
252 GROUP BY organizer_id
253 HAVING COUNT(event_id) > 3
254);
255
256 -- ----------
Result Grid Filter Rows: Edit: Export/Import: Wrap Cell Content:
organizer_id organizer_name
1 tech global inc
NULL NULL
organizers 19
Apply
Output
Action Output
Time Action Message Duration / Fetc
27 11:51:49 SELECT e.event_id, e.event_name, e.event_date, v.venue_name, v.city FROM events e INNER JOIN venue... 5 row(s) returned 0.000 sec / 0.
28 11:52:07 SELECT a.attendee_id, a.attendee_name, t.ticket_id, p.payment_status FROM attendees a JOIN tickets t ON ... 3 row(s) returned 0.016 sec / 0.
29 11:52:27 SELECT e.event_id, e.event_name FROM tickets t RIGHT JOIN events e ON t.event_id = e.event_id WHER... 2 row(s) returned 0.000 sec / 0.
30 11:52:56 SELECT a.attendee_id, a.attendee_name, t.ticket_id FROM attendees a LEFT JOIN tickets t ON a.attendee_i... 1 row(s) returned 0.000 sec / 0.
31 11:53:28 SELECT event_id, event_name, total_revenue FROM (SELECT e.event_id, e.event_name, SUM(p.amount... 1 row(s) returned 0.000 sec / 0.
32 11:54:02 SELECT organizer_id, organizer_name FROM organizers WHERE organizer_id IN (SELECT organizer_id ... 1 row(s) returned 0.000 sec / 0.



class project
File Edit View Query Database Server Tools Scripting Help
Navigator
MANAGEMENT
Server Status
Client Connections
Users and Privileges
Status and System Variables
Data Export
Data Import/Restore
INSTANCE
Startup / Shutdown
Server Logs
Options File
PERFORMANCE
Dashboard
Performance Reports
Administration Schemas
Information
No object selected
Object Info Session
sql project-1*
SQL File 3*
Limit to 1000 rows
257 -- 9. DATE & TIME FUNCTIONS
258 -- --
259
260 -- Extract the month from event_date to analyze event trends
261 SELECT event_id, event_name, event_date,
262 MONTHNAME(event_date) AS event_month,
263 MONTH(event_date) AS month_number
264 FROM events;
265
266 -- Calculate the number of days remaining for an upcoming event
267 SELECT event_id, event_name, event_date,
268 DATEDIFF(event_date, NOW()) AS days_remaining
Result Grid
Filter Rows:
Export:
Wrap Cell Content:
event_id event_name event_date event_month month_number
1 Tech Conference 2026 2026-11-15 09:00:00 November 11
2 Music Festival 2026-12-01 18:00:00 December 12
3 Business Leadership Summit 2026-10-25 10:00:00 October 10
4 AI & Data Expo 2026-11-01 09:30:00 November 11
5 Local Art Workshop 2026-10-20 14:00:00 October 10
6 Developer Summit 2026-12-10 10:00:00 December 12
Result 20
Read Only
Output
Action Output
Time Action Message Duration / Fetch
28 11:52:07 SELECT a.attendee_id, a.attendee_name, t.ticket_id, p.payment_status FROM attendees a JOIN tickets t ON ... 3 row(s) returned 0.016 sec / 0.0
29 11:52:27 SELECT e.event_id, e.event_name FROM tickets t RIGHT JOIN events e ON t.event_id = e.event_id WHER... 2 row(s) returned 0.000 sec / 0.0
30 11:52:56 SELECT a.attendee_id, a.attendee_name, t.ticket_id FROM attendees a LEFT JOIN tickets t ON a.attendee_i... 1 row(s) returned 0.000 sec / 0.0
31 11:53:28 SELECT event_id, event_name, total_revenue FROM (SELECT e.event_id, e.event_name, SUM(p.amount... 1 row(s) returned 0.000 sec / 0.0
32 11:54:02 SELECT organizer_id, organizer_name FROM organizers WHERE organizer_id IN (SELECT organizer_id ... 1 row(s) returned 0.000 sec / 0.0
33 11:54:22 SELECT event_id, event_name, event_date, MONTHNAME(event_date) AS event_month, MONTH(... 6 row(s) returned 0.000 sec / 0.0
34°C
ENG



class project
File Edit View Query Database Server Tools Scripting Help
Navigator
MANAGEMENT
Server Status
Client Connections
Users and Privileges
Status and System Variables
Data Export
Data Import/Restore
INSTANCE
Startup / Shutdown
Server Logs
Options File
PERFORMANCE
Dashboard
Performance Reports
Administration Schemas
Information
No object selected
Object Info Session
sql project-1*
SQL File 3*
Limit to 1000 rows
257 -- 9. DATE & TIME FUNCTIONS
258 -- --
259
260 -- Extract the month from event_date to analyze event trends
261 SELECT event_id, event_name, event_date,
262 MONTHNAME(event_date) AS event_month,
263 MONTH(event_date) AS month_number
264 FROM events;
265
266 -- Calculate the number of days remaining for an upcoming event
267 SELECT event_id, event_name, event_date,
268 DATEDIFF(event_date, NOW()) AS days_remaining
Result Grid
Filter Rows:
Export:
Wrap Cell Content:
event_id event_name event_date event_month month_number
1 Tech Conference 2026 2026-11-15 09:00:00 November 11
2 Music Festival 2026-12-01 18:00:00 December 12
3 Business Leadership Summit 2026-10-25 10:00:00 October 10
4 AI & Data Expo 2026-11-01 09:30:00 November 11
5 Local Art Workshop 2026-10-20 14:00:00 October 10
6 Developer Summit 2026-12-10 10:00:00 December 12
Result 20
Read Only
Output
Action Output
Time Action Message Duration / Fetch
28 11:52:07 SELECT a.attendee_id, a.attendee_name, t.ticket_id, p.payment_status FROM attendees a JOIN tickets t ON ... 3 row(s) returned 0.016 sec / 0.0
29 11:52:27 SELECT e.event_id, e.event_name FROM tickets t RIGHT JOIN events e ON t.event_id = e.event_id WHER... 2 row(s) returned 0.000 sec / 0.0
30 11:52:56 SELECT a.attendee_id, a.attendee_name, t.ticket_id FROM attendees a LEFT JOIN tickets t ON a.attendee_i... 1 row(s) returned 0.000 sec / 0.0
31 11:53:28 SELECT event_id, event_name, total_revenue FROM (SELECT e.event_id, e.event_name, SUM(p.amount... 1 row(s) returned 0.000 sec / 0.0
32 11:54:02 SELECT organizer_id, organizer_name FROM organizers WHERE organizer_id IN (SELECT organizer_id ... 1 row(s) returned 0.000 sec / 0.0
33 11:54:22 SELECT event_id, event_name, event_date, MONTHNAME(event_date) AS event_month, MONTH(... 6 row(s) returned 0.000 sec / 0.0
34°C
ENG



class project
File Edit View Query Database Server Tools Scripting Help
Navigator
MANAGEMENT
Server Status
Client Connections
Users and Privileges
Status and System Variables
Data Export
Data Import/Restore
INSTANCE
Startup / Shutdown
Server Logs
Options File
PERFORMANCE
Dashboard
Performance Reports
Administration Schemas
Information
No object selected
Object Info Session
sql project-1*
SQL File 3*
Limit to 1000 rows
263 MONTH(event_date) AS month_number
264 FROM events;
265
266 -- Calculate the number of days remaining for an upcoming event
267 SELECT event_id, event_name, event_date,
268 DATEDIFF(event_date, NOW()) AS days_remaining
269 FROM events
270 WHERE event_date > NOW();
271
272 -- Format payment_date as YYYY-MM-DD HH:MM:SS
273 SELECT payment_id, amount,
274 DATE_FORMAT(payment_date, '%Y-%m-%d %H:%i:%s') AS formatted_payment_date
Result Grid Filter Rows: Export: Wrap Cell Content:
event_id event_name event_date days_remaining
1 Tech Conference 2026 2026-11-15 09:00:00 30
2 Music Festival 2026-12-01 18:00:00 46
3 Business Leadership Summit 2026-10-25 10:00:00 9
4 AI & Data Expo 2026-11-01 09:30:00 16
5 Local Art Workshop 2026-10-20 14:00:00 4
6 Developer Summit 2026-12-10 10:00:00 55
Result 21
Output
Action Output
Time Action Message
29 11:52:27 SELECT e.event_id, e.event_name FROM tickets t RIGHT JOIN events e ON t.event_id = e.event_id WHER... 2 row(s) returned
30 11:52:56 SELECT a.attendee_id, a.attendee_name, t.ticket_id FROM attendees a LEFT JOIN tickets t ON a.attendee_i... 1 row(s) returned
31 11:53:28 SELECT event_id, event_name, total_revenue FROM (SELECT e.event_id, e.event_name, SUM(p.amount... 1 row(s) returned
32 11:54:02 SELECT organizer_id, organizer_name FROM organizers WHERE organizer_id IN (SELECT organizer_id ... 1 row(s) returned
33 11:54:22 SELECT event_id, event_name, event_date, MONTHNAME(event_date) AS event_month, MONTH(... 6 row(s) returned
34 11:54:43 SELECT event_id, event_name, event_date, DATEDIFF(event_date, NOW()) AS days_remaining FROM ... 6 row(s) returned
34°C
Search
ENG



class project
File Edit View Query Database Server Tools Scripting Help
Navigator
MANAGEMENT
Server Status
Client Connections
Users and Privileges
Status and System Variables
Data Export
Data Import/Restore
INSTANCE
Startup / Shutdown
Server Logs
Options File
PERFORMANCE
Dashboard
Performance Reports
Administration Schemas
Information
No object selected
Object Info Session
sql project-1*
SQL File 3*
Limit to 1000 rows
263 MONTH(event_date) AS month_number
264 FROM events;
265
266 -- Calculate the number of days remaining for an upcoming event
267 SELECT event_id, event_name, event_date,
268 DATEDIFF(event_date, NOW()) AS days_remaining
269 FROM events
270 WHERE event_date > NOW();
271
272 -- Format payment_date as YYYY-MM-DD HH:MM:SS
273 SELECT payment_id, amount,
274 DATE_FORMAT(payment_date, '%Y-%m-%d %H:%i:%s') AS formatted_payment_date
Result Grid Filter Rows: Export: Wrap Cell Content:
event_id event_name event_date days_remaining
1 Tech Conference 2026 2026-11-15 09:00:00 30
2 Music Festival 2026-12-01 18:00:00 46
3 Business Leadership Summit 2026-10-25 10:00:00 9
4 AI & Data Expo 2026-11-01 09:30:00 16
5 Local Art Workshop 2026-10-20 14:00:00 4
6 Developer Summit 2026-12-10 10:00:00 55
Result 21
Output
Action Output
Time Action Message
29 11:52:27 SELECT e.event_id, e.event_name FROM tickets t RIGHT JOIN events e ON t.event_id = e.event_id WHER... 2 row(s) returned
30 11:52:56 SELECT a.attendee_id, a.attendee_name, t.ticket_id FROM attendees a LEFT JOIN tickets t ON a.attendee_i... 1 row(s) returned
31 11:53:28 SELECT event_id, event_name, total_revenue FROM (SELECT e.event_id, e.event_name, SUM(p.amount... 1 row(s) returned
32 11:54:02 SELECT organizer_id, organizer_name FROM organizers WHERE organizer_id IN (SELECT organizer_id ... 1 row(s) returned
33 11:54:22 SELECT event_id, event_name, event_date, MONTHNAME(event_date) AS event_month, MONTH(... 6 row(s) returned
34 11:54:43 SELECT event_id, event_name, event_date, DATEDIFF(event_date, NOW()) AS days_remaining FROM ... 6 row(s) returned
34°C
Search
ENG



Edit View Query Database Server Tools Scripting Help
sql project-1*
SQL File 3*
Limit to 1000 rows
FROM events
WHERE event_date > NOW();
-- Format payment_date as YYYY-MM-DD HH:MM:SS
SELECT payment_id, amount,
DATE_FORMAT(payment_date, '%Y-%m-%d %H:%i:%s') AS formatted_payment_date
FROM payments;
-- 10. STRING MANIPULATION FUNCTIONS
Result Grid
Filter Rows:
Export:
Wrap Cell Content:
payment_id amount formatted_payment_date
1 150.00 2026-10-01 10:05:00
2 150.00 2026-10-02 11:35:00
3 80.00 2026-10-03 14:20:00
4 80.00 2026-10-04 09:05:00
5 200.00 2026-10-05 16:50:00
6 250.00 2026-10-06 12:10:00
Result 22
Output
Action Output
Time Action Message
30 11:52:56 SELECT a.attendee_id, a.attendee_name, t.ticket_id FROM attendees a LEFT JOIN tickets t ON a.attendee_i... 1 row(s) returned
31 11:53:28 SELECT event_id, event_name, total_revenue FROM (SELECT e.event_id, e.event_name, SUM(p.amount... 1 row(s) returned
32 11:54:02 SELECT organizer_id, organizer_name FROM organizers WHERE organizer_id IN (SELECT organizer_id ... 1 row(s) returned
33 11:54:22 SELECT event_id, event_name, event_date, MONTHNAME(event_date) AS event_month, MONTH(... 6 row(s) returned
34 11:54:43 SELECT event_id, event_name, event_date, DATEDIFF(event_date, NOW()) AS days_remaining FROM ... 6 row(s) returned
35 11:54:58 SELECT payment_id, amount, DATE_FORMAT(payment_date, '%Y-%m-%d %H:%i:%s') AS formatted_pay... 6 row(s) returned



Edit View Query Database Server Tools Scripting Help
sql project-1*
SQL File 3*
Limit to 1000 rows
FROM events
WHERE event_date > NOW();
-- Format payment_date as YYYY-MM-DD HH:MM:SS
SELECT payment_id, amount,
DATE_FORMAT(payment_date, '%Y-%m-%d %H:%i:%s') AS formatted_payment_date
FROM payments;
-- 10. STRING MANIPULATION FUNCTIONS
Result Grid
Filter Rows:
Export:
Wrap Cell Content:
payment_id amount formatted_payment_date
1 150.00 2026-10-01 10:05:00
2 150.00 2026-10-02 11:35:00
3 80.00 2026-10-03 14:20:00
4 80.00 2026-10-04 09:05:00
5 200.00 2026-10-05 16:50:00
6 250.00 2026-10-06 12:10:00
Result 22
Output
Action Output
Time Action Message
30 11:52:56 SELECT a.attendee_id, a.attendee_name, t.ticket_id FROM attendees a LEFT JOIN tickets t ON a.attendee_i... 1 row(s) returned
31 11:53:28 SELECT event_id, event_name, total_revenue FROM (SELECT e.event_id, e.event_name, SUM(p.amount... 1 row(s) returned
32 11:54:02 SELECT organizer_id, organizer_name FROM organizers WHERE organizer_id IN (SELECT organizer_id ... 1 row(s) returned
33 11:54:22 SELECT event_id, event_name, event_date, MONTHNAME(event_date) AS event_month, MONTH(... 6 row(s) returned
34 11:54:43 SELECT event_id, event_name, event_date, DATEDIFF(event_date, NOW()) AS days_remaining FROM ... 6 row(s) returned
35 11:54:58 SELECT payment_id, amount, DATE_FORMAT(payment_date, '%Y-%m-%d %H:%i:%s') AS formatted_pay... 6 row(s) returned



class project
Edit View Query Database Server Tools Scripting Help
sql project-1*
SQL File 3*
Limit to 1000 rows
-- 10. STRING MANIPULATION FUNCTIONS
-- Convert all organizer names to uppercase
SELECT organizer_id, UPPER(organizer_name) AS uppercase_organizer_name
FROM organizers;
-- Remove extra spaces from attendee names using TRIM()
SELECT attendee_id, TRIM(attendee_name) AS cleaned_attendee_name
FROM attendees;
-- Replace NULL email fields with "Not Provided"
Result Grid
Filter Rows:
Export:
Wrap Cell Content:
organizer_id uppercase_organizer_name
1 TECH GLOBAL INC
2 MUSIC FEST ORG
3 CORP EVENTS CO
4 COMMUNITY HUB
5 CREATIVE MINDS
Result 23
Read Only
Output
Action Output
Time Action Message Duration / Fe
31 11:53:28 SELECT event_id, event_name, total_revenue FROM (SELECT e.event_id, e.event_name, SUM(p.amount... 1 row(s) returned 0.000 sec / 0
32 11:54:02 SELECT organizer_id, organizer_name FROM organizers WHERE organizer_id IN (SELECT organizer_id ... 1 row(s) returned 0.000 sec / 0
33 11:54:22 SELECT event_id, event_name, event_date, MONTHNAME(event_date) AS event_month, MONTH(... 6 row(s) returned 0.000 sec / 0
34 11:54:43 SELECT event_id, event_name, event_date, DATEDIFF(event_date, NOW()) AS days_remaining FROM ... 6 row(s) returned 0.000 sec / 0
35 11:54:58 SELECT payment_id, amount, DATE_FORMAT(payment_date, '%Y-%m-%d %H:%i:%s') AS formatted_pay... 6 row(s) returned 0.000 sec / 0
36 11:55:28 SELECT organizer_id, UPPER(organizer_name) AS uppercase_organizer_name FROM organizers LIMIT 0, 1000 5 row(s) returned 0.000 sec / 0
No object selected
Session



class project
Edit View Query Database Server Tools Scripting Help
sql project-1*
SQL File 3*
Limit to 1000 rows
-- 10. STRING MANIPULATION FUNCTIONS
-- Convert all organizer names to uppercase
SELECT organizer_id, UPPER(organizer_name) AS uppercase_organizer_name
FROM organizers;
-- Remove extra spaces from attendee names using TRIM()
SELECT attendee_id, TRIM(attendee_name) AS cleaned_attendee_name
FROM attendees;
-- Replace NULL email fields with "Not Provided"
Result Grid
Filter Rows:
Export:
Wrap Cell Content:
organizer_id uppercase_organizer_name
1 TECH GLOBAL INC
2 MUSIC FEST ORG
3 CORP EVENTS CO
4 COMMUNITY HUB
5 CREATIVE MINDS
Result 23
Read Only
Output
Action Output
Time Action Message Duration / Fe
31 11:53:28 SELECT event_id, event_name, total_revenue FROM (SELECT e.event_id, e.event_name, SUM(p.amount... 1 row(s) returned 0.000 sec / 0
32 11:54:02 SELECT organizer_id, organizer_name FROM organizers WHERE organizer_id IN (SELECT organizer_id ... 1 row(s) returned 0.000 sec / 0
33 11:54:22 SELECT event_id, event_name, event_date, MONTHNAME(event_date) AS event_month, MONTH(... 6 row(s) returned 0.000 sec / 0
34 11:54:43 SELECT event_id, event_name, event_date, DATEDIFF(event_date, NOW()) AS days_remaining FROM ... 6 row(s) returned 0.000 sec / 0
35 11:54:58 SELECT payment_id, amount, DATE_FORMAT(payment_date, '%Y-%m-%d %H:%i:%s') AS formatted_pay... 6 row(s) returned 0.000 sec / 0
36 11:55:28 SELECT organizer_id, UPPER(organizer_name) AS uppercase_organizer_name FROM organizers LIMIT 0, 1000 5 row(s) returned 0.000 sec / 0
No object selected
Session



File Edit View Query Database Server Tools Scripting Help
Navigator
MANAGEMENT
Server Status
Client Connections
Users and Privileges
Status and System Variables
Data Export
Data Import/Restore
INSTANCE
Startup / Shutdown
Server Logs
Options File
PERFORMANCE
Dashboard
Performance Reports
Administration Schemas
Information
No object selected
Object Info Session
sql project-1*
SQL File 3*
Limit to 1000 rows
281 -- Convert all organizer names to uppercase
282 SELECT organizer_id, UPPER(organizer_name) AS uppercase_organizer_name
283 FROM organizers;
284
285 -- Remove extra spaces from attendee names using TRIM()
286 SELECT attendee_id, TRIM(attendee_name) AS cleaned_attendee_name
287 FROM attendees;
288
289 -- Replace NULL email fields with "Not Provided"
290 SELECT attendee_id, attendee_name,
291 COALESCE(email, 'Not Provided') AS email_status
292 FROM attendees;
Result Grid
Filter Rows:
Export:
Wrap Cell Content:
attendee_id cleaned_attendee_name
1 Alice Smith
2 Bob Johnson
3 Charlie Brown
4 Diana Prince
5 Evan Wright
6 Fiona Gallagher
Result 24
Read Only
Output
Action Output
Time Action Message Duration / Fe
32 11:54:02 SELECT organizer_id, organizer_name FROM organizers WHERE organizer_id IN (SELECT organizer_id ... 1 row(s) returned 0.000 sec / 0
33 11:54:22 SELECT event_id, event_name, event_date, MONTHNAME(event_date) AS event_month, MONTH(... 6 row(s) returned 0.000 sec / 0
34 11:54:43 SELECT event_id, event_name, event_date, DATEDIFF(event_date, NOW()) AS days_remaining FROM ... 6 row(s) returned 0.000 sec / 0
35 11:54:58 SELECT payment_id, amount, DATE_FORMAT(payment_date, '%Y-%m-%d %H:%i:%s') AS formatted_pay... 6 row(s) returned 0.000 sec / 0
36 11:55:28 SELECT organizer_id, UPPER(organizer_name) AS uppercase_organizer_name FROM organizers LIMIT 0, 1000 5 row(s) returned 0.000 sec / 0
37 11:55:46 SELECT attendee_id, TRIM(attendee_name) AS cleaned_attendee_name FROM attendees LIMIT 0, 1000 6 row(s) returned 0.000 sec / 0
34°C
Search
ENG



File Edit View Query Database Server Tools Scripting Help
Navigator
MANAGEMENT
Server Status
Client Connections
Users and Privileges
Status and System Variables
Data Export
Data Import/Restore
INSTANCE
Startup / Shutdown
Server Logs
Options File
PERFORMANCE
Dashboard
Performance Reports
Administration Schemas
Information
No object selected
Object Info Session
sql project-1*
SQL File 3*
Limit to 1000 rows
281 -- Convert all organizer names to uppercase
282 SELECT organizer_id, UPPER(organizer_name) AS uppercase_organizer_name
283 FROM organizers;
284
285 -- Remove extra spaces from attendee names using TRIM()
286 SELECT attendee_id, TRIM(attendee_name) AS cleaned_attendee_name
287 FROM attendees;
288
289 -- Replace NULL email fields with "Not Provided"
290 SELECT attendee_id, attendee_name,
291 COALESCE(email, 'Not Provided') AS email_status
292 FROM attendees;
Result Grid
Filter Rows:
Export:
Wrap Cell Content:
attendee_id cleaned_attendee_name
1 Alice Smith
2 Bob Johnson
3 Charlie Brown
4 Diana Prince
5 Evan Wright
6 Fiona Gallagher
Result 24
Read Only
Output
Action Output
Time Action Message Duration / Fe
32 11:54:02 SELECT organizer_id, organizer_name FROM organizers WHERE organizer_id IN (SELECT organizer_id ... 1 row(s) returned 0.000 sec / 0
33 11:54:22 SELECT event_id, event_name, event_date, MONTHNAME(event_date) AS event_month, MONTH(... 6 row(s) returned 0.000 sec / 0
34 11:54:43 SELECT event_id, event_name, event_date, DATEDIFF(event_date, NOW()) AS days_remaining FROM ... 6 row(s) returned 0.000 sec / 0
35 11:54:58 SELECT payment_id, amount, DATE_FORMAT(payment_date, '%Y-%m-%d %H:%i:%s') AS formatted_pay... 6 row(s) returned 0.000 sec / 0
36 11:55:28 SELECT organizer_id, UPPER(organizer_name) AS uppercase_organizer_name FROM organizers LIMIT 0, 1000 5 row(s) returned 0.000 sec / 0
37 11:55:46 SELECT attendee_id, TRIM(attendee_name) AS cleaned_attendee_name FROM attendees LIMIT 0, 1000 6 row(s) returned 0.000 sec / 0
34°C
Search
ENG



class project
Edit View Query Database Server Tools Scripting Help
sql project-1*
SQL File 3*
Limit to 1000 rows
-- Remove extra spaces from attendee names using TRIM()
SELECT attendee_id, TRIM(attendee_name) AS cleaned_attendee_name
FROM attendees;
-- Replace NULL email fields with "Not Provided"
SELECT attendee_id, attendee_name,
COALESCE(email, 'Not Provided') AS email_status
FROM attendees;
-- 11. WINDOW FUNCTIONS
Result Grid
Filter Rows:
Export:
Wrap Cell Content:
attendee_id attendee_name email_status
1 Alice Smith alice@example.com
2 Bob Johnson Not Provided
3 Charlie Brown charlie@example.com
4 Diana Prince diana@example.com
5 Evan Wright Not Provided
6 Fiona Gallagher fiona@example.com
Result 25
Read Only
Output
Action Output
Time Action Message Duration / Fetch
33 11:54:22 SELECT event_id, event_name, event_date, MONTHNAME(event_date) AS event_month, MONTH(... 6 row(s) returned 0.000 sec / 0.000 sec
34 11:54:43 SELECT event_id, event_name, event_date, DATEDIFF(event_date, NOW()) AS days_remaining FROM ... 6 row(s) returned 0.000 sec / 0.000 sec
35 11:54:58 SELECT payment_id, amount, DATE_FORMAT(payment_date, '%Y-%m-%d %H:%i:%s') AS formatted_pay... 6 row(s) returned 0.000 sec / 0.000 sec
36 11:55:28 SELECT organizer_id, UPPER(organizer_name) AS uppercase_organizer_name FROM organizers LIMIT 0, 1000 5 row(s) returned 0.000 sec / 0.000 sec
37 11:55:46 SELECT attendee_id, TRIM(attendee_name) AS cleaned_attendee_name FROM attendees LIMIT 0, 1000 6 row(s) returned 0.000 sec / 0.000 sec
38 11:56:09 SELECT attendee_id, attendee_name, COALESCE(email, 'Not Provided') AS email_status FROM attendee... 6 row(s) returned 0.000 sec / 0.000 sec
No object selected
Object Info
Session



class project
Edit View Query Database Server Tools Scripting Help
sql project-1*
SQL File 3*
Limit to 1000 rows
-- Remove extra spaces from attendee names using TRIM()
SELECT attendee_id, TRIM(attendee_name) AS cleaned_attendee_name
FROM attendees;
-- Replace NULL email fields with "Not Provided"
SELECT attendee_id, attendee_name,
COALESCE(email, 'Not Provided') AS email_status
FROM attendees;
-- 11. WINDOW FUNCTIONS
Result Grid
Filter Rows:
Export:
Wrap Cell Content:
attendee_id attendee_name email_status
1 Alice Smith alice@example.com
2 Bob Johnson Not Provided
3 Charlie Brown charlie@example.com
4 Diana Prince diana@example.com
5 Evan Wright Not Provided
6 Fiona Gallagher fiona@example.com
Result 25
Read Only
Output
Action Output
Time Action Message Duration / Fetch
33 11:54:22 SELECT event_id, event_name, event_date, MONTHNAME(event_date) AS event_month, MONTH(... 6 row(s) returned 0.000 sec / 0.000 sec
34 11:54:43 SELECT event_id, event_name, event_date, DATEDIFF(event_date, NOW()) AS days_remaining FROM ... 6 row(s) returned 0.000 sec / 0.000 sec
35 11:54:58 SELECT payment_id, amount, DATE_FORMAT(payment_date, '%Y-%m-%d %H:%i:%s') AS formatted_pay... 6 row(s) returned 0.000 sec / 0.000 sec
36 11:55:28 SELECT organizer_id, UPPER(organizer_name) AS uppercase_organizer_name FROM organizers LIMIT 0, 1000 5 row(s) returned 0.000 sec / 0.000 sec
37 11:55:46 SELECT attendee_id, TRIM(attendee_name) AS cleaned_attendee_name FROM attendees LIMIT 0, 1000 6 row(s) returned 0.000 sec / 0.000 sec
38 11:56:09 SELECT attendee_id, attendee_name, COALESCE(email, 'Not Provided') AS email_status FROM attendee... 6 row(s) returned 0.000 sec / 0.000 sec
No object selected
Object Info
Session



class project
Edit View Query Database Server Tools Scripting Help
sql project-1*
SQL File 3*
Limit to 1000 rows
297
298 -- Rank events based on total revenue earned
299 SELECT e.event_id, e.event_name, SUM(p.amount) AS total_revenue,
300 RANK() OVER (ORDER BY SUM(p.amount) DESC) AS revenue_rank
301 FROM events e
302 JOIN tickets t ON e.event_id = t.event_id
303 JOIN payments p ON t.ticket_id = p.ticket_id
304 WHERE p.payment_status = 'Success'
305 GROUP BY e.event_id, e.event_name;
306
307 -- Display the cumulative sum of ticket sales
308 SELECT ticket_id, booking_date, amount,
Result Grid
Filter Rows:
Export:
Wrap Cell Content:
event_id event_name total_revenue revenue_rank
4 AI & Data Expo 250.00 1
2 Music Festival 160.00 2
1 Tech Conference 2026 150.00 3
Result 26
Read Only
Output
Action Output
Time Action Message Duration / Fetch
34 11:54:43 SELECT event_id, event_name, event_date, DATEDIFF(event_date, NOW()) AS days_remaining FROM ... 6 row(s) returned 0.000 sec / 0.000 sec
35 11:54:58 SELECT payment_id, amount, DATE_FORMAT(payment_date, '%Y-%m-%d %H:%i:%s') AS formatted_pay... 6 row(s) returned 0.000 sec / 0.000 sec
36 11:55:28 SELECT organizer_id, UPPER(organizer_name) AS uppercase_organizer_name FROM organizers LIMIT 0, 1000 5 row(s) returned 0.000 sec / 0.000 sec
37 11:55:46 SELECT attendee_id, TRIM(attendee_name) AS cleaned_attendee_name FROM attendees LIMIT 0, 1000 6 row(s) returned 0.000 sec / 0.000 sec
38 11:56:09 SELECT attendee_id, attendee_name, COALESCE(email, 'Not Provided') AS email_status FROM attendee... 6 row(s) returned 0.000 sec / 0.000 sec
39 11:56:28 SELECT e.event_id, e.event_name, SUM(p.amount) AS total_revenue, RANK() OVER (ORDER BY SUM(... 3 row(s) returned 0.000 sec / 0.000 sec
Server Status
Client Connections
Users and Privileges
Status and System Variables
Data Export
Data Import/Restore
Startup / Shutdown
Server Logs
Options File
Dashboard
Performance Reports
Schemas
No object selected
Session
34°C
ENG
11:56



class project
Edit View Query Database Server Tools Scripting Help
sql project-1*
SQL File 3*
Limit to 1000 rows
297
298 -- Rank events based on total revenue earned
299 SELECT e.event_id, e.event_name, SUM(p.amount) AS total_revenue,
300 RANK() OVER (ORDER BY SUM(p.amount) DESC) AS revenue_rank
301 FROM events e
302 JOIN tickets t ON e.event_id = t.event_id
303 JOIN payments p ON t.ticket_id = p.ticket_id
304 WHERE p.payment_status = 'Success'
305 GROUP BY e.event_id, e.event_name;
306
307 -- Display the cumulative sum of ticket sales
308 SELECT ticket_id, booking_date, amount,
Result Grid
Filter Rows:
Export:
Wrap Cell Content:
event_id event_name total_revenue revenue_rank
4 AI & Data Expo 250.00 1
2 Music Festival 160.00 2
1 Tech Conference 2026 150.00 3
Result 26
Read Only
Output
Action Output
Time Action Message Duration / Fetch
34 11:54:43 SELECT event_id, event_name, event_date, DATEDIFF(event_date, NOW()) AS days_remaining FROM ... 6 row(s) returned 0.000 sec / 0.000 sec
35 11:54:58 SELECT payment_id, amount, DATE_FORMAT(payment_date, '%Y-%m-%d %H:%i:%s') AS formatted_pay... 6 row(s) returned 0.000 sec / 0.000 sec
36 11:55:28 SELECT organizer_id, UPPER(organizer_name) AS uppercase_organizer_name FROM organizers LIMIT 0, 1000 5 row(s) returned 0.000 sec / 0.000 sec
37 11:55:46 SELECT attendee_id, TRIM(attendee_name) AS cleaned_attendee_name FROM attendees LIMIT 0, 1000 6 row(s) returned 0.000 sec / 0.000 sec
38 11:56:09 SELECT attendee_id, attendee_name, COALESCE(email, 'Not Provided') AS email_status FROM attendee... 6 row(s) returned 0.000 sec / 0.000 sec
39 11:56:28 SELECT e.event_id, e.event_name, SUM(p.amount) AS total_revenue, RANK() OVER (ORDER BY SUM(... 3 row(s) returned 0.000 sec / 0.000 sec
Server Status
Client Connections
Users and Privileges
Status and System Variables
Data Export
Data Import/Restore
Startup / Shutdown
Server Logs
Options File
Dashboard
Performance Reports
Schemas
No object selected
Session
34°C
ENG
11:56


class project
Edit View Query Database Server Tools Scripting Help
sql project-1*
SQL File 3*
Limit to 1000 rows
306
307 -- Display the cumulative sum of ticket sales
308 SELECT ticket_id, booking_date, amount,
309 SUM(amount) OVER (ORDER BY booking_date) AS cumulative_ticket_sales
310 FROM (
311 SELECT t.ticket_id, t.booking_date, p.amount
312 FROM tickets t
313 JOIN payments p ON t.ticket_id = p.ticket_id
314 WHERE p.payment_status = 'Success'
315) AS successful_sales;
316
317 -- Show the running total of attendees registered per event
Result Grid
Filter Rows:
Export:
Wrap Cell Content:
ticket_id booking_date amount cumulative_ticket_sales
1 2026-10-01 10:00:00 150.00 150.00
3 2026-10-03 14:15:00 80.00 230.00
4 2026-10-04 09:00:00 80.00 310.00
6 2026-10-06 12:00:00 250.00 560.00
Result 27
Read Only
Output
Action Output
Time Action Message Duration / Fetch
35 11:54:58 SELECT payment_id, amount, DATE_FORMAT(payment_date, '%Y-%m-%d %H:%i:%s') AS formatted_pay... 6 row(s) returned 0.000 sec / 0.000 se
36 11:55:28 SELECT organizer_id, UPPER(organizer_name) AS uppercase_organizer_name FROM organizers LIMIT 0, 1000 5 row(s) returned 0.000 sec / 0.000 se
37 11:55:46 SELECT attendee_id, TRIM(attendee_name) AS cleaned_attendee_name FROM attendees LIMIT 0, 1000 6 row(s) returned 0.000 sec / 0.000 se
38 11:56:09 SELECT attendee_id, attendee_name, COALESCE(email, 'Not Provided') AS email_status FROM attendee... 6 row(s) returned 0.000 sec / 0.000 se
39 11:56:28 SELECT e.event_id, e.event_name, SUM(p.amount) AS total_revenue, RANK() OVER (ORDER BY SUM(... 3 row(s) returned 0.000 sec / 0.000 se
40 11:56:50 SELECT ticket_id, booking_date, amount, SUM(amount) OVER (ORDER BY booking_date) AS cumulativ... 4 row(s) returned 0.016 sec / 0.000 se
MANAGEMENT
Server Status
Client Connections
Users and Privileges
Status and System Variables
Data Export
Data Import/Restore
INSTANCE
Startup / Shutdown
Server Logs
Options File
PERFORMANCE
Dashboard
Performance Reports
Administration Schemas
No object selected
Object Info Session
34°C
Search
ENG


class project
Edit View Query Database Server Tools Scripting Help
sql project-1*
SQL File 3*
Limit to 1000 rows
306
307 -- Display the cumulative sum of ticket sales
308 SELECT ticket_id, booking_date, amount,
309 SUM(amount) OVER (ORDER BY booking_date) AS cumulative_ticket_sales
310 FROM (
311 SELECT t.ticket_id, t.booking_date, p.amount
312 FROM tickets t
313 JOIN payments p ON t.ticket_id = p.ticket_id
314 WHERE p.payment_status = 'Success'
315) AS successful_sales;
316
317 -- Show the running total of attendees registered per event
Result Grid
Filter Rows:
Export:
Wrap Cell Content:
ticket_id booking_date amount cumulative_ticket_sales
1 2026-10-01 10:00:00 150.00 150.00
3 2026-10-03 14:15:00 80.00 230.00
4 2026-10-04 09:00:00 80.00 310.00
6 2026-10-06 12:00:00 250.00 560.00
Result 27
Read Only
Output
Action Output
Time Action Message Duration / Fetch
35 11:54:58 SELECT payment_id, amount, DATE_FORMAT(payment_date, '%Y-%m-%d %H:%i:%s') AS formatted_pay... 6 row(s) returned 0.000 sec / 0.000 se
36 11:55:28 SELECT organizer_id, UPPER(organizer_name) AS uppercase_organizer_name FROM organizers LIMIT 0, 1000 5 row(s) returned 0.000 sec / 0.000 se
37 11:55:46 SELECT attendee_id, TRIM(attendee_name) AS cleaned_attendee_name FROM attendees LIMIT 0, 1000 6 row(s) returned 0.000 sec / 0.000 se
38 11:56:09 SELECT attendee_id, attendee_name, COALESCE(email, 'Not Provided') AS email_status FROM attendee... 6 row(s) returned 0.000 sec / 0.000 se
39 11:56:28 SELECT e.event_id, e.event_name, SUM(p.amount) AS total_revenue, RANK() OVER (ORDER BY SUM(... 3 row(s) returned 0.000 sec / 0.000 se
40 11:56:50 SELECT ticket_id, booking_date, amount, SUM(amount) OVER (ORDER BY booking_date) AS cumulativ... 4 row(s) returned 0.016 sec / 0.000 se
MANAGEMENT
Server Status
Client Connections
Users and Privileges
Status and System Variables
Data Export
Data Import/Restore
INSTANCE
Startup / Shutdown
Server Logs
Options File
PERFORMANCE
Dashboard
Performance Reports
Administration Schemas
No object selected
Object Info Session
34°C
Search
ENG


sql project-1*
SQL File 3*
Limit to 1000 rows
FROM tickets t
JOIN payments p ON t.ticket_id = p.ticket_id
WHERE p.payment_status = 'Success'
) AS successful_sales;
-- Show the running total of attendees registered per event
SELECT event_id, ticket_id, booking_date,
COUNT(ticket_id) OVER (PARTITION BY event_id ORDER BY booking_date) AS running_attendee_count
FROM tickets;
-- 12. SQL CASE EXPRESSIONS
Result Grid
Filter Rows:
Export:
Wrap Cell Content:
event_id ticket_id booking_date running_attendee_count
1 1 2026-10-01 10:00:00 1
1 2 2026-10-02 11:30:00 2
2 3 2026-10-03 14:15:00 1
2 4 2026-10-04 09:00:00 2
3 5 2026-10-05 16:45:00 1
4 6 2026-10-06 12:00:00 1
4 7 2026-10-07 15:30:00 2
Result 28
Output
Action Output
Time Action Message
36 11:55:28 SELECT organizer_id, UPPER(organizer_name) AS uppercase_organizer_name FROM organizers LIMIT 0, 1000 5 row(s) returned
37 11:55:46 SELECT attendee_id, TRIM(attendee_name) AS cleaned_attendee_name FROM attendees LIMIT 0, 1000 6 row(s) returned
38 11:56:09 SELECT attendee_id, attendee_name, COALESCE(email, 'Not Provided') AS email_status FROM attendee... 6 row(s) returned
39 11:56:28 SELECT e.event_id, e.event_name, SUM(p.amount) AS total_revenue, RANK() OVER (ORDER BY SUM(... 3 row(s) returned
40 11:56:50 SELECT ticket_id, booking_date, amount, SUM(amount) OVER (ORDER BY booking_date) AS cumulativ... 4 row(s) returned
41 11:57:08 SELECT event_id, ticket_id, booking_date, COUNT(ticket_id) OVER (PARTITION BY event_id ORDER ... 7 row(s) returned


Edit View Query Database Server Tools Scripting Help
sql project-1*
SQL File 3*
Limit to 1000 rows
-- 12. SQL CASE EXPRESSIONS
-- Categorize events based on ticket sales / availability
SELECT event_id, event_name, available_seats, total_seats,
CASE
WHEN available_seats < (0.20 * total_seats) THEN 'High Demand'
WHEN available_seats BETWEEN (0.20 * total_seats) AND (0.50 * total_seats) THEN 'Moderate Demand'
ELSE 'Low Demand'
END AS demand_category
FROM events;
Result Grid
Filter Rows:
Export:
Wrap Cell Content:
event_id event_name available_seats total_seats demand_category
1 Tech Conference 2026 50 500 High Demand
2 Music Festival 300 1000 Moderate Demand
3 Business Leadership Summit 150 200 Low Demand
4 AI & Data Expo 50 800 High Demand
5 Local Art Workshop 45 50 Low Demand
6 Developer Summit 100 400 Moderate Demand
Result 29
Read Only
Output
Action Output
Time Action Message Duration / Fetch
37 11:55:46 SELECT attendee_id, TRIM(attendee_name) AS cleaned_attendee_name FROM attendees LIMIT 0, 1000 6 row(s) returned 0.000 sec / 0.000 sec
38 11:56:09 SELECT attendee_id, attendee_name, COALESCE(email, 'Not Provided') AS email_status FROM attendee... 6 row(s) returned 0.000 sec / 0.000 sec
39 11:56:28 SELECT e.event_id, e.event_name, SUM(p.amount) AS total_revenue, RANK() OVER (ORDER BY SUM(... 3 row(s) returned 0.000 sec / 0.000 sec
40 11:56:50 SELECT ticket_id, booking_date, amount, SUM(amount) OVER (ORDER BY booking_date) AS cumulativ... 4 row(s) returned 0.016 sec / 0.000 sec
41 11:57:08 SELECT event_id, ticket_id, booking_date, COUNT(ticket_id) OVER (PARTITION BY event_id ORDER ... 7 row(s) returned 0.000 sec / 0.000 sec
42 11:57:25 SELECT event_id, event_name, available_seats, total_seats, CASE WHEN available_seats < (0.2... 6 row(s) returned 0.000 sec / 0.000 sec
No object selected
Administration Schemas
Information
Object Info Session
34°C
ENG


Edit View Query Database Server Tools Scripting Help
sql project-1*
SQL File 3*
Limit to 1000 rows
END AS demand_category
FROM events;
-- Assign payment statuses using CASE
SELECT payment_id, ticket_id, amount, payment_status,
CASE
WHEN payment_status = 'Success' THEN 'Successful'
WHEN payment_status = 'Failed' THEN 'Failed'
ELSE 'Pending'
END AS categorized_payment_status
FROM payments;
Result Grid
Filter Rows:
Export:
Wrap Cell Content:
payment_id ticket_id amount payment_status categorized_payment_status
1 1 150.00 Success Successful
2 2 150.00 Failed Failed
3 3 80.00 Success Successful
4 4 80.00 Success Successful
5 5 200.00 Pending Pending
6 6 250.00 Success Successful
Result 30
Read Only
Output
Action Output
Time Action Message Duration / Fetch
38 11:56:09 SELECT attendee_id, attendee_name, COALESCE(email, 'Not Provided') AS email_status FROM attendee... 6 row(s) returned 0.000 sec / 0.000 sec
39 11:56:28 SELECT e.event_id, e.event_name, SUM(p.amount) AS total_revenue, RANK() OVER (ORDER BY SUM(... 3 row(s) returned 0.000 sec / 0.000 sec
40 11:56:50 SELECT ticket_id, booking_date, amount, SUM(amount) OVER (ORDER BY booking_date) AS cumulativ... 4 row(s) returned 0.016 sec / 0.000 sec
41 11:57:08 SELECT event_id, ticket_id, booking_date, COUNT(ticket_id) OVER (PARTITION BY event_id ORDER ... 7 row(s) returned 0.000 sec / 0.000 sec
42 11:57:25 SELECT event_id, event_name, available_seats, total_seats, CASE WHEN available_seats < (0.2... 6 row(s) returned 0.000 sec / 0.000 sec
43 11:57:52 SELECT payment_id, ticket_id, amount, payment_status, CASE WHEN payment_status = 'Succes... 6 row(s) returned 0.000 sec / 0.000 sec