TRABALHO PRATICO

Link com o vídeo de apresentação: https://youtu.be/bX_SdeLN88s

Aluguel

Método HTTP	Endpoint	Parâmetros	Respostas possíveis
GET	/api/Aluguel	Nenhum	200, 500
POST	/api/Aluguel	Dados do aluguel em JSON	200, 201, 400, 500
GET	/api/Aluguel/{id}	ID do aluguel	200, 404, 500
PUT	/api/Aluguel/{id}	ID e dados atualizados	200, 204, 400, 404, 500
DELETE	/api/Aluguel/{id}	ID do aluguel	200, 204, 404, 500
GET	/api/Aluguel/filtro/cliente	Cliente	200, 400, 500
GET	/api/Aluguel/filtro/fabricante	Fabricante	200, 400, 500
GET	/api/Aluguel/filtro/modelo	Modelo	200, 400, 500
GET	/api/Aluguel/filtro/pagamento	Pagamento	200, 400, 500
GET	/api/Aluguel/filtro/periodo	Período	200, 400, 500

Fabricante

Método HTTP	Endpoint	Parâmetros	Respostas possíveis
GET	/api/Fabricante	Nenhum	200, 500
POST	/api/Fabricante	Dados do fabricante em JSON	200, 201, 400, 500
GET	/api/Fabricante/{id}	ID do fabricante	200, 404, 500
PUT	/api/Fabricante/{id}	ID e dados atualizados	200, 204, 400, 404, 500

DELETE	/api/Fabricante/{id}	ID do fabricante	200, 204, 404, 500

Cliente

Método HTTP	Endpoint	Parâmetros	Respostas possíveis
GET	/api/Cliente	Nenhum	200, 500
POST	/api/Cliente	Dados do cliente em JSON	200, 201, 400, 500
GET	/api/Cliente/{id}	ID do cliente	200, 404, 500
PUT	/api/Cliente/{id}	ID e dados atualizados	200, 204, 400, 404, 500
DELETE	/api/Cliente/{id}	ID do cliente	200, 204, 404, 500

Pagamento

Método HTTP	Endpoint	Parâmetros	Respostas possíveis
GET	/api/Pagamento	Nenhum	200, 500
POST	/api/Pagamento	Dados do pagamento e ID do aluguel	200, 201, 400, 500
GET	/api/Pagamento/{id}	ID do pagamento	200, 404, 500
PUT	/api/Pagamento/{id}	ID e dados atualizados	200, 204, 400, 404, 500
DELETE	/api/Pagamento/{id}	ID do pagamento	200, 204, 404, 500


Veículo

Método HTTP	Endpoint	Parâmetros	Respostas possíveis
GET	/api/Veiculo	Nenhum	200, 500
POST	/api/Veiculo	Dados do veículo e FabricanteId	200, 201, 400, 500

GET	/api/Veiculo/{id}	ID do veículo	200, 404, 500
PUT	/api/Veiculo/{id}	ID e dados atualizados	200, 204, 400, 404, 500
DELETE	/api/Veiculo/{id}	ID do veículo	200, 204, 404, 500

Aluguel

A classe aluguel tem os seguintes endpoints, com os métodos GET, POST, PUT e DELETE



GET



POST

Curl

```
curl -X 'POST' \
  'https://localhost:7071/api/Aluguel' \
  -H 'accept: */*' \
  -H 'Content-Type: application/json' \
  -d '{
  "clienteId": 2,
  "veiculoId": 2,
  "dataInicio": "2026-10-04T19:18:49.815Z",
  "dataFim": "2026-10-04T19:18:49.815Z",
  "quilometragemInicial": 0,
  "quilometragemFinal": 500,
  "valorDiaria": 72,
  "valorTotal": 72
}'
```

Request URL

```
https://localhost:7071/api/Aluguel
```

Server response

Code	Details
201 *Undocumented*	Response body


```
{
  "id": 1,
  "clienteId": 2,
  "veiculoId": 2,
  "dataInicio": "2026-10-04T19:18:49.815Z",
  "dataFim": "2026-10-04T19:18:49.815Z",
  "quilometragemInicial": 0,
  "quilometragemFinal": 500,
  "valorDiaria": 72,
  "valorTotal": 72,
  "cliente": {
    "id": 2,
    "nome": "Santos",
    "cpf": "11122233344455",
    "email": "santos@email.com",
    "alugueis": [
      null
```


PUT/id

Curl

```
curl -X 'PUT' \
  'https://localhost:7071/api/Aluguel/1' \
  -H 'accept: */*' \
  -H 'Content-Type: application/json' \
  -d '{
  "id": 1,
  "clienteId": 2,
  "veiculoId": 2,
  "dataInicio": "2026-10-04T19:37:44.308Z",
  "dataFim": "2026-10-04T19:37:44.308Z",
  "quilometragemInicial": 0,
  "quilometragemFinal": 700,
  "valorDiaria": 72,
  "valorTotal": 72
}'
```

Request URL

```
https://localhost:7071/api/Aluguel/1
```

Server response

Code	Details
200	Response body


```
{
  "id": 1,
  "clienteId": 2,
  "veiculoId": 2,
  "dataInicio": "2026-10-04T19:37:44.308Z",
  "dataFim": "2026-10-04T19:37:44.308Z",
  "quilometragemInicial": 0,
  "quilometragemFinal": 700,
  "valorDiaria": 72,
  "valorTotal": 72,
  "cliente": null,
  "veiculo": null,
  "pagamentos": []
}
```


Download

DELETE/id

Curl

```
curl -X 'DELETE' \
  'https://localhost:7071/api/Aluguel/1' \
  -H 'accept: */*'
```

Request URL

```
https://localhost:7071/api/Aluguel/1
```

Server response

Code	Details
204 *Undocumented*	Response headers

```
date: Sun,04 Oct 2026 19:39:33 GMT
server: Kestrel
```

Responses

filtro/cliente

Curl

```
curl -X 'GET' \
  'https://localhost:7071/api/Aluguel/filtro/cliente?nome=Santos' \
  -H 'accept: */*'
```

Request URL

```
https://localhost:7071/api/Aluguel/filtro/cliente?nome=Santos
```

Server response

Code	Details
200	Response body

```
[
  {
    "aluguelId": 2,
    "cliente": "Santos",
    "veiculo": "Mobi",
    "dataInicio": "2026-10-04T19:55:25.404",
    "dataFim": "2026-10-04T19:55:25.404",
    "valorTotal": 72
  }
]
```

Download

filtro/fabricante

Curl

```
curl -X 'GET' \
  'https://localhost:7071/api/Aluguel/filtro/fabricante?nome=Fiat' \
  -H 'accept: */*'
```

Request URL

```
https://localhost:7071/api/Aluguel/filtro/fabricante?nome=Fiat
```

Server response

Code	Details
200	Response body

```
[
  {
    "aluguelId": 2,
    "cliente": "Santos",
    "fabricante": "FIAT",
    "modelo": "Mobi",
    "dataInicio": "2026-10-04T19:55:25.404",
    "dataFim": "2026-10-04T19:55:25.404"
  }
]
```

Download

Response headers

```
content-type: application/json; charset=utf-8
date: Mon,05 Oct 2026 01:18:19 GMT
server: Kestrel
```

filtro/modelo

Curl

```
curl -X 'GET' \
  'https://localhost:7071/api/Aluguel/filtro/modelo?modelo=Mobi' \
  -H 'accept: */*'
```

Request URL

```
https://localhost:7071/api/Aluguel/filtro/modelo?modelo=Mobi
```

Server response

Code	Details
200	Response body

```
[
  {
    "aluguelId": 2,
    "cliente": "Santos",
    "modelo": "Mobi",
    "dataInicio": "2026-10-04T19:55:25.404",
    "dataFim": "2026-10-04T19:55:25.404",
    "valorTotal": 72
  }
]
```

Download

filtro/pagamento

Curl

```
curl -X 'GET' \
  'https://localhost:7071/api/Aluguel/filtro/pagamento?forma=pix' \
  -H 'accept: */*'
```

Request URL

```
https://localhost:7071/api/Aluguel/filtro/pagamento?forma=pix
```

Server response

Code	Details
200	Response body

```
[
  {
    "aluguelId": 2,
    "cliente": "Santos",
    "formaPagamento": "PIX",
    "valorTotal": 72
  }
]
```


Download

filtro/periodo



Fabricante

A classe fabricante tem os seguintes endpoints, com os métodos GET, POST, PUT e DELETE



GET

Curl

```
curl -X 'GET' \
  'https://localhost:7071/api/Fabricante' \
  -H 'accept: */*'
```

Request URL

```
https://localhost:7071/api/Fabricante
```

Server response

Code	Details
200	Response body

```
[
  {
    "id": 1,
    "nome": "FIAT",
    "veiculos": []
  }
]
```

Download

POST

Curl

```
curl -X 'POST' \
  'https://localhost:7071/api/Fabricante' \
  -H 'accept: */*' \
  -H 'Content-Type: application/json' \
  -d '{
  "nome": "FIAT"
}'
```

Request URL

```
https://localhost:7071/api/Fabricante
```

Server response

Code	Details
201 *Undocumented*	Response body

```
{
  "id": 1,
  "nome": "FIAT",
  "veiculos": []
}
```

Download

GET/id

Curl

```
curl -X 'GET' \
  'https://localhost:7071/api/Fabricante/1' \
  -H 'accept: */*'
```

Request URL

```
https://localhost:7071/api/Fabricante/1
```

Server response

Code	Details
200	Response body

```
{
  "id": 1,
  "nome": "FIAT",
  "veiculos": []
}
```

Download

Response headers

```
content-type: application/json; charset=utf-8
date: Sun,04 Oct 2026 17:53:55 GMT
server: Kestrel
```

PUT/id

Curl

```
curl -X 'PUT' \
  'https://localhost:7071/api/Fabricante/1' \
  -H 'accept: */*' \
  -H 'Content-Type: application/json' \
  -d '{
  "id": 1,
  "nome": "Volkswagen"
}'
```

Request URL

```
https://localhost:7071/api/Fabricante/1
```

Server response

Code	Details
200	Response body

```
{
  "id": 1,
  "nome": "Volkswagen",
  "veiculos": []
}
```

Download

Response headers


```
content-type: application/json; charset=utf-8
date: Sun,04 Oct 2026 18:00:28 GMT
server: Kestrel
```

DELETE/id



Cliente

A classe cliente tem os seguintes endpoints, com os métodos GET, POST, PUT e DELETE



GET

Curl

```
curl -X 'GET' \
  'https://localhost:7071/api/Cliente' \
  -H 'accept: */*'
```

Request URL

```
https://localhost:7071/api/Cliente
```

Server response

Code	Details
200	Response body

```
[
  {
    "id": 1,
    "nome": "Claudio",
    "cpf": "123456",
    "email": "Claudio@email.com",
    "alugueis": []
  },
  {
    "id": 2,
    "nome": "Carlos",
    "cpf": "13333333",
    "email": "carlos@email",
    "alugueis": []
  }
]
```

Download

POST

Responses

Curl

```
curl -X 'POST' \
  'https://localhost:7071/api/Cliente' \
  -H 'accept: */*' \
  -H 'Content-Type: application/json' \
  -d '{
  "nome": "Carlos",
  "cpf": "13333333",
  "email": "carlos@email"
}'
```

Request URL

```
https://localhost:7071/api/Cliente
```

Server response

Code	Details
201 *Undocumented*	Response body

```
{
  "id": 2,
  "nome": "Carlos",
  "cpf": "13333333",
  "email": "carlos@email",
  "alugueis": []
}
```

Download

GET/id

Curl

```
curl -X 'GET' \
  'https://localhost:7071/api/Cliente/1' \
  -H 'accept: */*'
```

Request URL

```
https://localhost:7071/api/Cliente/1
```

Server response

Code	Details
200	Response body

```
{
  "id": 1,
  "nome": "Claudio",
  "cpf": "123456",
  "email": "Claudio@email.com",
  "alugueis": []
}
```

Download

Response headers

```
content-type: application/json; charset=utf-8
date: Sun,04 Oct 2026 17:29:57 GMT
server: Kestrel
```

PUT/id

Request URL

```
https://localhost:7071/api/Cliente/2
```

Server response

Code	Details
200	Response body


```
{
  "id": 2,
  "nome": "Santos",
  "cpf": "11122233344455",
  "email": "santos@email.com",
  "alugueis": []
}
```

Download

Response headers


```
content-type: application/json; charset=utf-8
date: Sun,04 Oct 2026 17:49:07 GMT
server: Kestrel
```

DELETE/id



Pagamento

A classe pagamento tem os seguintes endpoints, com os métodos GET, POST, PUT e DELETE



GET



POST

Curl

```
curl -X 'POST' \
  'https://localhost:7071/api/Pagamento' \
  -H 'accept: */*' \
  -H 'Content-Type: application/json' \
  -d '{
  "aluguelId": 2,
  "valor": 72,
  "dataPagamento": "2026-10-04T19:54:24.512Z",
  "formaPagamento": "pix"
}'
```

Request URL

```
https://localhost:7071/api/Pagamento
```

Server response

Code	Details
201 *Undocumented*	Response body

```
{
  "id": 1,
  "aluguelId": 2,
  "valor": 72,
  "dataPagamento": "2026-10-04T19:54:24.512Z",
  "formaPagamento": "pix"
}
```

Download

Response headers

```
content-type: application/json; charset=utf-8
date: Sun,04 Oct 2026 19:58:13 GMT
location: https://localhost:7071/api/Pagamento/1
server: Kestrel
```

GET/id

Curl

```
curl -X 'GET' \
  'https://localhost:7071/api/Pagamento/1' \
  -H 'accept: */*'
```

Request URL

```
https://localhost:7071/api/Pagamento/1
```

Server response

Code	Details
200	Response body

```
{
  "id": 1,
  "aluguelId": 2,
  "valor": 72,
  "dataPagamento": "2026-10-04T19:54:24.512",
  "formaPagamento": "pix",
  "aluguel": {
    "id": 2,
    "clienteId": 2,
    "veiculoId": 2,
    "dataInicio": "2026-10-04T19:55:25.404",
    "dataFim": "2026-10-04T19:55:25.404",
    "quilometragemInicial": 0,
    "quilometragemFinal": 200,
    "valorDiaria": 72,
    "valorTotal": 72,
    "cliente": null,
    "veiculo": null,
    "pagamentos": [
      null
    ]
  }
}
```


Download

PUT/id





DELETE/id



Veiculo

A classe veiculo tem os seguintes endpoints, com os métodos GET, POST, PUT e DELETE

Veiculo

GET /api/Veiculo

POST /api/Veiculo

GET /api/Veiculo/{id}

PUT /api/Veiculo/{id}

DELETE /api/Veiculo/{id}

GET



Curl

```
curl -X 'GET' \
  'https://localhost:7071/api/Veiculo' \
  -H 'accept: */*'
```

Request URL

```
https://localhost:7071/api/Veiculo
```

Server response

Code Details

200

Response body


```
[
  {
    "id": 1,
    "modelo": "Mobi",
    "anoFabricacao": 2018,
    "quilometragem": 0,
    "fabricanteId": 2,
    "fabricante": {
      "id": 2,
      "nome": "FIAT",
      "veiculos": [
        null,
        {
          "id": 2,
          "modelo": "Mobi",
          "anoFabricacao": 2018,
          "quilometragem": 0,
          "fabricanteId": 2,
          "fabricante": null,
          "alugueis": []
        },
        {
          "id": 3,
          "modelo": "Uno",
          "anoFabricacao": 2018,
          "quilometragem": 0,
          "fabricanteId": 2,
```


Download

POST



Request URL

```
https://localhost:7071/api/Veiculo
```

Server response

Code Details

201

Undocumented

Response body


```
{
  "id": 2,
  "modelo": "Mobi",
  "anoFabricacao": 2018,
  "quilometragem": 0,
  "fabricanteId": 2,
  "fabricante": {
    "id": 2,
    "nome": "FIAT",
    "veiculos": [
      null
    ]
  },
  "alugueis": []
}
```


Download

Response headers

```
content-type: application/json; charset=utf-8
date: Sun,04 Oct 2026 19:02:17 GMT
location: https://localhost:7071/api/Veiculo/2
server: Kestrel
```

GET/id

Curl

```
curl -X 'GET' \
  'https://localhost:7071/api/Veiculo/1' \
  -H 'accept: */*'
```

Request URL

```
https://localhost:7071/api/Veiculo/1
```

Server response

Code	Details
200	Response body

```
{
  "id": 1,
  "modelo": "Mobi",
  "anoFabricacao": 2018,
  "quilometragem": 0,
  "fabricanteId": 2,
  "fabricante": {
    "id": 2,
    "nome": "FIAT",
    "veiculos": [
      null
    ]
  },
  "alugueis": []
}
```

Download

Response headers

```
content-type: application/json; charset=utf-8
date: Sun,04 Oct 2026 19:16:27 GMT
server: Kestrel
```

PUT/id

Curl

```
curl -X 'PUT' \
  'https://localhost:7071/api/Veiculo/1' \
  -H 'accept: */*' \
  -H 'Content-Type: application/json' \
  -d '{
  "id": 1,
  "modelo": "Pulse",
  "anoFabricacao": 2026,
  "quilometragem": 0,
  "fabricanteId": 2
}'
```

Request URL

```
https://localhost:7071/api/Veiculo/1
```

Server response

Code	Details
200	Response body

```
{
  "id": 1,
  "modelo": "Pulse",
  "anoFabricacao": 2026,
  "quilometragem": 0,
  "fabricanteId": 2,
  "fabricante": {
    "id": 2,
    "nome": "FIAT",
    "veiculos": [
      null
    ]
  },
  "alugueis": []
}
```

Download

DELETE/id

Curl

```
curl -X 'DELETE' \
  'https://localhost:7071/api/Veiculo/1' \
  -H 'accept: */*'
```

Request URL

```
https://localhost:7071/api/Veiculo/1
```

Server response

Code	Details
204 *Undocumented*	Response headers

```
date: Sun,04 Oct 2026 19:18:07 GMT
server: Kestrel
```