
Economist: low uncertainty

Eligible for low uncertainty (q < 0.05). Weighted selection avoids recently seen replies. Scheduler increases joke chance after quiet results and forces an opportunity after 3 quiet calculations.

Example 001




Probably.

2+3+4 | Economist

generic fallback

Example 002



Within economist error.

1+2+3+4 | Economist

mild uncertainty; generic fallback

Example 003



Best estimate. For now.

5+5+5 | Economist

Example 004



Good enough.

2+3+4 | Economist


q = sigma / (abs(mu) + sigma). Earlier classification rules take priority.

Forced previews: seed, scheduler and state can change the reply; examples do not guarantee it.

Economist: suspicious precision

Eligible for q < 0.002, or a finely typed literal with q < 0.05. Weighted selection avoids recently seen replies. Scheduler increases joke chance after quiet results and forces an opportunity after 3 quiet calculations.


Example 005



Approximately exactly.

0*0 | Economist

Example 028



Precision isn’t knowledge.

0*0*0 | Economist


q = sigma / (abs(mu) + sigma). Earlier classification rules take priority.

Forced previews: seed, scheduler and state can change the reply; examples do not guarantee it.

Economist: awkward / non-sequitur replies

Eligible for any numerical class. Weighted selection avoids recently seen replies. Scheduler increases joke chance after quiet results and forces an opportunity after 3 quiet calculations.


Example 006



Hm.

100+20 | Economist

Example 010



That’s a number.

25+7 | Economist

Example 017



Fine.

80+40 | Economist

Example 018



Anyway.

100+20 | Economist


q = sigma / (abs(mu) + sigma). Earlier classification rules take priority.

Forced previews: seed, scheduler and state can change the reply; examples do not guarantee it.

Economist: mild uncertainty

Eligible for mild uncertainty. Weighted selection avoids recently seen replies. Scheduler increases joke chance after quiet results and forces an opportunity after 3 quiet calculations.

Example 007



Subject to reality.

25+7 | Economist

q > 0.12

Example 008




Model says yes.

80+40 | Economist

q > 0.12

Example 009



Numbers happened.

100+20 | Economist

abs(mu) > 1e12

q = sigma / (abs(mu) + sigma). Earlier classification rules take priority.

Forced previews: seed, scheduler and state can change the reply; examples do not guarantee it.

Economist: very high uncertainty

Eligible for sigma >= abs(mu). Weighted selection avoids recently seen replies. Scheduler increases joke chance after quiet results and forces an opportunity after 3 quiet calculations.

Example 011



Data may disagree.

1.05^20 | Economist

uncertain denominator or a very small divisor

Example 012



This looks wrong.

1.08^18 | Economist

negative result with sigma >= abs(mu) or q > 0.3

Example 013



Things missing.

1.02^30 | Economist

uncertain denominator or a very small divisor

Example 014



Don’t quote me.

1.05^20 | Economist

q = sigma / (abs(mu) + sigma). Earlier classification rules take priority.

Forced previews: seed, scheduler and state can change the reply; examples do not guarantee it.

Economist: very high uncertainty (continued)

Eligible for sigma >= abs(mu). Weighted selection avoids recently seen replies. Scheduler increases joke chance after quiet results and forces an opportunity after 3 quiet calculations.

Example 027



Reality may differ.

1.08^18 | Economist

q = sigma / (abs(mu) + sigma). Earlier classification rules take priority.

Forced previews: seed, scheduler and state can change the reply; examples do not guarantee it.

Economist: cancellation

Eligible for strong cancellation (score >= 0.9). Weighted selection avoids recently seen replies.
Scheduler increases joke chance after quiet results and forces an opportunity after 3 quiet calculations.

Example 015



Equilibrium detected.

1000-999 | Economist

Example 016



Model incomplete.

500-498 | Economist

Example 019



Sign subject to change.

200-199 | Economist

q = sigma / (abs(mu) + sigma). Earlier classification rules take priority.

Forced previews: seed, scheduler and state can change the reply; examples do not guarantee it.

Economist: growth / extrapolation

Eligible for power/exp or growth-risk flag. Weighted selection avoids recently seen replies. Scheduler increases joke chance after quiet results and forces an opportunity after 3 quiet calculations.


Example 020



Assuming infinite growth.

1.05^10 | Economist


Example 021



Future not in sample.

1.04^8 | Economist

Example 022



Extrapolation. Good luck.

1.1^5 | Economist

q = sigma / (abs(mu) + sigma). Earlier classification rules take priority.

Forced previews: seed, scheduler and state can change the reply; examples do not guarantee it.

Economist: negative results

Eligible for negative result. Weighted selection avoids recently seen replies. Scheduler increases joke chance after quiet results and forces an opportunity after 3 quiet calculations.

Example 023




Unfortunately, yes.

-100 | Economist

negative result with sigma >= abs(mu) or q > 0.3

Example 024



I don’t like this.

15-80 | Economist

negative result with sigma >= abs(mu) or q > 0.3


q = sigma / (abs(mu) + sigma). Earlier classification rules take priority.

Forced previews: seed, scheduler and state can change the reply; examples do not guarantee it.

Economist: strongly negative results

Eligible for negative result with sigma >= abs(mu) or q > 0.3. Weighted selection avoids recently seen replies. Scheduler increases joke chance after quiet results and forces an opportunity after 3 quiet calculations.

Example 025



Anxiety is not included in sigma.

-1.05^20 | Economist

sigma >= abs(mu)

Example 026



Kierkegaard approves negativity.

-1.08^18 | Economist

Additional 1-in-16 eligibility gate.


q = sigma / (abs(mu) + sigma). Earlier classification rules take priority.

Forced previews: seed, scheduler and state can change the reply; examples do not guarantee it.

Exact-result numeric easter eggs

Exact mathematical result matches a special number. First encounter per number per session; operands alone do not trigger it. Overrides visual cooldown. The banner preserves the exact number.

Example 029



Very mature.

80085 | Economist

Result = 80085

Example 030



Very mature.

58008 | Economist

Result = 58008

Example 031



Finally.

5318008 | Economist

Result = 5318008

Example 032



Nice.

69 | Economist

Result = 69

q = sigma / (abs(mu) + sigma). Earlier classification rules take priority.

Forced previews: seed, scheduler and state can change the reply; examples do not guarantee it.

Exact-result numeric easter eggs (continued)

Exact mathematical result matches a special number. First encounter per number per session; operands alone do not trigger it. Overrides visual cooldown. The banner preserves the exact number.

Example 033



Highly significant.

420 | Economist

Result = 420

Example 034



Result not found.

404 | Economist

Result = 404

Example 035




Infernal confidence.

666 | Economist

Result = 666

Example 036



Question missing.

42 | Economist

Result = 42

q = sigma / (abs(mu) + sigma). Earlier classification rules take priority.

Forced previews: seed, scheduler and state can change the reply; examples do not guarantee it.

Exact-result numeric easter eggs (continued)

Exact mathematical result matches a special number. First encounter per number per session; operands alone do not trigger it. Overrides visual cooldown. The banner preserves the exact number.

Example 037



Strong fundamentals.

2008 | Economist

Result = 2008

Example 038



Temporary correction.

1929 | Economist

Result = 1929

q = sigma / (abs(mu) + sigma). Earlier classification rules take priority.

Forced previews: seed, scheduler and state can change the reply; examples do not guarantee it.

Historical dates: 1841 / 1871

Unlike generic numeric eggs, these references inspect date literals as well as the exact result. Each historical reply appears once per session and overrides visual cooldown.

Example 039



Journal des Economistes initialized.

1841 | Economist

Literal or result = 1841

Example 040



End of historical sample.

1871 | Economist

Literal or result = 1871

Example 041



30 years of equilibrium.

1841+1871 | Economist

Both date literals present; their pair triggers the interval reference, including addition and either subtraction order.

Example 042



30 years of equilibrium.

1871-1841 | Economist

Both date literals present; their pair triggers the interval reference, including addition and either subtraction order.

q = sigma / (abs(mu) + sigma). Earlier classification rules take priority.

Forced previews: seed, scheduler and state can change the reply; examples do not guarantee it.

Historical dates: 1841 / 1871 (continued)

Unlike generic numeric eggs, these references inspect date literals as well as the exact result. Each historical reply appears once per session and overrides visual cooldown.

Example 043



30 years of equilibrium.

1841-1871 | Economist

Both date literals present; their pair triggers the interval reference, including addition and either subtraction order.


q = sigma / (abs(mu) + sigma). Earlier classification rules take priority.

Forced previews: seed, scheduler and state can change the reply; examples do not guarantee it.

Imaginary economics: Ig Nobel 2002

Negative square-root argument (or a negative base with a non-integer power) causes a domain error. ECON shows the Ig Nobel visual; no complex arithmetic.

Example 044



2002 Ig Nobel got there first.

sqrt(-1) | Economist

q = sigma / (abs(mu) + sigma). Earlier classification rules take priority.

Forced previews: seed, scheduler and state can change the reply; examples do not guarantee it.

Mathematical failure

Domain error or division by zero. The ordinary ECON error caption applies unless a higher-priority historical, imaginary or Black Swan event wins.

Example 045



Reality did not cooperate.

ln(0) | Economist

ln(0): domain error.

Example 046



Reality did not cooperate.

1/0 | Economist

Division by zero.

q = sigma / (abs(mu) + sigma). Earlier classification rules take priority.

Forced previews: seed, scheduler and state can change the reply; examples do not guarantee it.

TV expert: confident claims

TV expert uses stronger claims as internal uncertainty rises. Above q = 0.25, only 100% CONFIDENT and VERY CLEAR are eligible; otherwise all four claims are eligible. Sigma-hiding chance rises with q. Visual banners require no cooldown and a 25% gate or every 7th calculation; higher-priority risk events win.

Example 047



100% CONFIDENT

1.08^18 | TV expert

Numeric presentation.

Example 048



100% CONFIDENT

1.02^30 | TV expert

Green confidence banner.

Example 049



VERY CLEAR

1.05^20 | TV expert

Numeric presentation.

Example 050



VERY CLEAR

1.08^18 | TV expert

Green confidence banner.

q = sigma / (abs(mu) + sigma). Earlier classification rules take priority.

Forced previews: seed, scheduler and state can change the reply; examples do not guarantee it.

TV expert: confident claims (continued)

TV expert uses stronger claims as internal uncertainty rises. Above q = 0.25, only 100% CONFIDENT and VERY CLEAR are eligible; otherwise all four claims are eligible. Sigma-hiding chance rises with q. Visual banners require no cooldown and a 25% gate or every 7th calculation; higher-priority risk events win.

Example 051



Definitely.

80/3 | TV expert

Numeric presentation. Only q <= 0.25.

Example 052



Definitely.

12*8 | TV expert

Green confidence banner. Only q <= 0.25.

Example 053



Trust me.

45-9 | TV expert

Numeric presentation. Only q <= 0.25.

Example 054



Trust me.

7.5+2.5 | TV expert

Green confidence banner. Only q <= 0.25.

q = sigma / (abs(mu) + sigma). Earlier classification rules take priority.

Forced previews: seed, scheduler and state can change the reply; examples do not guarantee it.

Referee 2: methodological complaints

Referee checks expression structure and uncertainty in priority order. The first matching complaint wins; earlier rules can hide later ones. The message scheduler controls display. Ordinary input is enough; no unit syntax is required.

Example 055



Denominator may be endogenous.

1/(1000-999) | Referee 2

denominator_relative >= 0.5

Example 056



Identification is weak.

1000-999 | Referee 2

cancellation > 0.9

Example 057




Standard errors are concerning.

1.05^20 | Referee 2

q > 0.65

Example 058



Sign is not robust.

1.05^11 | Referee 2

q > 0.5


q = sigma / (abs(mu) + sigma). Earlier classification rules take priority.

Forced previews: seed, scheduler and state can change the reply; examples do not guarantee it.

Referee 2: methodological complaints (continued)

Referee checks expression structure and uncertainty in priority order. The first matching complaint wins; earlier rules can hide later ones. The message scheduler controls display. Ordinary input is enough; no unit syntax is required.

Example 059




Model appears overparameterized.

(1+2+3+4)/(5+6+7+8+9) | Referee 2

at least 8 operations

Example 060



Functional form unjustified.

9^.5 | Referee 2

a non-integer power

Example 061




Out-of-sample validity not established.

1.05^10 | Referee 2

power/exp growth

Example 062



Dimensionless? Please clarify.

ln(20) | Referee 2

ln, log or exp


q = sigma / (abs(mu) + sigma). Earlier classification rules take priority.

Forced previews: seed, scheduler and state can change the reply; examples do not guarantee it.

Referee 2: methodological complaints (continued)

Referee checks expression structure and uncertainty in priority order. The first matching complaint wins; earlier rules can hide later ones. The message scheduler controls display. Ordinary input is enough; no unit syntax is required.

Example 063




Economic meaning unclear.

sin(30) | Referee 2

a trig or inverse-trig function

Example 064




Standard errors are suspiciously small.

0*0 | Referee 2

q < 0.002

Example 065




Precision exceeds evidence.

100+20 | Referee 2

6 displayed digits and q > 0.05

Example 066



Please clarify.

7.5+2.5 | Referee 2

Fallback when a comment is scheduled but no complaint matches.

q = sigma / (abs(mu) + sigma). Earlier classification rules take priority.

Forced previews: seed, scheduler and state can change the reply; examples do not guarantee it.

Repeated =: story and estimate revisions

Same expression hash evaluated again. Repeat count advances the story, with varying replies after 5 repeats. TV expert and Referee replace most replies. Non-Referee repeats with nonzero sigma refresh the central estimate; 25% receive a revision caption. Higher-priority events win.

Example 067



Still.

100+20; repeated = (reply 1) | Economist

Repeat 1 after the initial evaluation.

Example 068



Consensus achieved.

25+7; repeated = (reply 2) | Economist

Repeat 2 after the initial evaluation.

Example 069



Robustness confirmed.

80/3; repeated = (reply 3) | Economist

Repeat 3 after the initial evaluation.

Example 070



Please stop.

12*8; repeated = (reply 4) | Economist

Repeat 4 after the initial evaluation.

q = sigma / (abs(mu) + sigma). Earlier classification rules take priority.

Forced previews: seed, scheduler and state can change the reply; examples do not guarantee it.

Repeated =: story and estimate revisions (continued)

Same expression hash evaluated again. Repeat count advances the story, with varying replies after 5 repeats. TV expert and Referee replace most replies. Non-Referee repeats with nonzero sigma refresh the central estimate; 25% receive a revision caption. Higher-priority events win.

Example 071



You asked already.

45-9; repeated = (reply 5) | Economist

Later repeats: varying selection.

Example 072



Nothing changed.

7.5+2.5; repeated = (reply 6) | Economist

Later repeats: varying selection.

Example 073



Fine.

250/4; repeated = (reply 7) | Economist

Later repeats: varying selection.

Example 074



Still definitely.

TV expert; repeated = | TV expert

Style-specific repeat reply; consensus remains shared on repeat 2.


q = sigma / (abs(mu) + sigma). Earlier classification rules take priority.

Forced previews: seed, scheduler and state can change the reply; examples do not guarantee it.

Repeated =: story and estimate revisions (continued)

Same expression hash evaluated again. Repeat count advances the story, with varying replies after 5 repeats. TV expert and Referee replace most replies. Non-Referee repeats with nonzero sigma refresh the central estimate; 25% receive a revision caption. Higher-priority events win.

Example 075




Please clarify.

Referee 2; repeated = | Referee 2

Style-specific repeat reply; consensus remains shared on repeat 2.

Example 076



Same model. New answer.

36+14; occasional revised presentation | Economist

Revision caption: 25% gate; odd repeats use Revised estimate, even repeats use Same model. New answer.

Example 077



Revised estimate.

75+25; occasional revised presentation | Economist

Revision caption: 25% gate; odd repeats use Revised estimate, even repeats use Same model. New answer.

q = sigma / (abs(mu) + sigma). Earlier classification rules take priority.

Forced previews: seed, scheduler and state can change the reply; examples do not guarantee it.

Precision gag

Economist, 6 displayed digits, q > 0.1 and a 1-in-7 gate, when the scheduler requests a joke and no higher-priority message is selected.

Example 078



More digits for credibility.

1.05^20 | Economist


q = sigma / (abs(mu) + sigma). Earlier classification rules take priority.

Forced previews: seed, scheduler and state can change the reply; examples do not guarantee it.

Black Swan

Eligible if denominator_relative >= 1, q > 0.85 or absurdity > 95. Chance per eligible opportunity: 20%, 40%, 70%, 100%; visual cooldown blocks attempts. Also eligible for divide-by-zero/range errors.

Example 079



Not in the model.

1/(1000-999) | Economist

Economist; same cross-style eligibility.

Example 080




Not in the model.

5/(200-199) | TV expert

TV expert; same cross-style eligibility.

Example 081



Not in the model.

2/(50-49) | Referee 2

Referee 2; same cross-style eligibility.

q = sigma / (abs(mu) + sigma). Earlier classification rules take priority.

Forced previews: seed, scheduler and state can change the reply; examples do not guarantee it.

Risk visuals

Absurdity > 85, no cooldown and no winning Black Swan. Visual gate: 25% or every 7th calculation; then choose MODEL != REALITY, crash or ???. Risk, not this caption, drives selection.

Example 082



Subject to reality.

1000-999 | Economist

MODEL != REALITY.

Example 083



Strong fundamentals.

500-498 | Economist

Falling-chart crash.

Example 084



Subject to reality.

200-199 | Economist

??? replaces the number.

q = sigma / (abs(mu) + sigma). Earlier classification rules take priority.

Forced previews: seed, scheduler and state can change the reply; examples do not guarantee it.

Economist: estimate banner

Economist: every 7th calculation may show ESTIMATE, provided cooldown and higher-priority events allow it.

Example 085



Best estimate. For now.

100+20 | Economist


q = sigma / (abs(mu) + sigma). Earlier classification rules take priority.

Forced previews: seed, scheduler and state can change the reply; examples do not guarantee it.

Referee 2: revision / rejection

Review visuals require no cooldown and a 25% gate or every 7th calculation. Refusal additionally requires a complaint, q > 0.65 or cancellation > 0.95, and a 1-in-29 hash gate. Refusal can appear as REJECTED or as a withheld numeric answer; higher-priority events win.

Example 086



Standard errors are concerning.

1.04^30 | Referee 2

q > 0.65. Revision banner.

Example 087



Standard errors are concerning.

1.06^25 | Referee 2

q > 0.65. Rejected banner.

Example 088



Standard errors are concerning.

Referee 2 refusal; no numeric result | Referee 2

q > 0.65. Numeric answer withheld.

Example 089



Please clarify.

45-9 | Referee 2

Fallback clarification. Revision banner.


q = sigma / (abs(mu) + sigma). Earlier classification rules take priority.

Forced previews: seed, scheduler and state can change the reply; examples do not guarantee it.

Ordinary ECON result

No forced event or refusal, and the message scheduler skips a joke. Ordinary numeric result still uses ECON presentation.

Example 090



No caption

48/6; no joke this time | Economist

q = sigma / (abs(mu) + sigma). Earlier classification rules take priority.

Forced previews: seed, scheduler and state can change the reply; examples do not guarantee it.

Exact random-number gag

ECON RND deliberately returns exactly 1 with zero sigma, regardless of valid bounds. No extra caption or visual: the suspiciously exact random number is the joke. Other modes keep normal RND.

Example 091



No caption

RND(0,1); exactly 1 +/- 0, no caption | Economist

q = sigma / (abs(mu) + sigma). Earlier classification rules take priority.

Forced previews: seed, scheduler and state can change the reply; examples do not guarantee it.