



1. App.vue

a. /student




A screenshot of a web browser displaying the /student form. The browser's address bar shows 'localhost:5173/student'. The page has a dark background with two tabs at the top: 'Student Form' (highlighted in green) and 'Admin Form'. The 'Student Form' is centered and contains a light gray box with the following fields: 'Student ID:', 'First Name:', 'Last Name:', and 'Section:'. Each field has a corresponding text input. At the bottom of the box is a blue 'Submit' button. A small downward arrow is visible at the bottom center of the page.

b. /admin




A screenshot of a web browser displaying the /admin form. The browser's address bar shows 'localhost:5173/admin'. The page has a dark background with two tabs at the top: 'Student Form' and 'Admin Form' (highlighted in green). The 'Admin Form' is centered and contains a light gray box with the following fields: 'Admin ID:', 'First Name:', 'Last Name:', 'Department:', and 'Select File:'. The 'Select File:' field includes a 'Choose File' button and the text 'No file chosen'. At the bottom of the box is a blue 'Submit' button. A small downward arrow is visible at the bottom center of the page.

2. Sample Response (Student GET)




The screenshot shows a web browser at `localhost:5173/student`. At the top, there are two links: "Student Form" (highlighted in green) and "Admin Form". Below these links is a "Student Form" modal. The form contains four input fields: "Student ID:" with the value "20967030", "First Name:" with the value "Lorin Robelle", "Last Name:" with the value "Yambao", and "Section:" with the value "WD-302". At the bottom of the form is a blue "Submit" button.



The screenshot shows a web browser at `localhost:5000/getStudent?studentId=20967030&firstName=Lorin+Robelle&lastName=Yambao§ion=WD-302`. Below the address bar, there is a "Pretty-print" button and a JSON response: `{"studentId":"20967030","firstName":"Lorin Robelle","lastName":"Yambao","section":"WD-302"}`.


```
C:\Users\Lorin Yambao\Desktop\HAU\3RD YEAR\WCSEVER\github\6WCSEVER\project3>node server.js
Server running at http://localhost:5000
GET Student Response: {
  studentId: '20967030',
  firstName: 'Lorin Robelle',
  lastName: 'Yambao',
  section: 'WD-302'
}
```

3. Sample Response (Admin POST)




The screenshot shows a web browser at `localhost:5173/admin`. At the top, there are two tabs: "Student Form" and "Admin Form". The "Admin Form" is active and displays a form with the following fields:

- Admin ID:**
- First Name:**
- Last Name:**
- Department:**
- Select File:**
- Submit:**



The screenshot shows the browser's "Pretty-print" response for the POST request to `localhost:5000/postAdmin`. The response is a JSON object:

```
{
  "adminId": "11111",
  "firstName": "John",
  "lastName": "Doe",
  "department": "SOC",
  "uploadedFile": "uploads\\Untitled design (5).png"
}
```



The screenshot shows the terminal output of a Node.js server running at `http://localhost:5000`. The output displays the POST Admin Response:

```
C:\Users\Lorin Yambao\Desktop\HAU\3RD YEAR\WCSEVER\github\6WCSEVER\project3>node server.js
Server running at http://localhost:5000
POST Admin Response: {
  adminId: '11111',
  firstName: 'John',
  lastName: 'Doe',
  department: 'SOC',
  uploadedFile: 'uploads\\Untitled design (5).png'
}
```

Github Link:

<https://github.com/yambaolr/6WCSEVER>