

INSERT SORT








	1	2	3	4	5	6
(c)	2	4	5	6	1	3
,				$\overline{\mathbf{A}}$		

THE INCREMENTAL APPROACH






https://visualgo.net/en/sorting

"TALK IS CHEAP SHOW ME THE CODE"

- Linus Torvalds




SELECTION SORT



SELECTION SORT




4



https://visualgo.net/en/sorting

"TALK IS CHEAP SHOW ME THE CODE"

- Linus Torvalds



BUBBLE SORT



THE INCREMENTAL APPROACH






https://visualgo.net/en/sorting

"TALK IS CHEAP SHOW ME THE CODE"

- Linus Torvalds



REVIEW

WHAT IS THE RUNTIME COMPLEXITY OF INSERT SORT?

• a) O(1)

• b) O(N)

AND IF THE ARRAY IS ALREADY SORTED?

• a) O(1)

• b)(O(N)

WHAT IS THE RUNTIME COMPLEXITY OF SELECTION SORT?

• a) O(1)

• b) O(N)

AND IF THE ARRAY IS ALREADY SORTED?

• a) O(1)

• b) O(N)

WHAT IS THE RUNTIME COMPLEXITY OF BUBBLE SORT?

• a) O(1)

• b) O(N)

AND IF THE ARRAY IS ALREADY SORTED?

• a) O(1)

• b)(O(N)

EXERCISES

• What would you change in your Insert Sort and Bubble Sort to make them sort in reverse order? Can you code a function where the sorting order is provided as a parameter?