In [1]: import pandas as pd import seaborn as sns

In [3]: data=pd.read_csv("/home/placement/Desktop/yamuna/Advertising.csv")

In [4]: data.describe()

Out[4]:

	Unnamed: 0	TV	radio	newspaper	sales
count	200.000000	200.000000	200.000000	200.000000	200.000000
mean	100.500000	147.042500	23.264000	30.554000	14.022500
std	57.879185	85.854236	14.846809	21.778621	5.217457
min	1.000000	0.700000	0.000000	0.300000	1.600000
25%	50.750000	74.375000	9.975000	12.750000	10.375000
50%	100.500000	149.750000	22.900000	25.750000	12.900000
75%	150.250000	218.825000	36.525000	45.100000	17.400000
max	200.000000	296.400000	49.600000	114.000000	27.000000

In [5]: data.head()

Out[5]:

	Unnamed: 0	TV	radio	newspaper	sales
0	1	230.1	37.8	69.2	22.1
1	2	44.5	39.3	45.1	10.4
2	3	17.2	45.9	69.3	9.3
3	4	151.5	41.3	58.5	18.5
4	5	180.8	10.8	58.4	12.9

```
In [6]: data.info()
        <class 'pandas.core.frame.DataFrame'>
        RangeIndex: 200 entries, 0 to 199
        Data columns (total 5 columns):
                         Non-Null Count Dtype
             Column
             _ _ _ _ _
                         200 non-null
             Unnamed: 0
                                         int64
                         200 non-null
                                         float64
         1
             TV
             radio
                         200 non-null
                                         float64
         2
         3
             newspaper
                         200 non-null
                                         float64
         4
             sales
                         200 non-null
                                         float64
        dtypes: float64(4), int64(1)
        memory usage: 7.9 KB
In [7]: data.shape
Out[7]: (200, 5)
```

```
In [8]: data
```

Out[8]:		Unnamed: 0	TV	radio	newspaper	sales
	0	1	230.1	37.8	69.2	22.1
	1	2	44.5	39.3	45.1	10.4
	2	3	17.2	45.9	69.3	9.3
	3	4	151.5	41.3	58.5	18.5
	4	5	180.8	10.8	58.4	12.9
	195	196	38.2	3.7	13.8	7.6
	196	197	94.2	4.9	8.1	9.7
	197	198	177.0	9.3	6.4	12.8
	198	199	283.6	42.0	66.2	25.5
	199	200	232.1	8.6	8.7	13.4

200 rows × 5 columns

```
In [9]: list(data)
Out[9]: ['Unnamed: 0', 'TV', 'radio', 'newspaper', 'sales']
In [10]: datal=data.drop(['Unnamed: 0'],axis=1)
```

In [11]: data1

Out[11]:

	TV	radio	newspaper	sales
0	230.1	37.8	69.2	22.1
1	44.5	39.3	45.1	10.4
2	17.2	45.9	69.3	9.3
3	151.5	41.3	58.5	18.5
4	180.8	10.8	58.4	12.9
195	38.2	3.7	13.8	7.6
196	94.2	4.9	8.1	9.7
197	177.0	9.3	6.4	12.8
198	283.6	42.0	66.2	25.5
199	232.1	8.6	8.7	13.4

200 rows × 4 columns

cor


In [12]: cor=datal.corr()

Out[12]:

	TV	radio	newspaper	sales	
TV	1.000000	0.054809	0.056648	0.782224	
radio	0.054809	1.000000	0.354104	0.576223	
newspaper	0.056648	0.354104	1.000000	0.228299	
sales	0.782224	0.576223	0.228299	1.000000	

```
In [13]: sns.heatmap(cor,vmax=1,vmin=-1,annot=True,linewidths=.5,cmap='bwr')
```

Out[13]: <Axes: >



```
In [15]: y=data1['sales']
x=data1.drop('sales',axis=1)
```

```
In [16]: y
Out[16]: 0
                 22.1
                 10.4
          2
                  9.3
          3
                 18.5
          4
                 12.9
          195
                  7.6
                  9.7
          196
          197
                 12.8
          198
                 25.5
          199
                 13.4
          Name: sales, Length: 200, dtype: float64
In [17]: list(x)
Out[17]: ['TV', 'radio', 'newspaper']
In [18]: from sklearn.model selection import train test split
          x train,x test,y train,y test = train test split(x,y,test size=0.33,random state=42)
In [19]: x train.shape
Out[19]: (134, 3)
In [20]: from sklearn.linear model import LinearRegression
          reg = LinearRegression()
          reg.fit(x train,y train)
Out[20]: LinearRegression()
          In a Jupyter environment, please rerun this cell to show the HTML representation or trust the notebook.
          On GitHub, the HTML representation is unable to render, please try loading this page with nbviewer.org.
In [21]: ypred=reg.predict(x test)
```

```
In [22]: | ypred
Out[22]: array([16.58673085, 21.18622524, 21.66752973, 10.81086512, 22.25210881,
                13.31459455, 21.23875284, 7.38400509, 13.43971113, 15.19445383,
                 9.01548612, 6.56945204, 14.4156926, 8.93560138, 9.56335776,
                12.10760805, 8.86091137, 16.25163621, 10.31036304, 18.83571624,
                19.81058732, 13.67550716, 12.45182294, 21.58072583, 7.67409148,
                 5.67090757, 20.95448184, 11.89301758, 9.13043149, 8.49435255,
                12.32217788, 9.99097553, 21.71995241, 12.64869606, 18.25348116,
                20.17390876, 14.20864218, 21.02816483, 10.91608737, 4.42671034,
                 9.59359543, 12.53133363, 10.14637196, 8.1294087, 13.32973122,
                 5.27563699, 9.30534511, 14.15272317, 8.75979349, 11.67053724,
                15.66273733, 11.75350353, 13.21744723, 11.06273296, 6.41769181,
                 9.84865789, 9.45756213, 24.32601732, 7.68903682, 12.30794356,
                17.57952015, 15.27952025, 11.45659815, 11.12311877, 16.60003773,
                 6.906114781)
In [23]: from sklearn.metrics import r2_score
         r2 score(y test,ypred)
Out[23]: 0.8555568430680086
In [24]: from sklearn.metrics import mean squared error
         mean squared error(vpred, v test)
Out[24]: 3.7279283306815105
```

In [25]: import warnings

warnings.filterwarnings("ignore")

from sklearn.linear model import ElasticNet

from sklearn.model selection import GridSearchCV

```
elastic = ElasticNet()
         parameters = { 'alpha': [1e-15, 1e-10, 1e-8, 1e-4, 1e-3,1e-2, 1, 5, 10, 20]}
         elastic regressor = GridSearchCV(elastic, parameters)
         elastic regressor.fit(x train, y_train)
Out[25]: GridSearchCV(estimator=ElasticNet(),
                       param grid={'alpha': [1e-15, 1e-10, 1e-08, 0.0001, 0.001, 0.01, 1,
                                               5, 10, 201})
         In a Jupyter environment, please rerun this cell to show the HTML representation or trust the notebook.
          On GitHub, the HTML representation is unable to render, please try loading this page with nbviewer.org.
In [26]: elastic regressor.best params
Out[26]: {'alpha': 1}
In [27]: elastic=ElasticNet(alpha=0.1)
         elastic.fit(x train,y train)
         v pred elastic=elastic.predict(x_test)
In [28]: from sklearn.metrics import r2 score
         r2 score(y test,y pred elastic)
Out[28]: 0.8557548052018211
In [29]: from sklearn.metrics import mean squared error
         elastic error=mean squared error(y pred elastic,y test)
         elastic error
Out[29]: 3.722819132968605
```

```
In [30]: x_test
```

Out[30]:		TV	radio	newspaper
	95	163.3	31.6	52.9
	15	195.4	47.7	52.9
	30	292.9	28.3	43.2
	158	11.7	36.9	45.2
	128	220.3	49.0	3.2
	97	184.9	21.0	22.0
	31	112.9	17.4	38.6
	12	23.8	35.1	65.9
	35	290.7	4.1	8.5
	119	19.4	16.0	22.3

66 rows × 3 columns

```
In [31]: test=[[110,33,21]]
    y_pred_elastic=elastic.predict(test)
    y_pred_elastic

Out[31]: array([14.28599702])
```

```
In [32]: test=[[110,33,21],[220,66,13]]
y_pred_elastic=elastic.predict(test)
y_pred_elastic
```

Out[32]: array([14.28599702, 25.6314246])

```
In [ ]:
```