# Phase 2: Salesforce Development - Backend & Configurations

SwiftShip Tracker

**Name:** Yamuna P **College:** PB College of Engineering **Date:** 02/10/2026

**Org Username:** palaniammu1122.2377324c90ea@agentforce.com

This phase focused on developing the core logic of SwiftShip Tracker. Custom objects were created for Parcel, Sender, Receiver and Delivery with relationships. An AI prompt template was built in Prompt Builder and used in an Autolaunched Flow that returns the parcel details.

### Milestones

1. Milestone 1 - Salesforce Account
2. Milestone 2 - Objects Creation
3. Milestone 3 - Tabs
4. Milestone 4 - Fields & Relationships
5. Milestone 5 - Prompt Builder
6. Milestone 6 - Flows

## Milestone 1 - Salesforce Account

Salesforce is your customer success platform, designed to help you sell, service, market, analyse, and connect with your customers.


### Creating Developer Account

Creating a developer org in Salesforce.

> **How to do it in Salesforce:** Open the sign-up link in a browser, fill the form and submit. Salesforce emails a verification link. After you set a password, Salesforce emails a one-time code to confirm your identity, and then opens your new org.


1. Go to https://developer.salesforce.com/signup
2. On the sign-up form, enter the following details:
   - First name: Yamuna; Last name: P
   - Email: palaniammu1122@gmail.com
   - Job Title: Developer
   - Company: PB College Of Engineering
   - Country: India
3. Click on **Sign me up** after filling these.

**My org:** palaniammu1122.2377324c90ea@agentforce.com





*Screenshot 1*

1. Go to the inbox of the email that you used while signing up. Click on **Verify Account** to activate your account. The email may take 10-30 mins and sometimes 2 hours.
2. Click on Verify Account
3. Give a password and answer a security question and click on **Change Password**.





*Screenshot 2 - Change Password (username: palaniammu1122.2377324c90ea@agentforce.com)*

Salesforce sends a verification code to the registered email. Enter the code in the **Verification Code** box and click **Verify**.





*Screenshot 3*

Then you will be redirected to your Salesforce setup page. The Developer Edition Welcome page confirms that the org was created successfully.




*Screenshot 4*

Click the gear icon and select **Setup**. The Setup Home page opens, with Quick Find and Object Manager used for all configuration.




*Screenshot 5*


## Milestone 2 - Objects Creation

**How to do it in Salesforce:** An object is like a database table. In Setup, open Object Manager, click Create, then Custom Object, fill in the labels, tick the options and save. Salesforce automatically adds __c to the API name (for example Parcel__c).

## Creating Parcel Object


To create an object:

1. From the setup page
2. Click on Object Manager
3. Click on Create >> Click on Custom Object.
4. Enter the label name as Parcel
5. Enter Plural label name as Parcels
6. Enter Record Name as Parcel Name
7. Select Data Type as Text: Parcel Name
8. Select Allow reports.
9. Select Allow search.
10. Allow Track Field History
11. Click on Save and New




*Screenshot 6*

After saving, the object details page shows API Name **Parcel__c**, Deployment Status **Deployed**, and Enable Reports, Track Activities and Track Field History enabled.





*Screenshot 7*

## Creating Delivery Object

To create an object:

1. From the setup page
2. Click on Object Manager
3. Click on Create >> Click on Custom Object.
4. Enter the label name as Delivery
5. Enter Plural label name as Deliveries
6. Enter Record Name as DeliveryName
7. Select Data Type as Text: DeliveryName
8. Select Allow reports.
9. Select Allow search.
10. Allow Track Field History
11. Click on Save and New





*Screenshot 8 - Delivery object (API Name Delivery__c)*

## Creating Sender Object

To create an object:

1. From the setup page
2. Click on Object Manager
3. Click on Create >> Click on Custom Object.
4. Enter the label name as Sender
5. Enter Plural label name as Sender's
6. Enter Record Name as SenderName
7. Select Data Type as Text: SenderName
8. Select Allow reports.
9. Select Allow search.
10. Allow Track Field History
11. Click on Save and New





*Screenshot 9 - Sender object (API Name Sender__c)*

### Creating Receiver Object

To create an object:

1. From the setup page
2. Click on Object Manager
3. Click on Create >> Click on Custom Object.
4. Enter the label name as Receiver
5. Enter Plural label name as Receiver's
6. Enter Record Name as ReceiverName
7. Select Data Type as Text: ReceiverName
8. Select Allow reports.
9. Select Allow search.
10. Allow Track Field History
11. Click on Save and New




*Screenshot 10 - Receiver object (API Name Receiver__c)*

## Milestone 3 - Tabs


**How to do it in Salesforce:** A tab gives each object its own menu entry so you can open its records. In Setup, search Tabs, click New under Custom Object Tabs, pick the object and a tab style, and save. Do this once for every object.

### Creating a tab for Parcel Object

1. Go to the setup page > type Tabs in Quick Find bar
2. Click on tabs
3. Click on New (under custom object tab).
4. Select Object (Parcel) >> Select the tab style
5. Click on Next >> (Add to profiles page) keep it as default >> Click on Next (Add to Custom App) uncheck the include tab.
6. Make sure that the Append tab to the user's existing personal customizations is checked.
7. Click save

### More Tab Creation

1. Go to Setup > type Tabs in the Quick Find box.
2. Click Tabs under the User Interface section.
3. Click New under Custom Object Tabs.
4. Select the object (Delivery, Sender, or Receiver) > choose a Tab Style.
5. Click Next > keep the Add to Profiles settings as default > click Next.
6. On the Add to Custom Apps page, uncheck "Include Tab."
7. Ensure Append tab to the user's existing personal customizations is checked.
8. Click Save and repeat the steps for each object (Delivery, Sender, Receiver).




*Screenshot 11 - Custom Object Tabs created: Deliverys (Cup), Parcels (Caduceus), Receivers (Car), Senders (Building)*

## Milestone 4 - Fields & Relationships

Create fields and Relationships for the custom objects created in the previous milestone.

> **How to do it in Salesforce:** Open Object Manager, select the object, go to Fields & Relationships and click New. Choose the data type (Auto Number, Picklist, Number, Date, Geolocation, Phone, Email or Lookup Relationship), enter the label, click Next, Next, then Save & New. A Lookup field links one object to another.

### Creating Fields and Relationships for Parcel Object


Beside the Quick Find box you have, Object Manager click on it.

1. Search for and select your Parcel object.

**Field 1: Parcel ID**

- Go to Fields & Relationships > click New
- Data type == auto number > P-{000}
- Click Next > Next > Save & New.

Follow the same steps to create the remaining fields (Status, Weight, Estimated Delivery, Sender) of the Parcel object mentioned in the table below.




*Screenshot 12 - Parcel fields: Parcel ID (Auto Number) and Parcel Name (Text 80)*

**1. Parcel Object** - API Name: Parcel__c - Purpose: Store parcel information

| Field Name | API Name | Data Type | Description |
|---|---|---|---|
| Parcel ID | Parcel_ID__c | Auto number | Unique ID for each parcel |
| Status | Status__c | Picklist | [Booked, In Transit, Out for Delivery, Delivered] |
| Weight | Weight__c | Number | Weight of Parcel |
| Estimated Delivery | Estimated_Delivery_Date__c | Date | Expected Delivery Date |
| Sender | Sender__c | Lookup Relationship | Gets Details from Sender |


## Creating Fields And Relationships For Delivery Object

Beside the Quick Find box you have, Object Manager click on it.

1. Search for and select your Delivery object.

**Field 1: Current Location**

- Go to Fields & Relationships > click New
- Choose Data Type: Geolocation > click Next. Field Label: Current Location
- Click Next > Next > Save & New.
- Follow the same steps to create the remaining fields (Estimated Delivery, Sender, Parcel) of the Delivery object mentioned in the table below.




*Screenshot 13 - Delivery object: Fields & Relationships*

| Field Name | API Name | Data Type | Description |
|---|---|---|---|
| Current Location | Current_Location__c | Geolocation | Location in terms of longitude and latitude. |
| Estimated Delivery | Estimated_Delivery_Date__c | Date | Expected Delivery Date |
| Sender | Sender__c | Lookup Relationship | Gets Details from Sender |
| Parcel | Parcel__c | Lookup Relationship | Gets Details from Parcel |


## Creating Fields And Relationships For Sender Object

Beside the Quick Find box you have, Object Manager click on it.

1. Search for and select your Sender object.

**Field 1: Sender Address**

- Go to Fields & Relationships > click New
- Choose Data Type: Geolocation > click Next. Field Label: Sender Address
- Click Next > Next > Save & New.
- Follow the same steps to create the remaining fields (Sender Contact, Sender Email) of the Sender object mentioned in the table below.




*Screenshot 14 - New Geolocation field: Sender Address (Decimal Places 15, Field Name Sender_Address)*

| Field Name | API Name | Data Type | Description |
|---|---|---|---|
| Sender Address | Sender_Address__c | Geolocation | Location in terms of longitude and latitude. |
| Sender Contact | Sender_Contact__c | Phone | To contact the sender |
| Sender Email | Sender_Email__c | Email | To send email Notification. |

## Creating Fields And Relationships For Receiver Object

Beside the Quick Find box you have, Object Manager click on it.

1. Search for and select your Receiver object.

**Field 1: Receiver Address**

- Go to Fields & Relationships > click New
- Choose Data Type: Geolocation > click Next. Field Label: Receiver's Address
- Click Next > Next > Save & New.
- Follow the same steps to create the remaining fields (Receiver Contact, Receiver Email, Sender, Parcel) of the Receiver object mentioned in the table below.


| Field Name | API Name | Data Type | Description |
|---|---|---|---|
| Receiver Address | Receiver_Address__c | Geolocation | Location in terms of longitude and latitude. |
| Receiver Contact | Receiver_Contact__c | Phone | To contact the Receiver |
| Receiver Email | Receiver_Email__c | Email | To send email Notification. |
| Sender | Sender__c | Lookup Relationship | Gets Details from Sender |
| Parcel | Parcel__c | Lookup Relationship | Gets Details from Parcel |

# Milestone 5 - Prompt Builder

Designing Prompts for Agent Building. In Salesforce, go to Setup.


> **How to do it in Salesforce:** Prompt Builder is where you write an AI prompt that uses merge fields from a record. You pick a template type, write the prompt, insert the object fields as resources, preview the AI answer and then activate the template so a flow or agent can call it.

1. In the Quick Find box, type Prompt Templates (or in Agent Console, go to Agent Builder > Prompt Templates).
2. Click New Prompt Template - Record summary template




*Screenshot 15 - Quick Find: Prompt Builder*

4. Enter the details
    - Label: Retrieve Parcel Details
    - API Name: Retrieve_Parcel_Details
    - Description: Retrieves parcel details where Parcel_ID matches the user input.
    - Object Type: Parcel, then click Next




*Screenshot 16 - New Prompt Template (Record Summary)*


5. Enter the Prompt Template Content

In the Prompt Template Text area, paste the following exactly:

```
Retrieve details from Parcel__c where Parcel_ID__c matches user input. Return response in this
format:

Parcel Tracking Update
- Parcel Name:{!$Input:Parcel__c.Name}
- Parcel ID:{!$Input:Parcel__c.Parcel_ID__c}
- Status:{!$Input:Parcel__c.Status__c}
- Weight:{!$Input:Parcel__c.Weight__c}
- Estimated Delivery Date:{!$Input:Parcel__c.Estimated_Delivery_Date__c}
```

Model Type: Standard, Model: GPT 5 Mini.





*Screenshot 17 - Prompt content with Parcel merge fields and model settings*

6. Add Resource Mapping
7. Scroll down to the Resources / Insert Resources section.
   - Click Insert Resource > choose Object.
   - Select Parcel__c.
   - Add the following fields: Name, Parcel_ID__c, Status__c, Weight__c, Estimated_Delivery_Date__c
8. Click Insert Resource (or Add) for each one.
9. Click Save.


### Testing the Prompt

Click **Save & Preview**. The Resolved Prompt shows the real parcel values (laptop, P-001, Booked, weight 2, estimated delivery 10/29/2026) and the Generated Response summarizes the parcel details. Performance Insights show a response time of 1.76 s and 550 tokens.




*Screenshot 18 - Save & Preview: Resolved Prompt and Generated Response*

10. Then click Activate to make this Prompt Template available for your agent or flow.




*Screenshot 19 - Prompt template activated (Version 1 Active)*


# Milestone 6 - Flows

Create flows for capturing the response as shown.

> **How to do it in Salesforce:** A flow is Salesforce's drag-and-drop automation. This Autolaunched Flow takes a Parcel ID as input, finds the parcel record, sends it to the prompt template, and returns the AI response in an output variable.


Go to Setup > search Flows > click New Flow.

1. Choose Auto-Launched Flow (No Trigger) > click Create





*Screenshot 20 - New Automation: Autolaunched Flow (No Trigger)*

3. Add Input Variables (to allow Agent to pass values):
   - Click On New Resource > Variable > Available for Input.
   - Ids > Data Type: Text > Available for Input.
   - Output > Data Type: Text > Available for Output.





*Screenshot 21 - Variables ids and Output created; Get Records element added*

4. Click on the Add icon to add Element: Get Records > Label: Get Parcel Records
    - Object: Parcel
    - Field = Parcel_ID__c
    - Operator = Equals
    - Value = ids





*Screenshot 22 - Get Parcel Records filter*

5. Element : Action
    - Find Retrieve parcel details
    - Click Retrieve parcel details
    - Label: Parcel Updates.





*Screenshot 23 - Action added; Parcel from Get Parcel Records is available*

- Object To Summarize : Parcel from get Parcel records.




*Screenshot 24 - objectToSummarize set*


6. Element : Assignment
   - Label: Assignment Outputs.
   - Variable = Output
   - Operator = Equals
   - Value = Outputs from Action > Prompt Response




*Screenshot 25 - Assignment Outputs; flow Parcel Details - V1 Active*

7. Connect Start > Get Records > Action > Assignment > End.
8. Save Flow > Name: Parcel Details.
9. Activate Flow.
10. Once the flow is saved go back to the flows, Click on the drop down near the flow that is just created, click on edit access.

11. On the top look for flow user access and then assign these available profiles, and click save.




*Screenshot 26 - Flow user access: enabled profiles*