

Within-person change
Same three-visit patients; cells show n
a
D
A100
A200
IL-4 24 24 27 27 15 15
IL-5 23 23 26 26 15 15
IL-13 4† 4† 6 6 × ×
IL-31 6 6 7 7 2† 2†
TSLP 24 24 27 27 15 15
IL-33 24 24 27 27 15 15
CCL17 24 24 27 27 15 15
CCL18 13 13 9 9 4† 4†
IFN-gamma 24 24 27 27 15 15
IL-12p70 19 19 25 25 14 14
IL-18 24 24 27 27 15 15
TNF-alpha 23 23 26 26 15 15
IL-21 12 12 9 9 5 5
IL-6 24 24 27 27 15 15
IL-17A 22 22 18 18 15 15
IL-22 2† 2† 1† 1† × ×
IL-10 24 24 27 27 15 15
IL2RA 24 24 27 27 15 15
CCL26 23 23 22 22 15 15
Periostin 24 24 27 27 15 15
CCL11 24 24 27 27 15 15
IL-36beta 24 24 27 27 15 15
IFN-beta 15 15 20 20 11 11
12 24 12 24 12 24
Follow-up week; each change is relative to own W0
b
Between-treatment change difference
All eligible W0/W12 pairs
D−A100
D−A200
A200−A100
D−pooled A
W0 → W12; first − second
−2
0
2
Mean within-person log₂ change
−2
0
2
Adjusted difference in log₂ change
Dupilumab
Abrocitinib 100 mg
Abrocitinib 200 mg
c
CCL17
Log₂ change from W0
0
−1
−2
0
12
24
Week
Fixed n: D 24, A100 27, A200 15
d
CCL26
Log₂ change from W0
0.5
0.0
−0.5
−1.0
0
12
24
Week
Fixed n: D 23, A100 22, A200 15
e
IL-5
Log₂ change from W0
0
−1
0
12
24
Week
Fixed n: D 23, A100 26, A200 15