# FSRM588 HW 1

### Yaniv Bronshtein

# 2/16/2021

#Question 1 Test MSE, Training MSE, EPE. Consider the linear regression model with p parameters, fit by least squares to a set of training data  $(x_1, y_1), ..., (x_N, y_N)$  draw from the population distribution where  $x_i N_p(0, \sum)$  and  $y_i = x_i^T$  with  $\epsilon_i N(0, \sigma^2)$  ## R Markdown

This is an R Markdown document. Markdown is a simple formatting syntax for authoring HTML, PDF, and MS Word documents. For more details on using R Markdown see http://rmarkdown.rstudio.com.

When you click the **Knit** button a document will be generated that includes both content as well as the output of any embedded R code chunks within the document. You can embed an R code chunk like this:

#### summary(cars)

```
##
        speed
                         dist
##
           : 4.0
                           : 2.00
                    Min.
##
    1st Qu.:12.0
                    1st Qu.: 26.00
    Median:15.0
                    Median : 36.00
##
##
    Mean
           :15.4
                    Mean
                           : 42.98
                    3rd Qu.: 56.00
##
    3rd Qu.:19.0
    Max.
           :25.0
                    Max.
                           :120.00
```

### **Including Plots**

You can also embed plots, for example:



Note that the  $\mbox{echo}$  = FALSE parameter was added to the code chunk to prevent printing of the R code that generated the plot.