UNIVERSIDAD DE LAS FUERZAS ARMADAS ESPE

DEPARTMENT OF COMPUTER SCIENCE

Object-Oriented Programming

INSPECTION

Group N°8

Project: LegalSync

Team Name: CodeLex

Members:

Torres Galeas Ostin Christopher

Ulcuango Quimbiamba Josselyn Andrea

Unda Piguave Mateo Jhaer

Velez Valencia Yandry Josue

Instructor: Edison Lascano PhD

NRC: 36862

October 29, 2026


Quito – Ecuador


Group inspector: N°1


Evidence:






23:14 | ovs-rqmk-skm
DEMIAN ROLANDO ARMAS GUATO (Presentando y anotando)
ESPE
DEMIAN ROLANDO AR...
ISAAC SEBASTIAN ACU...
ENRIQUE MATEO AYALA LAGUNAS
Activar subtítulos
Traducir voz


23:18 | ovs-rqmk-skm
DEMIAN ROLANDO ARMAS GUATO (Presentando y anotando)
DEMIAN ROLAND...
ISAAC SEBASTIAN ...
ENRIQUE MATEO AYALA LAGUNAS


23:19 | ovs-rqmk-skm
DEMIAN ROLANDO ARMAS GUATO (Presentando y anotando)
ISAAC SEBASTIAN ACU...
DEMIAN ROLANDO AR...
ENRIQUE MATEO AYALA LAGUNAS

Evaluation:


Project inspection, Group 8			
Definition:			
Number	Evidence	Observation	Weighing
0	-	No observations. The definition clearly explains the problem, proposed solution, intended users, and scope, making it self-explanatory.	-
TOTAL:			10
List of possible objects			
Number	Evidence	Observation	Weighing
0	-	No observations. The list contains at least 10 well-defined candidate objects, describing their purposes and relevant characteristics.	-
TOTAL:			10
SRS IEEE 830			
Number	Evidence	Observation	Weighing
1		The SRS says the system must generate `cases_report.csv` and `billing_report.csv`, but in the menu we only found “10. Import cases from CSV”. There is no option to export the reports.	-0.1
TOTAL:			9.9
Product Backlog			
Number	Evidence	Observation	Weighing




1	complete debt/payment status. PB-006 | Case Expense Ledger and Client Debts. Record detailed litigation expenses and track outstanding debts on a per-case basis. | Medium | The system allows authorized users to record individual expense items for a case in `cases.json` (including the amount, date, a detailed description of the legal cost, and payment status). The system automatically calculates the client's total accumulated debt for that case and displays on-screen whether the balance is PENDING or PAID IN FULL. PB-007 | Attorney Arrangements, Tasks, and Calendar Schedule. Record procedural arrangements, modify pending items, and check court dates. | Medium | Attorneys can add tasks and provisions to a case, assign them to junior lawyers or legal assistants (by judicial unit), and update the status of pending items in `cases.json`. Hearing dates and deadlines are	The backlog lists nine features, but only PB-006 and PB-007 explicitly describe calculations. Several others focus on registering or storing data, so compliance with the requirement for nine computational features is unclear.	-0.1
TOTAL:			9.9






UML class diagram


Number	Evidence	Observation	Weighing
1	-	No observations. The class diagram defines classes with attributes and methods and shows, association, aggregation, composition, and dependency relationships, meeting the rubric's requirement.	-
TOTAL:			10

UML use case diagram

Number	Evidance	Observation	Weighing
1		The identifier includes state or type information ("PENDING / PAID IN FULL") directly in the name. This exposes implementation details and lowers readability	-0.1
2		here are too many separate components that do nearly the same thing. Creating a separate extension for every minor search filter causes accidental complexity and lowers maintainability.	-0.1
TOTAL:			9.8





Clean Code			
Number	Evidence	Observation	Weighing
1		Clean Code dictates that code should be self-explanatory. A comment that repeats exactly what the function name	-0.1
2		Including UI menu numbers ("1") in the method name couples the logic to the interface.	-0.1
3		The exact same loop logic for printing collections is copy-pasted across multiple methods.	-0.1
4		The method is nearly 80 lines long with up to 5 levels of indentation	-0.1
5		The method receives 12 parameters, violating the rule of using a maximum of 3	-0.1
6		The method returns a boolean value to confirm the success or failure of the operation, but it is hardcoded to always return `true`, unconditionally.	-0.1
TOTAL:			9.4
Unit Test			
Number	Evidence	Observation	Weighing



1		Half of the ClientTest tests fail. It looks like they used the tests NetBeans generates and left the expected value empty (`""`), so the tests were never really finished.	-0.1
2		4 of the 15 ExpenseTest tests fail. In `testToString` the expected value is an empty string, while the method returns the full expense text, so the test was left as the NetBeans template and never finished. The Find bar in the screenshot is even searching for “The test case is a prototype.”	-0.1
3		Half of the DefendantTest tests fail. The expected values are empty (`""`) or just `false`, so it looks like the NetBeans template was left as it was and the tests were never finished.	-0.1
4		In CaseFileTest the tests still use the default template values (empty strings, `null`). `testIsPaidInFull` expects `false` but gets `true`, which looks like the template default and not a real check of the debt rule.	-0.1
5		AuditEntryTest has the lowest pass rate of the three. The expected result is an empty string, so the test compares the real log line against nothing.	-0.1
TOTAL:			9.5

Data Files JSON			
Number	Evidence	Observation	Weighing
1		Instead of generating properly structured, nested JSON arrays, the lists of Expenses, Deadlines,	-0.1

		and Documents are separated by vertical bars.	
2		The literal copies of the client's name and identifier are written directly into `cases.json`, rather than storing only the "clientId".	-0.1
TOTAL:			9.8

Data reports: CSV

Number	Evidence	Observation	Weighing
1		The system only allows importing data from CSV files (e.g., "Import cases from CSV"), but there is no feature or menu option to export or generate the required CSV data reports.	-01
2		Only one CSV report (e.g., `cases_report.csv`) is generated by the application. The rubric requires generating at least two distinct data reports (e.g., missing `billing_report.csv`)	-0.1
3		The CSV generation method writes hardcoded values or placeholder strings into the output file instead of dynamically extracting and formatting actual system entity data.	-0.1
4		The generated CSV file is missing header rows (column names) or uses inconsistent delimiters, making it difficult to parse or import into external spreadsheet tools.	-0.1

5		The CSV export functionality does not specify character encoding (e.g., standard UTF-8), causing special characters in legal client data or descriptions to display as corrupted text.	-0.1
6		The generated CSV reports lack proper standard header rows (column descriptors like `CaseID,Client,Status,Debt`), printing raw data values directly without structure.	-0.1
TOTAL:			9.4

Execution of features

Number	Evidence	Observation	Weighing
0	-	Following a review of this section, we have found no inconsistencies or deficiencies in the design. All components fully conform to the standards described in the SRS, with no detectable flaws.	-
TOTAL:			10

Artifacts	Observations	Grade
10 Definition	Well defined definition	10
10 List of possible objects	Clear and well defined objects	10
10 SRS IEEE 830	The document complies with the regulations, and the wording is correct.	9.9
10 Product Backlog	Well - defined	9.9
10 Class diagram	Clear and understandable diagram	10
10 UML use case diagrams	All classes are included in the program.	9.8

10 Clean code	It can be improved, and the corrections can be found on GitHub (Pitfalls).	9.4
10 Test cases/unit tests	All cases are run.	9.5
10 Data files JSON	Data persistence is maintained	9.8
10 Data reports CSV	The CSV files are generated correctly.	9.4
100 Execution of features	All program features are correct and relate to the product backlog (run program).	10