STABLECOIN PAYMENT ORCHESTRATION GATEWAY

Comprehensive Product Requirements Document

Version 1.0 | 26 October 2026 | Product concept and engineering baseline

Document attribute	Specification
Product category	B2B FinTech / PayTech / Digital Asset Infrastructure
Target customers	PSPs, merchant acquirers, payment platforms, marketplaces, enterprise merchants
Delivery model	API-first multi-tenant SaaS with web operations console
Commercial model	Platform subscription plus transaction orchestration fees
Initial operating model	Non-custodial: third parties execute custody, exchange and fiat settlement
Status	Proposed requirements; subject to customer, regulatory and provider validation

DOCUMENT PURPOSE

This PRD defines the business requirements, product behavior, workflows, domain model, integration interfaces, technical constraints, control environment, acceptance criteria, and phased delivery plan for an independent stablecoin payment orchestration platform.

1. Executive Summary

The Stablecoin Payment Orchestration Gateway (SPOG) lets merchants and payment service providers accept, initiate, monitor, reconcile and report stablecoin payments across multiple assets, blockchain networks and service providers through a unified API. It abstracts provider differences while retaining detailed auditability and operational control.

The main differentiation is policy-driven provider routing based on mandatory compliance and capability constraints, followed by optimization of total costs, liquidity, availability, settlement time and reliability.

> **Vision: Become a neutral orchestration layer connecting conventional payment operations to stablecoin networks and digital-asset payment infrastructure.**

Product boundaries

- SPOG is an orchestration platform, not initially a stablecoin issuer, exchange, bank or custodial wallet.
- It will not hold customer assets or private keys in MVP. Wallet, custody, conversion and fiat payout activities remain with authorized parties.
- Non-custodial design does not automatically eliminate licensing, AML, sanctions or other regulatory obligations; legal classification is activity- and jurisdiction-specific.

2. Market Problem and Opportunity

Fragmentation	Merchant / PSP impact
Multiple networks and stablecoins	Different integrations, token precision and finality semantics
Multiple payment providers	Duplicated engineering and operational dependence
Fees, spreads and liquidity vary	Unpredictable transaction economics and settlement
Compliance varies by market and provider	Eligibility complexity and regulatory exposure
Provider outages, delayed chains	Payment exceptions and difficult recovery
Weak reconciliation and observability	Manual investigation, missing traceability and financial risk

SPOG will provide a unified payment-intent lifecycle, provider abstraction, deterministic policy enforcement, event-based transaction monitoring, reliable webhooks and consolidated settlement reporting.

Core value by customer

- Merchant: one integration, payment visibility, predictable operational workflows and optional route choice.
- PSP: faster introduction of stablecoin acceptance without owning every infrastructure integration.
- Treasury and finance teams: settlement evidence, reconciled transactions and fewer manual exceptions.
- Compliance teams: traceable eligibility policies, risk decisions and investigation history.

3. Customers and Use Cases

Persona	Primary need	Priority
PSP CTO / engineering leader	API abstraction, rapid integration, extensibility	P0
Head of Payments	Reliable acceptance, cost control, provider alternatives	P0
Finance Operations	Reconciliation, statements, exception investigation	P0
Compliance Officer	Screening, policy decisions and audit evidence	P0
Treasury Manager	Cash and settlement visibility	P1
Developer	Stable sandbox, documentation, webhooks	P0

Use case	Priority
Stablecoin inbound collections for international merchants	P0
PSP white-label/embedded stablecoin acceptance via API	P0
Blockchain-to-payment matching and settlement reconciliation	P0
Outbound business payouts and refunds	P1
Stablecoin-to-fiat off-ramp coordination	P1
Cross-chain routing and treasury liquidity optimization	P2

4. Goals and KPIs

- Commercial: achieve recurring orchestration revenue and validate willingness to pay.
- Product: reduce integration burden, increase operational reliability and offer provider portability.
- Platform: provide a secure, multi-tenant, extensible base for new stablecoins, chains and partners.

Measure	MVP planning target	12-month aspiration
API availability	99.9%	99.95%
Payment intent creation p95	Under 500 ms	Under 250 ms
Supported stablecoins	2	4+
Supported networks	2	5+
Execution providers	2 overlapping routes	5+
Pilot customers	3	20+
Automated reconciliation matching	99.9%	99.99%

North Star metric: monthly successfully orchestrated payment volume (USD equivalent), considered alongside net platform revenue, contribution margin and transaction success rate. These targets are assumptions for validation, not historical benchmarks.

5. Release Scope

MVP / P0

- Multi-tenant merchant/PSP onboarding and credentials; payment-intent lifecycle; two assets and networks; two execution provider integrations with overlapping capability.
- Deterministic eligibility and priority routing; safe route fallback; monitoring, asset/address verification, finality and reorganization handling.
- Idempotency, signed webhooks, retries and replay; provider health; transaction history; immutable financial events; basic reconciliation and settlement exports.
- Compliance integration, jurisdiction rules, financial limits, operational console, incident visibility and audit trail.

Phase 2 / P1

- Refunds and payouts, fiat off-ramp orchestration, executable quotes, liquidity-aware routing, provider scorecards, SDKs, hosted checkout and enhanced reports.

Phase 3 / P2

- Predictive route ranking, multi-leg routing, advanced treasury optimization, cross-chain settlement paths and enterprise white-label experience.

Out of scope for MVP: exchange order book, proprietary bridge, consumer wallet, proprietary issuance, custody, lending and market-making.

6. Functional Requirements

6.1 Tenant and Merchant Management

ID	Requirement	Priority
TEN-001	Independent tenant organizations and merchants under PSP tenant	P0
TEN-002	Database/application isolation and role-based authorization	P0
TEN-003	Environment-scoped revocable API credentials	P0
TEN-004	Per-merchant assets, networks, providers and operating limits	P0
TEN-005	Tenant fees and pricing plan configuration	P1
TEN-006	SSO / identity federation	P2

6.2 Payment Intent

The Payment Intent is the core business obligation, independent of any blockchain transaction. It can have multiple payment options and matching transfers.

ID	Requirement	Priority
PAY-001	Create, retrieve, list, search and cancel eligible intents	P0
PAY-002	Requested amount, currency, expiry, reference and metadata	P0
PAY-003	Return supported assets, chains, quote and deposit instructions	P0
PAY-004	Mandatory idempotency for creation and other financial mutations	P0
PAY-005	Track partial, excess, late, wrong-token and duplicate transfers	P0
PAY-006	Merchant-configured confirmation, tolerance and expiry policies	P0
PAY-007	Payment-option reservation and hosted checkout	P1

Payment intent lifecycle

Typical progression: created -> requires_payment -> detected -> confirming -> succeeded. Conditional terminal statuses: expired or cancelled. Exception flags and compliance holds are distinct dimensions; underpayment, overpayment and settlement must not be compressed into a single payment status.

Critical invariant: expiry or cancellation does not reverse an already-broadcast blockchain transfer. Late or unexpected transfers must still be recorded and reconciled.

6.3 Provider Abstraction

ID	Requirement	Priority
PRV-001	Capability-based common provider adapter	P0
PRV-002	Provider health, availability and rate limits	P0
PRV-003	Secure credentials, normalized errors, correlation references	P0
PRV-004	Circuit breakers, timeouts and safe failover	P0
PRV-005	Adapter contract/version verification and capability changes	P1

Core adapter operations: getCapabilities, checkHealth, createPaymentInstructions, getTransactionStatus and estimateFees. Optional operations: initiatePayout and initiateRefund. Capabilities must describe exact token contracts, chain identifiers, jurisdictions, transaction limits and settlement mechanisms.

6.4 Routing Engine

The engine first eliminates ineligible routes, then ranks the remaining routes. Compliance, supported asset, network, limits, available liquidity and provider operability are mandatory eligibility gates; no soft score can override them.

ID	Requirement	Priority
RTE-001	Discover eligible routes and enforce hard constraints	P0

ID	Requirement	Priority
RTE-002	Deterministic merchant/provider prioritization and exclusion	P0
RTE-003	Persist policy version, inputs, route and decision rationale	P0
RTE-004	Revalidate eligibility before irreversible execution	P0
RTE-005	Safe fallback only before execution or after outcome reconciliation	P0
RTE-006	Compare fees, gas, spread, slippage and liquidity quotes	P1
RTE-007	Optimize by time, cost, reliability and liquidity risk	P1
RTE-008	Simulate policies, performance feedback and predictive scores	P2

Illustrative score: S(route) = wc * normalized_cost + wt * normalized_time + wf * failure_risk + wl * liquidity_risk, with weights summing to 1. Lower score wins among eligible routes. Initial production engine should be rules-based, not AI-dependent.

Safety restriction: a provider timeout does not establish that execution failed. A second irreversible transfer must not be launched until original execution is reconciled or demonstrably not committed.

6.5 Blockchain Monitoring

ID	Requirement	Priority
MON-001	Monitor relevant transactions on supported chains	P0
MON-002	Validate chain, contract, destination, transfer event and amount	P0
MON-003	Deduplicate chain and provider events	P0
MON-004	Apply chain-specific finality and reorganization policies	P0
MON-005	Track late, partial, overpaid and unallocated transfers	P0
MON-006	RPC/provider failover and historical reprocessing	P0/P1

6.6 Webhooks

ID	Requirement	Priority
WHK-001	Register merchant endpoints and sign event envelopes	P0
WHK-002	At-least-once delivery, stable event IDs and timestamp checks	P0
WHK-003	Retry with backoff, dead-letter and manual replay	P0
WHK-004	Delivery history, secret rotation and filtering	P0/P1

Events include payment_intent.created, payment_detected, confirming, succeeded, expired, cancelled and exception; settlement.created/completed/failed; and refund.created/completed/failed. Consumer endpoints must

be idempotent.

6.7 Refunds and Payouts (P1)

- Refunds are new transfers, not reversals. Link all refunds to original payment financial events and prevent cumulative over-refunding.
- Verify destination ownership or intent where required; do not blindly refund to the on-chain sender, which could be an exchange or custodian.
- Apply destination screening, beneficiary and approval checks before execution. Track unknown submission outcomes explicitly.
- Payouts require balances/funding verification, quotes, route selection, authorization, execution monitoring and reconciliation.

6.8 Settlement and Reconciliation

ID	Requirement	Priority
SET-001	Keep payment acceptance, funds receipt and settlement distinct	P0
SET-002	Import and reconcile external provider settlement statements	P0
SET-003	Identify missing, duplicate, excess and mismatched entries	P0
SET-004	Audit financial events and corrections without overwriting	P0
SET-005	Export merchant/period settlement CSV reports	P0
SET-006	Support FX details, settlement batching, accounting exports	P1/P2

6.9 Compliance Controls

ID	Requirement	Priority
CMP-001	Jurisdiction, tenant, asset and provider eligibility policies	P0
CMP-002	Applicable merchant KYB/KYC and wallet/sanctions screening	P0
CMP-003	Amount/velocity rules, holds and case references	P0
CMP-004	Audit decisions with source and policy version	P0
CMP-005	Transaction risk scoring, Travel Rule workflows as applicable	P1

Mandatory checks fail closed unless an expressly approved alternative control exists. Legal and regulatory responsibilities must be allocated in signed agreements between SPOG, merchants and service providers.

6.10 Operations Console

Area	MVP capabilities
Dashboard	Payment volumes, status mix, outstanding exceptions, provider health
Payments	Search/filter intents and inspect transaction timeline
Routing/providers	Status, configurations and routing audit evidence
Finance	Reconciliation exceptions and settlement reports
Webhooks	Endpoints, delivery attempts, retries and replay
Administration	Merchants, users, credentials, policy changes, audit

7. API Requirements

REST APIs over HTTPS; OpenAPI 3.1; /v1 version prefix; consistent machine-readable errors; request correlation IDs; cursor pagination; UTC timestamps; all monetary values as decimal strings, never binary floats. Sensitive financial mutations require an idempotency key.

Method	Path	Function
POST	/payment-intents	Create intent
GET	/payment-intents/{id}	Read intent
POST	/payment-intents/{id}/cancel	Cancel eligible intent
GET	/payment-intents/{id}/transactions	Associated transfers
GET	/payment-options	Allowed network/asset options
POST	/route-quotes	Evaluate routes
GET	/transactions/{id}	Transaction detail
GET	/settlements	Settlement reporting
GET	/reconciliation-exceptions	Unmatched financial records
POST	/refunds	Create refund (P1)
POST	/payouts	Create payout (P1)
POST	/webhook-endpoints	Register webhook
POST	/webhook-events/{id}/replay	Replay event

Illustrative create request

POST /v1/payment-intents
Idempotency-Key: order-98431
Body: merchant_reference=ORD-98431; amount="250.00"; currency="USD"; payment_method="stablecoin"; accepted_assets=[USDC,USDT]; accepted_networks=[ethereum,polygon]; expires_in_seconds=900.

Response: stable intent ID, status, exact payment options and token contracts, deposit address or provider instructions, quote terms and expiry. Token symbol alone is not an adequate identifier; token contract and chain ID are authoritative.

API error contract

Consistent fields: error.code, error.message, error.category, error.retryable, error.request_id and structured details. Categories: authentication, authorization, validation, provider, routing, compliance, blockchain, financial_state and internal. Retryable means safe to repeat the same idempotent operation, not simply that a provider may recover.

8. Data and Domain Model

Entity	Purpose
Tenant / Merchant / Credential	Identity, commercial scope, access control
PaymentIntent / PaymentOption	Business obligation and asset/network instructions
PaymentAttempt / RoutingDecision	Execution attempt and auditable route selection
Provider / ProviderAccount	Service capabilities and relationship
BlockchainTransaction	Observed on-chain execution event
FinancialEvent	Append-only accounting/audit effects
Settlement / ReconciliationRecord	Beneficiary settlement and matching
Refund / Payout	Outbound financial workflows
ComplianceDecision	Eligibility, screening and holds
WebhookEvent / Delivery	Publishable event and delivery attempt
AuditEvent	Immutable administrative evidence

Financial data invariants

- A chain event is uniquely identified using network, transaction hash and applicable event/log index.
- No financial effect is recognized more than once, regardless of duplicate provider notifications.
- Retain original token precision and distinguish quoted fiat equivalent from confirmed token amount.
- Financial corrections use compensating events; historical decisions and policy versions remain inspectable.
- Tenant boundaries enforced in APIs, workers, database access and analytics exports.

9. Architecture and Technology

Recommended topology: modular monolith for core control plane and separately scalable background workers for monitoring, provider execution and webhook delivery. Avoid premature microservice fragmentation.

Layer	Recommended technology
Core API	ASP.NET Core on supported .NET LTS
Operational UI	React + TypeScript + Vite
Relational system of record	PostgreSQL
Cache and throttling	Redis
Asynchronous work	RabbitMQ or managed durable queue; transactional outbox
Blockchain connectivity	Chain-specific adapters and independent monitoring endpoints
Workers	.NET Worker Services
Cloud and deployment	AWS, containers, Terraform, GitHub Actions
Tracing and metrics	OpenTelemetry
Secrets	AWS Secrets Manager and KMS

Architecture decision records

- ADR-001 Non-custodial MVP; ADR-002 modular monolith; ADR-003 capability-based provider adapters.
- ADR-004 PostgreSQL authority; ADR-005 transactional outbox and durable queue; ADR-006 at-least-once event processing.
- ADR-007 chain-specific finality; ADR-008 immutable financial event journal.
- ADR-009 deterministic routing first; ADR-010 separate payment, chain and settlement states.
- ADR-011 never blindly replay ambiguous irreversible operations; ADR-012 version and audit policy configuration.

10. End-to-End Workflows

Inbound collection, happy path

- Merchant creates payment intent; platform checks tenant, compliance and transaction policy.
- Router evaluates eligible routes and selects supported provider/payment instructions.
- Customer transfers token to designated address; chain watcher detects the transfer.
- Monitor verifies chain, contract, address, amount and finality; compliance status is checked.
- Intent succeeds, durable webhook is published and merchant is notified.
- Financial event and provider settlement report are reconciled; exceptions are surfaced.

Exception and recovery matrix

Condition	Required treatment
Underpayment	Record partial funding and apply tolerance/expiry policy
Overpayment	Record excess; route to credit/refund investigation
Late transfer	Record and evaluate late-payment acceptance policy
Wrong chain or token	Do not automatically credit or promise recovery
Provider timeout	Reconcile acknowledgement/execution before retry
Duplicate callback	Idempotent no-op against recognized financial value
Chain reorganization	Re-evaluate provisional finality and financial state
Compliance hold	Stop further execution, preserve evidence and escalate
Settlement mismatch	Generate a traceable reconciliation exception

11. Security and Non-Functional Requirements

Area	MVP requirement
Authentication / authorization	Scoped credentials, least privilege, privileged MFA
Data security	TLS, encryption at rest, secrets management, no keys in source
Webhooks	Signature verification, replay prevention, secret rotation
Audit	Immutable operational and financial actions
Operational safety	Approval separation and emergency provider kill switches
Availability	99.9% target for platform API
Performance	Intent creation p95 below 500 ms, excluding external quotes
Recovery	Initial planning RPO <= 15 min, RTO <= 4 hours
Scale test	100 API RPS sustained; 500 burst; 100k intents/day
Observability	Correlate intent, route, provider, chain and reconciliation events
Durability	Point-in-time recovery, worker replay and verified restore drills

Data retention, privacy localization, sanctions controls, incident notification, service-level objectives and vulnerability timelines must be specified for each deployment jurisdiction and provider operating model.

12. Regulatory and Compliance Strategy

Legal review is a product gating workstream. Determine whether the service constitutes a regulated virtual-asset service, payment service, money transmission, brokerage or outsourced infrastructure activity in each market. The non-custodial architecture alone is not a legal safe harbor.

Market	Primary diligence
Singapore	Payment Services Act, digital payment token services, MAS policies and stablecoin framework status
EU	MiCA, authorization status of providers and supported token eligibility
United States	Federal and state money transmission, sanctions and digital-asset rules
India	Virtual digital assets, FIU/AML, cross-border and applicable payment rules
Others	Local activity-based legal classification and provider licensing

- Secure written classification of SPOG activities and jurisdictions.
- Create provider responsibility/licensing matrix and contractual allocation.
- Validate KYB/KYC, sanctions, transaction monitoring, Travel Rule, privacy and retention requirements.
- Block deployment where execution providers or legal permissions are inadequate.

Regulatory assessments must use currently effective primary legal sources and counsel review at launch; changes after this document date are not assumed.

13. Monetization and Economics

Revenue source	Mechanism	Phase
Platform subscription	Recurring access/support fee	P0
Transaction orchestration	Usage fee per completed billable transaction	P0
Integration services	One-off enterprise onboarding	P1
Premium policy and reconciliation	Advanced enterprise features	P1
White-label licensing	Branded PSP product	P2

Illustrative plan	Monthly subscription	Usage hypothesis
Starter	$199	0.15%, capped $2
Growth	$999	0.08%, capped $5
Enterprise	Negotiated	Negotiated

Pricing is hypothetical. Charges from blockchain gas, execution providers, spreads, liquidity and banking rails need separate and transparent handling. Contribution margin must deduct variable partner fees, monitoring infrastructure, compliance screening and payment-operations cost.

A payment volume metric can conceal weak economics: measure actual unit contribution and merchant-level cost-to-serve, not only gross transaction volume.

14. Analytics and Reporting

Category	KPIs
Flow	Payments, value, assets, networks, merchants
Reliability	Success and failure reasons, time to detect/finality/settlement
Routing	Eligible alternatives, route choice, cost estimate vs actual, fallback rate
Provider	Health, timeouts, latency, failure rate, concentration
Finance	Matched and unmatched transactions, exceptions, aging, merchant settlement
Compliance	Holds, screening failures, policy exclusions
Commercial	Revenue, provider cost, gross margin, customer retention

Reports must filter by tenant, merchant, provider, asset, chain, jurisdiction, time period and payment/settlement status. Every payment details page should expose a complete event timeline.

15. User Experience / Information Architecture

Navigation area	Views
Overview	Dashboard, activity feed, alerts
Payments	Intents, transfers, refunds, payouts
Operations	Routing, providers, exceptions, webhooks
Finance	Settlements, reconciliation, reports, billing
Administration	Merchants, users, API keys, compliance and audit

Design goal: data-dense enterprise operations UI, accessible responsive layouts, consistent tabular filtering and search, keyboard usability and explicit confirmation of irreversible actions. Financial and operational status indicators must be distinguishable without relying on color alone.

16. Quality Assurance and Acceptance

ID	Critical acceptance test
AT-001	Identical idempotency key/payload returns same logical intent
AT-002	Conflicting payload with reused key returns explicit conflict
AT-003	Pre-execution outage selects an eligible alternative
AT-004	Ambiguous execution timeout cannot trigger duplicate transfer
AT-005	Duplicate on-chain event never double-credits intent
AT-006	Expired intent with late transfer remains traceable
AT-007	Wrong contract/token transfer is not automatically credited
AT-008	Chain reorganization triggers controlled reassessment
AT-009	Failed merchant webhook retries durably and can replay
AT-010	Prohibited route rejected even when cheapest
AT-011	Cross-tenant attempts denied and audited
AT-012	Mismatched settlement yields reconciliation exception
AT-013	Worker crash recovery does not duplicate financial execution
AT-014	Historical routing decision retains policy and inputs

Test layers: unit, API contract, provider adapter, database integration, sandbox/testnet, controlled mainnet, chain reorganization simulation, chaos/fault injection, tenant isolation, load/endurance and disaster-recovery rehearsal.

Definition of Done includes API contract, security controls, automated tests, observable operations, operator runbook and exception cases, not only a successful happy-path demo.

17. Delivery Roadmap and Team

Phase	Indicative weeks	Outputs
0: Feasibility	1-4	Customer discovery, licensing path, provider due diligence, domain model
1: Foundation	5-9	Tenant, API, credentials, intent state, outbox, CI/CD
2: Execution	10-16	Adapters, routing, monitoring, webhooks, finality
3: Finance Ops	17-22	Reconciliation, reports, compliance, console
4: Pilot hardening	23-30	Security, resilience, certification and pilot

Planning assumption: product/BA 1, architect 1, backend engineers 3, blockchain/integration engineer 1, frontend engineer 1, QA 1, DevOps/SRE 0.5-1, UX 0.5 and specialist legal/compliance advisors. Dates exclude material licensing or provider contracting delays.

18. Risks and Dependencies

Risk	Severity	Control
Unfavorable regulatory classification	Critical	Activity-level legal advice and market gating
Stablecoin depeg or issuer action	Critical	Asset controls, concentration limits, emergency stop
Duplicate payouts/refunds	Critical	Idempotency, acknowledgements, maker-checker controls
Incorrect recognition / chain reorg	Critical	Finality engine and immutable corrections
Sanctions or illicit-flow exposure	Critical	KYB, screening, investigations, policy evidence
Provider concentration/outage	High	Overlap, redundancy, exit procedures
Low gross margin	High	Subscription revenue, cost transparency, unit economics
Insufficient demand	High	Paid design partners before expansion
API changes / partner instability	Medium	Adapter versioning and contract testing

19. Go-to-Market

Start with B2B PSPs supporting international merchants rather than launching as a general-purpose retail crypto gateway. Choose one legally approved market/corridor, small set of stablecoins and two actual alternative provider routes.

- Interview 10-15 PSP payment and engineering decision makers.
- Recruit three design partners, documenting use cases, volume, provider relationships, reconciliation pain and compliance scope.
- Run benchmark cases comparing integration effort, total fees, availability and exception-handling effort.
- Seek at least two commercial pilot commitments before full feature expansion.

20. Open Decisions

Decision	Working default
Initial launch jurisdiction	One market after legal review
Primary segment	B2B PSP platforms
Operating model	Non-custodial
First flow	Inbound collections
Assets	USDC / USDT, subject to local eligibility
Networks	Two EVM-compatible chains
Beneficiary ownership	Merchant/provider wallet
Routing	Deterministic rules first
Provider contracts	To decide direct merchant vs SPOG-managed
Payment amounts	Explicit fixed token or time-limited fiat conversion quote
Multi-tenancy	Cloud SaaS

21. Production Go/No-Go Gates

- Launch-market legal opinion and provider responsibility matrix approved.
- Two contracted providers with overlapping execution coverage and tested fallback.
- Tenant and role isolation, financial limits, screening, idempotency and audit fully tested.
- Chain finality, recovery from ambiguous provider submissions, and reorg behavior verified.
- Durable webhooks, reconciliation, incident operations, restore and disaster recovery rehearsed.
- At least one merchant integration certified and pilot support procedures ready.

22. Validation and POC

Build a narrowly scoped controlled proof of concept: one merchant, one token on two chains, two overlapping provider adapters, payment-intent creation, policy routing, monitoring, webhooks and basic reconciliation. Include provider outage and execution-ambiguity scenarios.

Validation hypothesis	Evidence sought
PSPs suffer meaningful fragmentation	Five or more serious pain signals in 10-15 interviews
Independent provider routes improve economics	Measured cost, resilience or integration savings
Reconciliation is commercially important	Three customers rank it as high priority
Pricing can support a business	Two credible commercial pilot commitments
Providers enable viable orchestration	Two certified overlapping routes

Validation hypothesis	Evidence sought
Operating model is licensable	Written activity-specific counsel assessment

23. Product Recommendation

Position the company as a Stablecoin Payment Orchestration and Financial Operations Platform, not another crypto checkout gateway. The long-term defensible capabilities are payment control-plane reliability, compliance-aware provider selection, reconciliation and operational traceability.

Strategic sequence: (1) reliable payment control plane; (2) reconciliation and compliance; (3) real cost/performance-based routing; (4) programmable payouts and treasury expansion.

Critical qualification: for a customer-controlled wallet sending to a fixed address, routing cannot freely redirect an already-initiated blockchain transfer. Routing is meaningful before instructions are issued and where a provider controls execution, conversion or settlement.

Next detailed artifacts: SRS with testable acceptance criteria, domain/state machine specification, architecture and ADRs, provider adapter specification, OpenAPI contract, threat model and prioritized engineering backlog.