

Category	Original Question	Rephrased Question	Refined Answer					
Tokens	Why SMB token	Why do I receive	Windows endpoints often initiate SMB connections automatically. Since the lure is on the endpoint, these native behaviors trigger alerts.					
Tokens	What is the differ	How do EMS tok	FortiToken is for 2FA; EMS tokens are for endpoint-based deception lures.					
Tokens	can token be inst	Is token deploym	Yes. Supported on macOS, Windows, and Ubuntu.					
Tokens	why the token ins	Why is the token	Check if the Monitor IP is reachable from the endpoint. Communication relies on this IP.					
Tokens	what if user accid	What happens if	It generates an incident. You can review/ignore it; auto-blocking requires Fabric integration.					
Tokens	can I customized	Is it possible to u	Yes. Upload materials via Deception > Lure Resources.					
Tokens	What is the differ	How do online vs	Online fetches lures in real-time; Offline has lures embedded in the campaign package.					
Tokens	what honeydoc to	What is the purp	From Appliance 6.3/DaaS 25.3, Honeydoc lures no longer require a global call.					
Tokens	will the uninstal	Do uninstallation	Yes. The entry is removed from Deception Token > Token deployment status upon successful uninstallation.					
Tokens	how can I install	What is the best	Use FortiClient EMS to distribute packages to multiple endpoints.					
Tokens	why I don;t have	Why is the CC O	Ensure you have a running Windows decoy joined to the AD domain.					
Tokens	I don't know how	What are the ste	Download the campaign package at Deception > Deception Token and run it on the endpoint.					
Tokens	Customized wind	Why does token	Often caused by a Monitor IP conflict. Ensure the same Monitor IP isn't used across multiple policies.					
Windows Decoys	why my endpoint	Why is domain jo	Version 6.2.1+ requires a third-party DNS server configured with the correct IP and domain name settings.					
Windows Decoys	when I customize	How do I bypass	Press SHIFT + F10 at the network screen, type OOBE\BYPASSNRO, and press Enter.					
Windows Decoys	I need FDC to ac	How do I activate	Use CLI commands or the GUI, depending on your license/KMS setup.					
Windows Decoys	why windows dec	Why is my Wind	Check WinError codes, restart FDC services, or verify ESXi resource availability.					
Windows Decoys	why I rdp window	Why does the de	Security policy restricts 'Administrator'. Set "Monitor Admin Behaviors" to non-zero in the deployment configuration.					
Windows Decoys	why sometimes I	Why is deployme	ESXi storage requirements (Thick Provision Eager Zeroed) are high. Ensure host has sufficient free space.					
Windows Decoys	what kinds of win	Which Windows	Windows 10v1 or any custom Windows image that successfully joined the domain during customization.					
Windows Decoys	why I deploy a w	Why does AD-int	Verify: user@domain.com format, DNS points to AD DC IP, account is domain\user, and domain is reachable.					
Windows Decoys	why the windows	How can I optimi	Ensure sufficient hardware resources (CPU/RAM) are allocated on the host.					
Windows Decoys	how can I delete	What is the proce	Delete deployed decoys, delete OS in Deception OS, and delete the image in Custom Decoy Image.					
Windows Decoys	when customize	Why is the custoi	Windows 11 customization is resource-intensive. Wait at least 20 minutes before troubleshooting.					
Windows Decoys	will two different	Can multiple use	No. From build 6.3, concurrent access to the same VNC session is not supported.					
System/Logs	How can I downl	How do I retrieve	Admin > Diagnose data or use CLI diagnose debug <option>.					
System/Logs	what if I cannot d	How do I manual	Use CLI: fw-upgrade -v -t https -s <server_url> -f <image_path>.pkg.					
System/Logs	my license is vali	Why is my licens	Verify system time matches your environment using get system status.					
System/Logs	how can I find my	How do I reset th	Enable via CLI: set-maintainer -e, then log in via ESXi console as maintainer with bcpcb{fdc-serial-number}.					
System/Logs	when I cannot co	How do I troubles	Verify system time alignment and test connectivity via ping from the CLI.					
System/Logs	why I cannot ssh	Why is SSH acce	Check Network > Interface > [Port] to ensure SSH access is enabled.					
System/Logs	How do I configu	How do I set up l	Go to Log > Log Servers and create a new entry (Local, FAZ, or FAZ Cloud).					
System/Logs	can I determine v	How do I filter for	Yes, you can select log levels (Alert, Critical, Error, Warning, etc.) in settings.					

System/Logs	what does the his	Why is there a "H	If logs exceed GUI limits, they are split into "Active" and "History". Enable history to see all archived logs.		
System/Logs	why I download t	Why is log downl	The system processes large logs in the background; you will be notified when it is ready.		
System/Logs	why I set a log se	Why is log forward	Ensure "Enable Server" is on and the log server IP is reachable.		
System/Logs	test login button	When can I use t	It is only functional for LDAP/RADIUS configured users.		
System/Logs	where can I chec	How do I verify li	Check the Dashboard > License Information widget or CLI dcvn-license -l.		
System/Logs	I cannot find my	How do I access	Ensure proper permissions; check System > Settings > MITRE settings or use CLI set tag ics.		
System/Logs	how to Go to Sys	How do I access	Add /500 to your FDC IP (e.g., https://188.188.188.188/500).		