Using Web Services

Chapter 13

Python for Everybody
www.py4e.com

UMSI
CC BY

Data on the Web

- With the HTTP Request/Response well understood and well supported, there was a natural move toward exchanging data between programs using these protocols
- We needed to come up with an agreed way to represent data going between applications and across networks
- There are two commonly used formats: XML and JSON

Sending Data across the “Net”

Python Dictionary

Java HashMap

a.k.a. “Wire Protocol” - What we send on the “wire”

Agreeing on a “Wire Format”

Python Dictionary

Serialize

```
<person>
  <name>
    Chuck
  </name>
  <phone>
    303 4456
  </phone>
</person>
```

De-Serialize

Java HashMap

XML

Agreeing on a “Wire Format”

Python Dictionary

Serialize

```
{
  "name" :
    "Chuck",
  "phone" :
    "303-4456"
}
```

De-Serialize

Java HashMap

JSON

XML

Marking up data to send across the network...

http://en.wikipedia.org/wiki/XML

Acknowledgements / Contributions

These slides are Copyright 2010- Charles R. Severance (www.dr-chuck.com) of the University of Michigan School of Information and open.umich.edu and made available under a Creative Commons Attribution 4.0 License. Please maintain this last slide in all copies of the document to comply with the attribution requirements of the license. If you make a change, feel free to add your name and organization to the list of contributors on this page as you republish the materials.

Initial Development: Charles Severance, University of Michigan School of Information

… Insert new Contributors here

...