TD03 : GIT LOCAL WORKFLOW

Part 2 - Verify Git identity

```
@SaktiJaga →/workspaces/esilv-marketpulse-g07-totally_spies (BrancheSakti) $ git --version
git version 2.56.0
@SaktiJaga →/workspaces/esilv-marketpulse-g07-totally_spies (BrancheSakti) $ pwd
/workspaces/esilv-marketpulse-g07-totally_spies
@SaktiJaga →/workspaces/esilv-marketpulse-g07-totally_spies (BrancheSakti) $ ls
 CONTRIBUTING.md  'TD results'        config   evidence   readiness          src
 README.md         TEAM_TEMPLATE.md   data     labs       requirements.txt
@SaktiJaga →/workspaces/esilv-marketpulse-g07-totally_spies (BrancheSakti) $ git config user.name
SaktiJaga
@SaktiJaga →/workspaces/esilv-marketpulse-g07-totally_spies (BrancheSakti) $ git config user.email
sakti.jagannathan@edu.devinci.Fr
@SaktiJaga →/workspaces/esilv-marketpulse-g07-totally_spies (BrancheSakti) $
```

Part 3 - Inspect the real TD02 changes

Before changes

```
@SaktiJaga →/workspaces/esilv-marketpulse-g07-totally_spies (BrancheSakti) $ git status
On branch BrancheSakti
Your branch is up to date with 'origin/BrancheSakti'.

nothing to commit, working tree clean
@SaktiJaga →/workspaces/esilv-marketpulse-g07-totally_spies (BrancheSakti) $ git diff
```

After changes

```
@SaktiJaga →/workspaces/esilv-marketpulse-g07-totally_spies (BrancheSakti) $ git status
Your branch is up to date with 'origin/BrancheSakti'.

Changes not staged for commit:
  (use "git add <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
        modified:   src/main.py

no changes added to commit (use "git add" and/or "git commit -a")
@SaktiJaga →/workspaces/esilv-marketpulse-g07-totally_spies (BrancheSakti) $ git diff
diff --git a/src/main.py b/src/main.py
index 884b045..59dc56a 100644
--- a/src/main.py
+++ b/src/main.py
@@ -2,7 +2,7 @@ from pathlib import Path
 import csv
 import json

-
+# MarketPulse - main entry point
 DATA_DIR = Path("data/sample")
```

1. Fichier modifié : src/main.py

2. Ligne ajoutée : le commentaire
3. Ligne supprimée : une ligne vide
4. Correspond au travail voulu : oui
5. Debug à retirer : non

Part 5 - Stage the intended change

```
@SaktiJaga ➜/workspaces/esilv-marketpulse-g07-totally_spies (BrancheSakti) $ git status

Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
        modified:   src/main.py

@SaktiJaga ➜/workspaces/esilv-marketpulse-g07-totally_spies (BrancheSakti) $ git diff --staged
diff --git a/src/main.py b/src/main.py
index 884b045..59dc56a 100644
--- a/src/main.py
+++ b/src/main.py
@@ -2,7 +2,7 @@ from pathlib import Path
 import csv
 import json

-
+# MarketPulse - main entry point
 DATA_DIR = Path("data/sample")

 # These starter values mirror config/settings.yml.
```

Part 6 - Create the first meaningful commit

```
@SaktiJaga ➜/workspaces/esilv-marketpulse-g07-totally_spies (BrancheSakti) $ python src/main.py
SP500 - S&P 500
Last level: 6742.00

Period: 1 month
Interval: Daily

Observations
AAPL: 21
SP500: 21
@SaktiJaga ➜/workspaces/esilv-marketpulse-g07-totally_spies (BrancheSakti) $ git commit -m "docs: add header comment
to main entry point"
[BrancheSakti 1e32a1a] docs: add header comment to main entry point
 1 file changed, 1 insertion(+), 1 deletion(-)
@SaktiJaga ➜/workspaces/esilv-marketpulse-g07-totally_spies (BrancheSakti) $ git status
On branch BrancheSakti
Your branch is ahead of 'origin/BrancheSakti' by 1 commit.
  (use "git push" to publish your local commits)

nothing to commit, working tree clean
```

Part 7 - Read the local history

```
@SaktiJaga →/workspaces/esilv-marketpulse-g07-totally_spies (BrancheSakti) $ git log --oneline
1e32a1a (HEAD -> BrancheSakti) docs: add header comment to main entry point
1aacee8 (origin/BrancheSakti) TD1&2
5207db8 first td session
ba5c9f4 Update Readme
9fd6c8a Update Readme
bfb94a6 init projecttemplate
```

```
@SaktiJaga →/workspaces/esilv-marketpulse-g07-totally_spies (BrancheSakti) $ git show HEAD
commit 1e32a1a99b837243742cdce64fae1c7a873b363e (HEAD -> BrancheSakti)
Author: SaktiJaga <sakti.jagannathan@edu.devinci.Fr>
Date:   Fri Nov 13 16:38:04 2026 +0000

    docs: add header comment to main entry point

diff --git a/src/main.py b/src/main.py
index 884b045..59dc56a 100644
--- a/src/main.py
+++ b/src/main.py
@@ -2,7 +2,7 @@ from pathlib import Path
 import csv
 import json

-
+# MarketPulse - main entry point
 DATA_DIR = Path("data/sample")

 # These starter values mirror config/settings.yml.
```