
FINAL TASK

INTERNSHIP REPORT



Submitted By: Yanji Pakhrin

To

OneCover Nepal

TABLE OF CONTENTS

1. Introduction 1

2. Objectives 1

3. Scope and Authorization 1

4. Required Lab 2

4.1 Target Environment 2

4.2 Tools Uses 2

4.3 Methodology 2

4.3 Steps Performed 3

5. Challenge Faced 11

6. Step that did not work 11

7. Learnings 11

LIST OF FIGURES

Figure 1: Nmap Scanning 3
Figure 2: Web page interface 3
Figure 3: Viewing Source Page 4
Figure 4:Finding Hidden Files and Folder 4
Figure 5: Assets Directory Listing 5
Figure 6: File Robots.txt 5
Figure 7: Login Page 6
Figure 8: Command Panel 6
Figure 9: First Ingredient found 7
Figure 10: Reviewing clue.txt file 7
Figure 11: Home Directory Listing 8
Figure 12: Second Ingredient found 8
Figure 13: Checking Current User 9
Figure 14: Root Directory Contents 9
Figure 15: Third Ingredient Found 9
Figure 16: TryHackMe Solution 10

LIST OF TABLES

Table 1: Target Environment.....2

1. Introduction

Pickle Rick CTF is a room in TryHackMe where Rick has turned himself into a pickle and needs three hidden ingredients to make a potion that will turn him back into a human. The main objective is to exploit a web server and discover three hidden ingredients that will transform Rick from a pickle to human. In this lab web server exploration, vulnerability, etc. are to be performed.

2. Objectives

The main objectives are:

- To identify vulnerabilities in the web application.
- To collect the three hidden ingredients.

3. Scope and Authorization

The practical focused to explore web server, identify vulnerabilities, and find the hidden three ingredients. The lab is performed on the authorized environment provided by TryHackMe.

4. Required Lab

4.1 Target Environment

The target machine provided by the TryHackMe was used and its assigned IP address was used for port scanning, service enumeration.

Table 1: Target Environment

Item	Details
Platform	TryHackMe
Room	Picklerick
Testing Machine	Kali Linux connected via OpenVPN
Date	10/15/2026

4.2 Tools Uses

Following tools were used in this lab

i. TryHackMeBox
ii. Nmap
iii. Gobuster

4.3 Methodology

TryHackMe was connected using OpenVPN. Then, Nmap was used to scan the network to find open ports, version and other running services. Gobuster was used to find hidden pages, after that web portal was login and command panel was used to find the ingredients entering the linux commands.

4.3 Steps Performed

Step 1: TryHackMe was connected via OpenVpn using the configuration file.

Step 2: Nmap was used to identify open ports and running services on the target.




Figure 1: Nmap Scanning

Step 3: Since, port 80 was open web server on port 80 was opened in browser and found a page.




Figure 2: Web page interface

Step 5: The page source was viewed and a user name R1ckRil3s was found.




Figure 3: Viewing Source Page

Step 6: Gobuster was used to find hidden files and directories.




Figure 4:Finding Hidden Files and Folder

Step 7: Directory assets was checked by nothing useful was found.




Figure 5: Assets Directory Listing

Step 8: File robots.txt was checked some text was found there.




Figure 6: File Robots.txt

Step 9: The text found in robots.txt file and the username found in the source page was used in the login.php and the login was successful.




Figure 7: Login Page

Step 10: After login a command panel was seen and a command ls was entered many files were found.




Figure 8: Command Panel

Step 11: File sup3rS3cretPickl3Ingred.txt was read using less command and the first ingredient was found ie. mr. meeseek hair.




Figure 9: First Ingredient found

Step 12: The file clue.txt was also read and it provides a hint saying look around the file system for the other ingredient.




Figure 10: Reviewing clue.txt file

Step 13: Then /home/ directory was checked and a rick folder was found.





Figure 11: Home Directory Listing

Step 14: Checking a rick folder second ingredients file was found and in that file the second ingredient was found i.e. 1 jerry tear.






Figure 12: Second Ingredient found

Step 15: To check what user the command panel was running whoami command was used.




Figure 13: Checking Current User

Step 16: sudo ls -la /root/ command was executed to list the contents of the root user's directoy and a file 3 rd .txt was found.




Figure 14: Root Directory Contents

Step 17: File 3rd.txt was read and finally the third ingredient was found i.e. fleeb juice.




Figure 15: Third Ingredient Found




Figure 16: TryHackMe Solution

5. Challenge Faced

- Finding ingredient three was quite challenging.

6. Step that did not work

- While reading the files, the cat command was not working so instead of cat command less cmd was used to read files.

7. Learnings

Key learnings form this lab are:

- Hidden files and directories can contain some hints.
- Insecure web panels can give access to the server.
- A simple web interface can be easily used for manipulation.