

Yantrabyte Solutions - Source Code Export

Complete source code of modified and restored files for Computer Lab Maintenance ticket integration.

File: src/pages/ServiceRequest.tsx

```
import { FormEvent, useState } from 'react';
import SEO from '../components/SEO';
import { supabase } from '../lib/supabase';
import { AlertCircle, CheckCircle, ClipboardCheck, Loader2, MapPin, Phone, Send, Wrench } from 'lucide-react';

const DEVICE_OPTIONS = [
  'Laptop',
  'Desktop',
  'Printer',
  'CCTV',
  'Networking',
  'Wi-Fi',
  'Biometric',
  'Server',
  'Computer Lab Maintenance',
  'Other',
];

const PRIORITY_OPTIONS = [
  { label: 'Normal', value: 'medium' },
  { label: 'Low', value: 'low' },
  { label: 'High', value: 'high' },
  { label: 'Urgent', value: 'urgent' },
];

type RequestForm = {
  customer_name: string;
  customer_phone: string;
  customer_email: string;
  customer_address: string;
  device_type: string;
  issue_description: string;
  priority: 'low' | 'medium' | 'high' | 'urgent';
};

const initialForm: RequestForm = {
  customer_name: '',
  customer_phone: '',
  customer_email: '',
  customer_address: '',
  device_type: '',
  issue_description: '',
  priority: 'medium',
};

export default function ServiceRequest() {
  const [form, setForm] = useState<RequestForm>(initialForm);
  const [submitting, setSubmitting] = useState(false);
  const [error, setError] = useState('');
  const [createdTicket, setCreatedTicket] = useState('');

  const updateField = (field: keyof RequestForm, value: string) => {
    setForm(prev => ({ ...prev, [field]: value }));
  };

  const submitTicket = async (e: FormEvent) => {
    e.preventDefault();
    setError('');
  };
}
```

```

if (!form.customer_name.trim() || !form.customer_phone.trim() || !form.issue_description.trim()) {
  setError('Please enter name, phone number, and issue details.');
```

```

  return;
}

setSubmitting(true);
try {
  let ticketNumber = '';

  if (!ticketNumber) {
    const now = new Date();
    const currentYear = now.getFullYear();
    const currentMonth = now.getMonth();
    const startYear = currentMonth < 3 ? currentYear - 1 : currentYear;
    const datePrefix = `${startYear}-${startYear + 1}`;
    const prefixString = `YBS-${datePrefix}-`;

    const { data: existing } = await supabase
      .from('service_tickets')
      .select('ticket_number')
      .ilike('ticket_number', `${prefixString}%`);

    let maxSeq = 0;
    if (existing) {
      for (const t of existing) {
        const match = String(t.ticket_number || '').match(/-(\d+)$/);
        if (match) {
          const seqNum = parseInt(match[1], 10);
          if (!isNaN(seqNum) && seqNum > maxSeq) maxSeq = seqNum;
        }
      }
    }
    const seq = (maxSeq + 1).toString().padStart(3, '0');
    ticketNumber = `${prefixString}${seq}`;
  }

  const ticketPayload = {
    ticket_number: ticketNumber,
    customer_name: form.customer_name.trim(),
    customer_phone: form.customer_phone.trim(),
    customer_email: form.customer_email.trim() || null,
    customer_address: form.customer_address.trim() || null,
    device_type: form.device_type || 'Other',
    issue_description: form.issue_description.trim(),
    status: 'open',
    priority: form.priority,
  };

  const { error: insertError } = await supabase.from('service_tickets').insert([ticketPayload]);
  if (insertError) throw insertError;

  // Fire Telegram notification + customer email via Supabase Edge Function (24/7 online)
  supabase.functions.invoke('send-ticket-email', { body: ticketPayload }).catch((err) => {
    console.warn('Ticket notification edge function failed:', err);
  });

  setCreatedTicket(ticketNumber);
  setForm(initialForm);
} catch (err) {
  const message = err instanceof Error ? err.message : 'Unable to create service ticket.';
  setError(message);
} finally {
  setSubmitting(false);
}
};

return (
  <>
  <SEO
    title="Service Request | YantraByte Solutions"
    description="Create a YantraByte service ticket for laptop repair, desktop repair, CCTV, networking, printer service, a
    canonicalUrl="https://yantrabyte.anantatechcare.com/service-request"
  />
  <section className="bg-[#0B1120] px-4 py-10 sm:px-6 lg:px-8">

```

```

<div className="mx-auto grid max-w-6xl gap-8 lg:grid-cols-[0.9fr_1.4fr]">
  <div className="pt-4 text-white">
    <div className="mb-6">
      
    </div>
    <div className="mb-5 inline-flex items-center gap-2 rounded-full border border-[#0EA5E9]/30 bg-[#0EA5E9]/10 px-3 py-2">
      <ClipboardCheck className="h-4 w-4" />
      Service Ticket
    </div>
    <h1 className="max-w-xl text-3xl font-bold leading-tight sm:text-4xl lg:text-5xl">
      Create Your Repair or IT Support Ticket
    </h1>
    <p className="mt-4 max-w-xl text-sm leading-7 text-[#CBD5E1] sm:text-base">
      Submit your device or service issue here. Your ticket number will be generated immediately and sent to our admin
    </p>

    <div className="mt-8 grid gap-4 text-sm text-[#CBD5E1]">
      <div className="flex items-start gap-3">
        <Phone className="mt-1 h-5 w-5 text-[#38BDF8]" />
        <div>
          <div className="font-semibold text-white">Need urgent help?</div>
          <a className="text-[#7DD3FC] hover:text-white" href="tel:+919986742525">+91 99867 42525</a>
        </div>
      </div>
      <div className="flex items-start gap-3">
        <MapPin className="mt-1 h-5 w-5 text-[#38BDF8]" />
        <div>
          <div className="font-semibold text-white">Workshop</div>
          <div>47A 1st Cross, Sainagar 2nd Stage, Vidyanarayapura Post, Bengaluru 560097</div>
        </div>
      </div>
      <div className="flex items-start gap-3">
        <Wrench className="mt-1 h-5 w-5 text-[#38BDF8]" />
        <div>
          <div className="font-semibold text-white">Supported work</div>
          <div>Laptop, desktop, printer, CCTV, networking, Wi-Fi, biometric, and server support.</div>
        </div>
      </div>
    </div>
  </div>

  <div className="rounded-lg border border-white/10 bg-white p-5 shadow-2xl sm:p-6">
    {createdTicket ? (
      <div className="flex min-h-[520px] flex-col items-center justify-center text-center">
        <div className="mb-5 flex h-16 w-16 items-center justify-center rounded-full bg-emerald-100 text-emerald-700">
          <CheckCircle className="h-9 w-9" />
        </div>
        <h2 className="text-2xl font-bold text-slate-900">Ticket Created</h2>
        <p className="mt-3 text-sm text-slate-600">Please keep this ticket number for follow-up.</p>
        <div className="mt-5 rounded-md border border-slate-200 bg-slate-50 px-5 py-3 font-mono text-lg font-bold text-slate-900">
          {createdTicket}
        </div>
        <button
          type="button"
          onClick={() => setCreatedTicket('')}
          className="mt-8 rounded-md bg-[#0EA5E9] px-5 py-2.5 text-sm font-semibold text-white hover:bg-[#0284C7]"
        >
          Create Another Ticket
        </button>
      </div>
    ) : (
      <form onSubmit={submitTicket} className="space-y-5">
        <div>
          <h2 className="text-xl font-bold text-slate-900">Customer Details</h2>
          <p className="mt-1 text-sm text-slate-500">Fields marked with * are required.</p>
        </div>

        {error && (
          <div className="flex items-start gap-2 rounded-md border border-red-200 bg-red-50 p-3 text-sm text-red-700">
            <AlertCircle className="mt-0.5 h-4 w-4 shrink-0" />
            <span>{error}</span>
          </div>
        )}
      </form>
    )}
  </div>
</div>

```

```

<label className="block">
  <span className="text-sm font-semibold text-slate-700">Name *</span>
  <input
    value={form.customer_name}
    onChange={e => updateField('customer_name', e.target.value)}
    className="mt-1 w-full rounded-md border border-slate-300 px-3 py-2 text-slate-900 outline-none focus:bor
    placeholder="Customer name"
  />
</label>
<label className="block">
  <span className="text-sm font-semibold text-slate-700">Phone *</span>
  <input
    value={form.customer_phone}
    onChange={e => updateField('customer_phone', e.target.value)}
    className="mt-1 w-full rounded-md border border-slate-300 px-3 py-2 text-slate-900 outline-none focus:bor
    placeholder="Phone number"
  />
</label>
<label className="block">
  <span className="text-sm font-semibold text-slate-700">Email</span>
  <input
    type="email"
    value={form.customer_email}
    onChange={e => updateField('customer_email', e.target.value)}
    className="mt-1 w-full rounded-md border border-slate-300 px-3 py-2 text-slate-900 outline-none focus:bor
    placeholder="Email address"
  />
</label>
<label className="block">
  <span className="text-sm font-semibold text-slate-700">Device / Service</span>
  <select
    value={form.device_type}
    onChange={e => updateField('device_type', e.target.value)}
    className="mt-1 w-full rounded-md border border-slate-300 bg-white px-3 py-2 text-slate-900 outline-none
  >
    <option value="">Select type</option>
    {DEVICE_OPTIONS.map(option => (
      <option key={option} value={option}>{option}</option>
    ))}
  </select>
</label>
</div>

<label className="block">
  <span className="text-sm font-semibold text-slate-700">Address</span>
  <textarea
    value={form.customer_address}
    onChange={e => updateField('customer_address', e.target.value)}
    rows={2}
    className="mt-1 w-full rounded-md border border-slate-300 px-3 py-2 text-slate-900 outline-none focus:borde
    placeholder="Pickup or billing address"
  />
</label>

<label className="block">
  <span className="text-sm font-semibold text-slate-700">Issue Details *</span>
  <textarea
    value={form.issue_description}
    onChange={e => updateField('issue_description', e.target.value)}
    rows={5}
    className="mt-1 w-full rounded-md border border-slate-300 px-3 py-2 text-slate-900 outline-none focus:borde
    placeholder="Example: laptop not booting, printer paper jam, CCTV camera offline..."
  />
</label>

<label className="block">
  <span className="text-sm font-semibold text-slate-700">Priority</span>
  <select
    value={form.priority}
    onChange={e => updateField('priority', e.target.value)}
    className="mt-1 w-full rounded-md border border-slate-300 bg-white px-3 py-2 text-slate-900 outline-none fo
  >
    {PRIORITY_OPTIONS.map(option => (
      <option key={option.value} value={option.value}>{option.label}</option>
    ))}
  </select>
</label>

```

```
        }}
      </select>
    </label>

    <button
      type="submit"
      disabled={submitting}
      className="flex w-full items-center justify-center gap-2 rounded-md bg-[#0EA5E9] px-5 py-3 text-sm font-semib
    >
      {submitting ? <Loader2 className="h-4 w-4 animate-spin" /> : <Send className="h-4 w-4" />}
      Create Service Ticket
    </button>
  </form>
  )}
</div>
</div>
</section>
</>
  );
}
```

File: src/App.tsx

```
import { BrowserRouter, Routes, Route } from 'react-router-dom';
import Layout from './components/Layout';
import Home from './pages/Home';
import About from './pages/About';
import Services from './pages/Services';
import ServiceDetail from './pages/ServiceDetail';
import Industries from './pages/Industries';
import Testimonials from './pages/Testimonials';
import Blog from './pages/Blog';
import BlogPost from './pages/BlogPost';
import Contact from './pages/Contact';
import ServiceRequest from './pages/ServiceRequest';
import AmcRequest from './pages/AmcRequest';
import Privacy from './pages/Privacy';
import Terms from './pages/Terms';
import AdminPanel from './admin/AdminPanel';
import { TrackTicket } from './pages/TrackTicket';

function App() {
  return (
    <BrowserRouter>
      <Routes>
        <Route element={<Layout />}>
          <Route path="/" element={<Home />} />
          <Route path="/about" element={<About />} />
          <Route path="/services" element={<Services />} />
          <Route path="/services/:slug" element={<ServiceDetail />} />
          <Route path="/industries" element={<Industries />} />
          <Route path="/testimonials" element={<Testimonials />} />
          <Route path="/blog" element={<Blog />} />
          <Route path="/blog/:slug" element={<BlogPost />} />
          <Route path="/contact" element={<Contact />} />
          <Route path="/service-request" element={<ServiceRequest />} />
          <Route path="/amc-request" element={<AmcRequest />} />
          <Route path="/track" element={<TrackTicket />} />
          <Route path="/privacy" element={<Privacy />} />
          <Route path="/terms" element={<Terms />} />
        </Route>
        <Route path="/admin" element={<AdminPanel />} />
      </Routes>
    </BrowserRouter>
  );
}

export default App;
```

File: src/components/Header.tsx

```
import { useState, useEffect } from "react";
import { Link, useLocation, useNavigate } from "react-router-dom";
import { motion, AnimatePresence } from "framer-motion";
import { Menu, X, Phone } from "lucide-react";

const navLinks = [
  { name: "Home", path: "/#hero" },
  { name: "About", path: "/#about" },
  { name: "Services", path: "/#services" },
  { name: "Service Request", path: "/service-request" },
  { name: "AMC Request", path: "/amc-request" },
  { name: "Industries", path: "/#industries" },
  { name: "Track Repair", path: "/track" },
  { name: "Blog", path: "/#blog" },
  { name: "Contact", path: "/#contact" },
];

export default function Header() {
  const [scrolled, setScrolled] = useState(false);
  const [mobileOpen, setMobileOpen] = useState(false);
  const location = useLocation();
  const navigate = useNavigate();

  useEffect(() => {
    const handleScroll = () => {
      setScrolled(window.scrollY > 20);
    };
    window.addEventListener("scroll", handleScroll, { passive: true });
    return () => window.removeEventListener("scroll", handleScroll);
  }, []);

  useEffect(() => {
    setMobileOpen(false);
  }, [location]);

  useEffect(() => {
    if (mobileOpen) {
      document.body.style.overflow = "hidden";
    } else {
      document.body.style.overflow = "";
    }
    return () => {
      document.body.style.overflow = "";
    };
  }, [mobileOpen]);

  const handleNavClick = (path: string) => {
    setMobileOpen(false);

    if (path.startsWith("#")) {
      const hash = path.split("#")[1];
      if (location.pathname !== "/" ) {
        navigate(path);
      } else {
        setTimeout(() => {
          const el = document.getElementById(hash);
          if (el) el.scrollIntoView({ behavior: "smooth" });
        }, 100);
      }
    } else {
      navigate(path);
    }
  };

  return (
    <header
      className={`fixed top-0 left-0 right-0 z-50 transition-all duration-300 ${
        scrolled
          ? "bg-[#0B1120]/95 backdrop-blur-xl shadow-lg shadow-black/20"
          : "bg-[#0B1120]/60 backdrop-blur-md"
      }`}
    >
```

>

```
<div className="mx-auto max-w-7xl px-4 sm:px-6 lg:px-8">
  <div className="flex h-16 items-center justify-between lg:h-20">
    {/* Logo */}
    <Link to="/" className="flex items-center gap-2 group" onClick={() => window.scrollTo({ top: 0, behavior: 'smooth' })}>
      
    </Link>

    {/* Desktop Navigation */}
    <nav className="hidden items-center gap-1 lg:flex">
      {navLinks.map((link) => (
        <a
          key={link.name}
          href={link.path}
          onClick={(e) => {
            e.preventDefault();
            handleNavClick(link.path);
          }}
          className="rounded-lg px-3 py-2 text-sm font-medium transition-colors text-gray-300 hover:bg-white/5 hover:text-white"
        >
          {link.name}
        </a>
      ))}
    </nav>

    {/* Desktop CTA */}
    <div className="hidden items-center gap-3 lg:flex">
      <a
        href="tel:+919986742525"
        className="flex items-center gap-1.5 text-sm text-gray-400 transition-colors hover:text-[#0EA5E9]"
      >
        <Phone className="h-4 w-4" />
        <span className="hidden xl:inline">+91 99867 42525</span>
      </a>
      <a
        href="#contact"
        onClick={(e) => { e.preventDefault(); handleNavClick("#contact"); }}
        className="rounded-lg bg-[#0EA5E9] px-5 py-2.5 text-sm font-semibold text-white shadow-lg shadow-[#0EA5E9]/25 tra
      >
        Get Quote
      </a>
    </div>

    {/* Mobile Menu Toggle */}
    <button
      onClick={() => setMobileOpen(!mobileOpen)}
      className="rounded-lg p-2 text-gray-300 transition-colors hover:bg-white/10 hover:text-white lg:hidden"
      aria-label={mobileOpen ? "Close menu" : "Open menu"}
    >
      {mobileOpen ? <X className="h-6 w-6" /> : <Menu className="h-6 w-6" />}
    </button>
  </div>
</div>

{/* Mobile Drawer */}
<AnimatePresence>
  {mobileOpen && (
    <>
      <motion.div
        initial={{ opacity: 0 }}
        animate={{ opacity: 1 }}
        exit={{ opacity: 0 }}
        transition={{ duration: 0.2 }}
        className="fixed inset-0 bg-black/60 backdrop-blur-sm lg:hidden"
        onClick={() => setMobileOpen(false)}
      />

      <motion.div
        initial={{ x: "100%" }}
        animate={{ x: 0 }}

```

```

    exit={{ x: "100%" }}
    transition={{ type: "spring", damping: 30, stiffness: 300 }}
    className="fixed top-0 right-0 bottom-0 z-50 w-[85%] max-w-sm overflow-y-auto bg-[#0B1120] shadow-2xl lg:hidden"
  >
    <div className="flex items-center justify-between border-b border-white/10 px-6 py-4">
      <div className="flex items-center gap-2">
        
      </div>
      <button
        onClick={() => setMobileOpen(false)}
        className="rounded-lg p-2 text-gray-300 transition-colors hover:bg-white/10 hover:text-white"
        aria-label="Close menu"
      >
        <X className="h-5 w-5" />
      </button>
    </div>

    <nav className="px-4 py-4">
      {navLinks.map((link) => (
        <a
          key={link.name}
          href={link.path}
          onClick={(e) => {
            e.preventDefault();
            handleNavClick(link.path);
          }}
          className="mt-1 block rounded-lg px-4 py-3 text-base font-medium transition-colors text-gray-300 hover:bg-w
        >
          {link.name}
        </a>
      ))}
    </nav>

    <div className="border-t border-white/10 px-6 py-6 space-y-4">
      <a
        href="tel:+919986742525"
        className="flex items-center gap-2 text-sm text-gray-400 transition-colors hover:text-[#0EA5E9]"
      >
        <Phone className="h-4 w-4" />
        +91 99867 42525
      </a>
      <a
        href="#contact"
        onClick={(e) => { e.preventDefault(); handleNavClick("/#contact"); }}
        className="block w-full rounded-lg bg-[#0EA5E9] px-5 py-3 text-center text-sm font-semibold text-white shadow
      >
        Get Quote
      </a>
    </div>
  </motion.div>
</>
)}
</AnimatePresence>
</header>
);
}

```