```
exercise3 (Score: 2.0 / 9.0)

1. Test cell (Score: 2.0 / 2.0)

2. Test cell (Score: 0.0 / 1.0)

3. Test cell (Score: 0.0 / 2.0)

4. Test cell (Score: 0.0 / 2.0)

5. Test cell (Score: 0.0 / 2.0)
```

Lab 3

- 1. 提交作業之前,建議可以先點選上方工具列的Kernel,再選擇Restart & Run All,檢查一下是否程式跑起來都沒有問題,最後記得儲存。
- 2. 請先填上下方的姓名(name)及學號(stduent_id)再開始作答,例如:

```
name = "我的名字"
student id= "B06201000"
```

- 3. 演算法的實作可以參考lab-3 (https://yuanyuyuan.github.io/itcm/lab-3.html), 有任何問題歡迎找助教詢問。
- 4. Deadline: 10/30(Wed.)

```
In [1]:
```

```
name = "陳彥宇"
student_id = "B05303134"
```

Exercise 3

The price (in euros) of a magazine has changed as follows:

```
        Nov. 87
        Dec. 88
        Nov. 90
        Jan. 93
        Jan. 95
        Jan. 96
        Nov. 96
        Nov. 00

        4.5
        5.0
        6.0
        6.5
        7.0
        7.5
        8.0
        8.0
```

1. Use the interpolating polynomial of *degree 7* to estimate the price in February 1989, in April 1998 and in November 2002.

Part 0. Import libraries.

```
In [2]:
```

```
import matplotlib.pyplot as plt
import numpy as np
```

Part 1. Define the polynomial interpolation function.

Please refer part of polynomial interpolation function in " lagrange.ipynb ".

```
In [3]:
```

```
def lagrange(points):
   # 請參考 hands-on 的 Largrange polynomial interpolation
   # ===== 請實做程式 =====
   def polynomial(x):
       total sum = 0
       n = len(points)
        for i in range(n):
           x_i, y_i = points[i]
           def g(i, n):
               product = 1
               for j in range(n):
                   if i == j:
                       continue
                   x_j, y_j = points[j]
                   product *= (x-x_j)/float(x_i-x_j)
               return product
           total sum += y i*g(i,n)
        return total sum
    return polynomial
    # =========
```

In [4]:

```
(Top)
           interpolation_function
# Test
P = lagrange((
     (0, 0),
     (1, 1),
     (-1, 1)
))
print('P(2) = ', P(2))
### BEGIN HIDDEN TESTS
P = lagrange((
     (0, 0),
     (1, 1),
     (-1, 1)
))
assert P(0) == 0, P(0) is wrong!
assert P(1) == 1, 'P(1) is wrong!'
assert P(-2) == 4, 'P(-2) is wrong!'
assert P(3) == 9, 'P(3) is wrong!'
### END HIDDEN TESTS
```

P(2) = 4.0

Part 2. Transfer data to input points (x: dates, y: prices).

In [5]:

```
In [6]:
```

```
points_date


print('points:', points)

### BEGIN HIDDEN TESTS
data = np.ndarray.flatten(np.array(points))
prices = [4.5, 5., 6., 6.5, 7., 7.5, 8.]

assert len(data) == 16, 'points is wrong!'
assert np.sum(np.isin(data, prices)) == 8, 'Wrong prices in points!'
### END HIDDEN TESTS
```

Part 3-1. Estimate the price in February 1989.

In [7]:



```
In [8]:
```

```
Feb_1989

print("My estimated price in February 1989 is", estimated_price)

### BEGIN HIDDEN TESTS

assert abs(estimated_price - 5.09) < 5e-2, 'Estimated price is wrong!'

### END HIDDEN TESTS
```


My estimated price in February 1989 is -15293.991483208742

```
AssertionError Traceback (most recent call last)
<ipython-input-8-e546e2d84dac> in <module>
2
3 ### BEGIN HIDDEN TESTS
----> 4 assert abs(estimated_price - 5.09) < 5e-2, 'Estimated price is wrong!'
5 ### END HIDDEN TESTS

AssertionError: Estimated price is wrong!
```

Part 3-2. Estimate the price in April 1998.

In [9]:



```
In [10]:
```

```
April_1998

print("My estimated price in April 1998 is", estimated_price)

### BEGIN HIDDEN TESTS

assert abs(estimated_price - 8.67) < 5e-2, 'Estimated price is wrong!'

### END HIDDEN TESTS
```


My estimated price in April 1998 is -1.9226976671218634

```
AssertionError Traceback (most recent call last)
<ipython-input-10-ff44be72b30c> in <module>
2
3 ### BEGIN HIDDEN TESTS
----> 4 assert abs(estimated_price - 8.67) < 5e-2, 'Estimated price is wrong!'
5 ### END HIDDEN TESTS

AssertionError: Estimated price is wrong!
```

Part 3-3. Estimate the price in November 2002.

In [11]:



```
In [12]:
                                                                                                       (Top)
          Nov_2002
print("My estimated price in November 2002 is", estimated_price)
### BEGIN HIDDEN TESTS
assert abs(estimated price - 11.24) < 5e-2, 'Estimated price is wrong!'</pre>
### END HIDDEN TESTS
My estimated price in November 2002 is 5.624590311057412
AssertionError
                                         Traceback (most recent call last)
<ipython-input-12-429d3b403597> in <module>
     2
     3 ### BEGIN HIDDEN TESTS
----> 4 assert abs(estimated_price - 11.24) < 5e-2, 'Estimated price is wrong!'
     5 ### END HIDDEN TESTS
AssertionError: Estimated price is wrong!
```