

## Solution Review: Problem Challenge 3

We'll cover the following ^

- Smallest Window containing Substring (hard)
- Solution
- Code
  - Time Complexity
  - Space Complexity

### Smallest Window containing Substring (hard) #

Given a string and a pattern, find the **smallest substring** in the given string which has **all the characters of the given pattern**.

#### Example 1:

```
Input: String="aabdec", Pattern="abc"
Output: "abdec"
Explanation: The smallest substring having all characters of the pattern is "abdec"
```

#### Example 2:

```
Input: String="abdabca", Pattern="abc"
Output: "abc"
Explanation: The smallest substring having all characters of the pattern is "abc".
```

#### Example 3:

```
Input: String="adcad", Pattern="abc"
Output: ""
Explanation: No substring in the given string has all characters of the pattern.
```

### Solution #

This problem follows the **Sliding Window** pattern and has a lot of similarities with Permutation in a String





(<https://www.educative.io/collection/page/5668639101419520/5671464854355968/5401934796161024/>) with one difference. In this problem, we need to find a substring having all characters of the pattern which means that the required substring can have some additional characters and doesn't need to be a permutation of the pattern. Here is how we will manage these differences:

2. Whenever we have matched all the characters, we will try to shrink the window from the beginning, keeping track of the smallest substring that has all the matching characters.
3. We will stop the shrinking process as soon as we remove a matched character from the sliding window. One thing to note here is that we could have redundant matching characters, e.g., we might have two 'a' in the sliding window when we only need one 'a'. In that case, when we encounter the first 'a', we will simply shrink the window without decrementing the matched count. We will decrement the matched count when the second 'a' goes out of the window.

## Code #

Here is how our algorithm will look; only the highlighted lines have changed from Permutation in a String


(<https://www.educative.io/collection/page/5668639101419520/5671464854355968/5401934796161024/>):

 Java	 Python3	 C++	 JS
--	---	---	--

```
1 def find_substring(str1, pattern):
2     window_start, matched, substr_start = 0, 0, 0
3     min_length = len(str1) + 1
4     char_frequency = {}
5
6     for chr in pattern:
7         if chr not in char_frequency:
8             char_frequency[chr] = 0
9             char_frequency[chr] += 1
10
11     # try to extend the range [window_start, window_end]
12     for window_end in range(len(str1)):
13         right_char = str1[window_end]
14         if right_char in char_frequency:
15             char_frequency[right_char] -= 1
16             if char_frequency[right_char] >= 0: # Count every matching of a character
17                 matched += 1
18
19     # Shrink the window if we can, finish as soon as we remove a matched character
20     while matched == len(pattern):
21         if min_length > window_end - window_start + 1:
22             min_length = window_end - window_start + 1
23             substr_start = window_start
24
25         left_char = str1[window_start]
26         window_start += 1
27         if left_char in char_frequency:
28             # Note that we could have redundant matching characters, therefore we'll decrement
```

## Time Complexity #

The time complexity of the above algorithm will be  $O(N + M)$  where 'N' and 'M' are the number of characters in the input string and the pattern respectively.



The space complexity of the algorithm is  $O(M)$  since in the worst case, the whole pattern can have distinct characters which will go into the **HashMap**. In the worst case, we also need  $O(N)$  space for the resulting substring, which will happen when the input string is a permutation of the pattern.

[← Back](#)

Problem Challenge 3

[Next →](#)

Problem Challenge 4

 [Mark as Completed](#)[Report an Issue](#)[Ask a Question](#)[https://discuss.educative.io/tag/solution-review-problem-challenge-3\\_\\_pattern-sliding-window\\_\\_grokking-the-coding-interview-patterns-for-coding-questions](https://discuss.educative.io/tag/solution-review-problem-challenge-3__pattern-sliding-window__grokking-the-coding-interview-patterns-for-coding-questions)

Could not connect to the reCAPTCHA service. Please check your internet connection and reload to get a reCAPTCHA challenge.