

# Calculus

Yaohui Wu

May 21, 2024

*For all lovers of mathematics.*

## Introduction

**Calculus** is the study of continuous change established by **Issac Newton** (1643–1727) and **Gottfried Wilhelm Leibniz** (1646–1716) in the 17th century. **Single variable calculus** studies **derivatives** and **integrals** of functions of one variable and their relationship stated by the **fundamental theorem of calculus**.

$$\int_a^b f(x) dx = F(b) - F(a)$$

## Contents

<b>1</b>	<b>Functions and Limits</b>	<b>3</b>
1.1	The Limit of a Function . . . . .	3
1.1.1	Functions . . . . .	3
1.1.2	Intuitive Definition of a Limit . . . . .	3
1.2	The Precise Definition of a Limit . . . . .	4
1.3	Computing Limits . . . . .	4
1.4	Continuity . . . . .	4
1.5	Limits and Infinity . . . . .	4
<b>2</b>	<b>Derivatives</b>	<b>4</b>
2.1	Derivatives . . . . .	4
2.2	Differentiation Formulas . . . . .	4
2.3	Implicit Differentiation . . . . .	4
2.4	Derivatives of Inverse Functions . . . . .	4
2.5	Indeterminate Forms and l'Hospital's Rule . . . . .	4
<b>3</b>	<b>Applications of Differentiation</b>	<b>4</b>
3.1	Maximum and Minimum Values . . . . .	4
3.2	The Mean Value Theorem . . . . .	4
3.3	Derivatives and Graphs . . . . .	4
3.4	Antiderivatives . . . . .	4

<b>4</b>	<b>Integrals</b>	<b>4</b>
4.1	Definite Integrals . . . . .	4
4.2	Evaluating Definite Integrals . . . . .	4
4.3	The Fundamental Theorem of Calculus . . . . .	4
4.4	The Substitution Rule . . . . .	4
<b>5</b>	<b>Techniques of Integration</b>	<b>5</b>
5.1	Integration by Parts . . . . .	5
5.2	Trigonometric Integrals and Substitutions . . . . .	5
5.3	Partial Fractions . . . . .	5
5.4	Improper Integrals . . . . .	5
<b>6</b>	<b>Applications of Integration</b>	<b>5</b>
6.1	Areas . . . . .	5
6.2	Volumes . . . . .	5
6.3	Arc Length . . . . .	5
<b>7</b>	<b>Sequences and Series</b>	<b>5</b>
7.1	Sequences . . . . .	5
7.2	Series . . . . .	5
7.3	Convergence Tests . . . . .	5
7.4	Power Series . . . . .	5
7.5	Taylor Series . . . . .	5
<b>8</b>	<b>Parametric Equations and Polar Coordinates</b>	<b>5</b>
8.1	Calculus of Parametric Equations . . . . .	5
8.2	Calculus in Polar Coordinates . . . . .	5
<b>9</b>	<b>Differential Equations</b>	<b>5</b>
9.1	Ordinary Differential Equations . . . . .	5
9.2	Direction Fields and Euler's Method . . . . .	5
9.3	Separable Equations . . . . .	5

# 1 Functions and Limits

## 1.1 The Limit of a Function

### 1.1.1 Functions

A function  $f : X \mapsto Y$  is a rule that assigns each element in set  $X$  to exactly one element  $y = f(x)$  in set  $Y$ .

**Definition 1.1.** A function  $f$  is a binary relation  $R$  with domain  $X$  and codomain  $Y$  that satisfies:

- $R$  is a subset of the Cartesian product of  $X$  and  $Y$ .

$$R \subset \{(x, y) \mid x \in X, y \in Y\}$$

- For every  $x$  in  $X$ , there exists a  $y = f(x)$  such that  $(x, y)$  is in  $R$ .

$$\forall x \in X, \exists y = f(x) \in Y, (x, y) \in R$$

- If  $(x, y)$  and  $(x, z)$  are in  $R$ , then  $y = z$ .

$$(x, y) \in R \wedge (x, z) \in R \implies y = z$$

### 1.1.2 Intuitive Definition of a Limit

Let  $f(x)$  be a function defined on some open interval that contains  $a$ , except possibly at  $a$  itself.

**Definition 1.2.** The **limit** of  $f(x)$  as  $x$  approaches  $a$  equals  $L$  if we can make  $f(x)$  arbitrarily close to  $L$  by taking  $x$  sufficiently close to  $a$  from left and right but  $x \neq a$ .

$$\lim_{x \rightarrow a} f(x) = L$$

**Definition 1.3.** The limit of  $f(x)$  as  $x$  approaches  $a$  from the left equals  $L$  if we can make  $f(x)$  arbitrarily close to  $L$  by taking  $x$  sufficiently close to  $a$  where  $x < a$ .

$$\lim_{x \rightarrow a^-} f(x) = L$$

**Definition 1.4.** The limit of  $f(x)$  as  $x$  approaches  $a$  from the right equals  $L$  if we can make  $f(x)$  arbitrarily close to  $L$  by taking  $x$  sufficiently close to  $a$  where  $x > a$ .

$$\lim_{x \rightarrow a^+} f(x) = L$$

The limit **exists** if the limit of  $f(x)$  as  $x$  approaches  $a$  equals  $L$ , otherwise the limit **does not exist**.

$$\lim_{x \rightarrow a} f(x) = L \text{ if } \lim_{x \rightarrow a^-} f(x) = \lim_{x \rightarrow a^+} f(x) = L$$

**1.2 The Precise Definition of a Limit**

**1.3 Computing Limits**

**1.4 Continuity**

**1.5 Limits and Infinity**

## **2 Derivatives**

**2.1 Derivatives**

**2.2 Differentiation Formulas**

**2.3 Implicit Differentiation**

**2.4 Derivatives of Inverse Functions**

**2.5 Indeterminate Forms and l'Hospital's Rule**

## **3 Applications of Differentiation**

**3.1 Maximum and Minimum Values**

**3.2 The Mean Value Theorem**

**3.3 Derivatives and Graphs**

**3.4 Antiderivatives**

## **4 Integrals**

**4.1 Definite Integrals**

**4.2 Evaluating Definite Integrals**

**4.3 The Fundamental Theorem of Calculus**

**4.4 The Substitution Rule**

## **5 Techniques of Integration**

### **5.1 Integration by Parts**

### **5.2 Trigonometric Integrals and Substitutions**

### **5.3 Partial Fractions**

### **5.4 Improper Integrals**

## **6 Applications of Integration**

### **6.1 Areas**

### **6.2 Volumes**

### **6.3 Arc Length**

## **7 Sequences and Series**

### **7.1 Sequences**

### **7.2 Series**

### **7.3 Convergence Tests**

### **7.4 Power Series**

### **7.5 Taylor Series**

## **8 Parametric Equations and Polar Coordinates**

### **8.1 Calculus of Parametric Equations**

### **8.2 Calculus in Polar Coordinates**

## **9 Differential Equations**

### **9.1 Ordinary Differential Equations**

### **9.2 Direction Fields and Euler's Method**

### **9.3 Separable Equations**