

接口文档

HealthTrack API 接口文档

Base URL

代码块

```
1 http://127.0.0.1:8888/api
```

说明

- 所有接口返回 `application/json`
- 时间格式严格遵循代码中的 `time.Parse`
- 当前实现**未统一包一层 code/message**，返回的是 **模型 JSON 或 error**

一、用户（Users）

1. 创建用户

POST `/users`

请求体

代码块

```
1  {
2    "health_id": "H123456",
3    "name": "张三",
4    "date_of_birth": "1998-05-01",
5    "gender": "男",
6    "password": "123456"
7  }
```

成功返回（201）

代码块

```
1  {
2    "user_id": 1,
```

```
3   "health_id": "H123456",
4   "name": "张三",
5   "date_of_birth": "1998-05-01T00:00:00Z",
6   "gender": "男"
7 }
```

2. 获取用户信息

GET `/users/{id}`

示例

代码块

```
1 GET /api/users/1
```

成功返回

代码块

```
1 {
2   "user_id": 1,
3   "health_id": "H123456",
4   "name": "张三",
5   "gender": "男"
6 }
```

失败

- 404: `{"error": "user not found"}`

二、邮箱 / 电话

3. 添加邮箱

POST `/users/{id}/emails`

请求体

代码块

```
1 {
2   "email": "test@example.com"
```

```
3 }
```

返回

代码块

```
1 {
2   "email_id": 1,
3   "user_id": 1,
4   "email_address": "test@example.com",
5   "is_verified": false
6 }
```

4. 删除邮箱

DELETE `/users/{id}/emails/{emailid}`

返回

代码块

```
1 204 No Content
```

5. 添加电话

POST `/users/{id}/phones`

请求体

代码块

```
1 {
2   "phone": "13800000000"
3 }
```

返回

代码块

```
1 {
2   "phone_id": 1,
```

```
3     "user_id": 1,  
4     "phone_number": "13800000000",  
5     "phone_type": "手机",  
6     "is_verified": false  
7 }
```

6. 删除电话

DELETE `/users/{id}/phones/{phoneid}`

三、医疗服务提供者 (Providers)

7. 关联医生

POST `/users/{id}/providers/{provider_id}`

返回

代码块

```
1  {  
2     "user_id": 1,  
3     "provider_id": 3,  
4     "link_date": "2025-07-01T10:00:00Z"  
5 }
```

8. 解除关联医生

DELETE `/users/{id}/providers/{provider_id}`

四、预约 (Appointments)

9. 创建预约

POST `/appointments`

⚠ `appointment_date` 必须是 **RFC3339**

请求体

代码块

```
2     "user_id": 1,  
3     "provider_id": 3,  
4     "appointment_date": "2025-07-20T10:00:00Z",  
5     "duration_minutes": 30,  
6     "consultation_type": "线上咨询",  
7     "reason": "头痛"  
8 }
```

返回

代码块

```
1  {  
2     "appointment_id": 10,  
3     "status": "已预约"  
4 }
```

10. 取消预约

PUT `/appointments/{id}/cancel`

请求体

代码块

```
1  {  
2     "reason": "患者改期"  
3 }
```

限制

- 距预约时间 < 24 小时不可取消

失败

代码块

```
1  {  
2     "error": "无法在预约时间24小时内取消预约"  
3 }
```

11. 查询用户预约

GET `/users/{id}/appointments`

返回

代码块

```
1  [  
2    {  
3      "appointment_id": 10,  
4      "appointment_date": "2025-07-20T10:00:00Z",  
5      "status": "已预约"  
6    }  
7  ]
```

五、健康挑战（Challenges）

12. 创建挑战

POST `/challenges`

请求体

代码块

```
1  {  
2    "creator_id": 1,  
3    "challenge_name": "每日万步",  
4    "description": "坚持走路",  
5    "challenge_type": "减重",  
6    "target_metric": "步数",  
7    "target_value": 10000,  
8    "target_unit": "步",  
9    "start_date": "2025-07-01",  
10   "end_date": "2025-07-31",  
11   "max_participants": 50,  
12   "is_public": true  
13 }
```

13. 邀请加入挑战

POST `/challenges/{id}/invite`

请求体

代码块

```
1  {  
2    "sender_id": 1,  
3    "recipient_type": "邮箱",  
4    "recipient_value": "test@example.com",  
5    "message": "一起来参加吧"  
6  }
```

14. 加入挑战

POST /challenges/{id}/join

请求体

代码块

```
1  {  
2    "user_id": 2  
3  }
```

15. 获取挑战参与者

GET /challenges/{id}/participants

六、报表 & 统计 (Stored Procedures)

16. 生成月度健康报告

POST /reports/generate

请求体

代码块

```
1  {  
2    "user_id": 1,  
3    "month": "2025-07-01"  
4  }
```

[返回](#)

代码块

```
1  {
2    "message": "报告已生成"
3  }
```

17. 最受欢迎挑战

GET `/stats/popular_challenges?limit=5`

[返回](#)

代码块

```
1  [
2    {
3      "challenge_id": 3,
4      "challenge_name": "每日万步",
5      "participant_count": 120,
6      "avg_progress": 80.5,
7      "completed_count": 45
8    }
9  ]
```

18. 最活跃用户

GET `/stats/active_users?limit=10`

[返回](#)

代码块

```
1  [
2    {
3      "user_id": 1,
4      "health_id": "H123456",
5      "name": "张三",
6      "activity_score": 92.3
7    }
8  ]
```