

Syntax

Child: >

```
nav>ul>li
  <nav>
    <ul>
      <li></li>
    </ul>
  </nav>
```

Sibling: +

```
div+p+bq
  <div></div>
  <p></p>
  <blockquote></blockquote>
```

Climb-up: ^

```
div+div>p>span+em^bq
  <div></div>
  <div>
    <p><span></span><em></em></p>
    <blockquote></blockquote>
  </div>
```

Grouping: ()

```
div>(header>ul>li*2>a)+footer>p
  <div>
    <header>
      <ul>
        <li><a href=""></a></li>
        <li><a href=""></a></li>
      </ul>
    </header>
    <footer>
      <p></p>
    </footer>
  </div>
```

Multiplication: \*

```
ul>li*5
  <ul>
    <li></li>
    <li></li>
    <li></li>
    <li></li>
    <li></li>
  </ul>
```

Item numbering: \$

```
div+div>p>span+em^^bq
  <div></div>
  <div>
    <p><span></span><em></em></p>
  </div>
  <blockquote></blockquote>
```

```
(div>dl>(dt+dd)*3)+footer>p
  <div>
    <dl>
      <dt></dt>
      <dd></dd>
      <dt></dt>
      <dd></dd>
      <dt></dt>
      <dd></dd>
    </dl>
  </div>
  <footer>
    <p></p>
  </footer>
```

```
ul>li.item$*5
  <ul>
    <li class="item1"></li>
    <li class="item2"></li>
    <li class="item3"></li>
    <li class="item4"></li>
    <li class="item5"></li>
  </ul>
```

```
ul>li.item$@-*5
  <ul>
    <li class="item5"></li>
    <li class="item4"></li>
    <li class="item3"></li>
    <li class="item2"></li>
    <li class="item1"></li>
  </ul>
```

ID and CLASS attributes

```
#header
  <div id="header"></div>
```

```
p.class1.class2.class3
  <p class="class1 class2 class3"></p>
```

Custom attributes

```
p[title="Hello world"]
  <p title="Hello world"></p>
```

Text: {}

```
a{Click me}
  <a href="">Click me</a>
```

Implicit tag names

```
.class
  <div class="class"></div>
```

```
table>.row>.col
  <table>
    <tr class="row">
      <td class="col"></td>
    </tr>
  </table>
```

HTML

All unknown abbreviations will be transformed to tag, e.g. `foo` → `<foo></foo>`.

```
h${title=item$}{Header $}*3
  <h1 title="item1">Header 1</h1>
  <h2 title="item2">Header 2</h2>
  <h3 title="item3">Header 3</h3>
```

```
ul>li.item$@3*5
  <ul>
    <li class="item3"></li>
    <li class="item4"></li>
    <li class="item5"></li>
    <li class="item6"></li>
    <li class="item7"></li>
  </ul>
```

```
.title
  <div class="title"></div>
```

```
td[rowspan=2 colspan=3 title]
  <td rowspan="2" colspan="3" title=""></td>
```

```
p>{Click }+a{here}+{ to continue}
  <p>Click <a href="">here</a> to continue</p>
```

```
em>.class
  <em><span class="class"></span></em>
```

```
ul>li.item$$$*5
  <ul>
    <li class="item001"></li>
    <li class="item002"></li>
    <li class="item003"></li>
    <li class="item004"></li>
    <li class="item005"></li>
  </ul>
```

```
form#search.wide
  <form id="search" class="wide"></form>
```

```
[a='value1' b="value2"]
  <div a="value1" b="value2"></div>
```

```
ul>.class
  <ul>
    <li class="class"></li>
  </ul>
```

!

Alias of html:5

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8" />
  <title>Document</title>
</head>
<body>
  |
</body>
</html>
```

bdo:l

```
<bdo dir="ltr">|</bdo>
```

link:css

```
<link rel="stylesheet" href="style.css" />
```

link:touch

```
<link rel="apple-touch-icon" href="favicon.png" />
```

link:import, link:im

```
<link rel="import" href="component.html" />
```

meta:compat

```
<meta http-equiv="X-UA-Compatible" content="IE=7" />
```

img:srcset, img:s

```

```

source, src

```
<source />
```

source:media, src:m

```
<source media="(min-width:)" srcset="|" />
```

source:media:sizes, src:mz

```
<source media="(min-width:)" sizes="|" srcset="|" />
```

## Cheat Sheet

a

```
<a href="|"></a>
```

a:mail

```
<a href="mailto:|"></a>
```

acronym, acr

```
<acronym title="|"></acronym>
```

basefont

```
<basefont />
```

frame

```
<frame />
```

bdo

```
<bdo dir="|"></bdo>
```

col

```
<col />
```

link:print

```
<link rel="stylesheet" href="print.css" media="print" />
```

link:rss

```
<link rel="alternate" type="application/rss+xml" title="RSS" href="
rss.xml" />
```

meta

```
<meta />
```

meta:win

```
<meta http-equiv="Content-Type" content="text/html;charset=windows-
1251" />
```

style

```
<style>|</style>
```

script:src

```
<script src="|"></script>
```

img:sizes, img:z

```

```

source:src, src:sc

```
<source src="|" type="|" />
```

source:type, src:t

```
<source srcset="|" type="image/" />
```

source:sizes:type, src:zt

```
<source sizes="|" srcset="|" type="image/" />
```

a:link

```
<a href="http://|"></a>
```

abbr

```
<abbr title="|"></abbr>
```

base

```
<base href="|" />
```

br

```
<br />
```

hr

```
<hr />
```

bdo:r

```
<bdo dir="rtl">|</bdo>
```

link

```
<link rel="stylesheet" href="|" />
```

link:favicon

```
<link rel="shortcut icon" type="image/x-icon" href="favicon.ico" />
```

link:atom

```
<link rel="alternate" type="application/atom+xml" title="Atom" href="
atom.xml" />
```

meta:utf

```
<meta http-equiv="Content-Type" content="text/html;charset=UTF-8" />
```

meta:vp

```
<meta name="viewport" content="width=device-width, user-scalable=
no, initial-scale=1.0, maximum-scale=1.0, minimum-scale=
1.0" />
```

script

```
<script>|</script>
```

img

```

```

picture

```
<picture>|</picture>
```

source:srcset, src:s

```
<source srcset="|" />
```

source:sizes, src:z

```
<source sizes="|" srcset="|" />
```

source:media:type, src:mt

```
<source media="(min-width:)" srcset="|" type="image/" />
```

iframe

```
<iframe src="|" frameborder="0"></iframe>
```

embed

```
<embed src="|" type="|" />
```

object

```
<object data="" type="" /></object>
```

area

```
<area shape="" coords="" href="" alt="" />
```

area:r

```
<area shape="rect" coords="" href="" alt="" />
```

form:get

```
<form action="" method="get"></form>
```

input

```
<input type="text" />
```

input:text, input:t

Alias of inp

```
<input type="text" name="" id="" />
```

input:datetime

Alias of inp[type=datetime]

```
<input type="datetime" name="" id="" />
```

input:month

Alias of inp[type=month]

```
<input type="month" name="" id="" />
```

input:tel

Alias of inp[type=tel]

```
<input type="tel" name="" id="" />
```

input:checkbox, input:c

Alias of inp[type=checkbox]

```
<input type="checkbox" name="" id="" />
```

input:file, input:f

Alias of inp[type=file]

```
<input type="file" name="" id="" />
```

input:reset

Alias of input:button[type=reset]

```
<input type="reset" value="" />
```

option, opt

```
<option value="" /></option>
```

param

```
<param name="" value="" />
```

area:d

```
<area shape="default" href="" alt="" />
```

area:p

```
<area shape="poly" coords="" href="" alt="" />
```

form:post

```
<form action="" method="post"></form>
```

inp

```
<input type="text" name="" id="" />
```

input:search

Alias of inp[type=search]

```
<input type="search" name="" id="" />
```

input:url

Alias of inp[type=url]

```
<input type="url" name="" id="" />
```

input:date

Alias of inp[type=date]

```
<input type="date" name="" id="" />
```

input:week

Alias of inp[type=week]

```
<input type="week" name="" id="" />
```

input:number

Alias of inp[type=number]

```
<input type="number" name="" id="" />
```

input:radio, input:r

Alias of inp[type=radio]

```
<input type="radio" name="" id="" />
```

input:submit, input:s

```
<input type="submit" value="" />
```

input:button, input:b

```
<input type="button" value="" />
```

select

```
<select name="" id="" /></select>
```

textarea

```
<textarea name="" id="" cols="30" rows="10"></textarea>
```

map

```
<map name="" /></map>
```

area:c

```
<area shape="circle" coords="" href="" alt="" />
```

form

```
<form action="" /></form>
```

label

```
<label for="" /></label>
```

input:hidden, input:h

Alias of input[type=hidden name]

```
<input type="hidden" name="" />
```

input:email

Alias of inp[type=email]

```
<input type="email" name="" id="" />
```

input:password, input:p

Alias of inp[type=password]

```
<input type="password" name="" id="" />
```

input:datetime-local

Alias of inp[type=datetime-local]

```
<input type="datetime-local" name="" id="" />
```

input:time

Alias of inp[type=time]

```
<input type="time" name="" id="" />
```

input:color

Alias of inp[type=color]

```
<input type="color" name="" id="" />
```

input:range

Alias of inp[type=range]

```
<input type="range" name="" id="" />
```

input:image, input:i

```
<input type="image" src="" alt="" />
```

isindex

```
<isindex />
```

select:disabled, select:d

Alias of select[disabled.]

```
<select name="" id="" disabled="disabled"></select>
```

marquee

```
<marquee behavior="" direction="" /></marquee>
```

menu:context, menu:c

Alias of menu[type=context]>  
 <menu type="context"> | </menu>

html:xml

<html xmlns="http://www.w3.org/1999/xhtml"> | </html>

button:submit, button:s, btn:s

Alias of button[type=submit]  
 <button type="submit"> | </button>

fieldset:disabled, fieldset:d, fset:d, fst:d

Alias of fieldset[disabled.]  
 <fieldset disabled="disabled"> | </fieldset>

figc

Alias of figcaption  
 <figcaption> | </figcaption>

emb

Alias of embed  
 <embed src=" | " type=" | " />

colg

Alias of colgroup  
 <colgroup> | </colgroup>

optg

Alias of optgroup  
 <optgroup> | </optgroup>

art

Alias of article  
 <article> | </article>

adr

Alias of address  
 <address> | </address>

prog

Alias of progress  
 <progress> | </progress>

menu:toolbar, menu:t

Alias of menu[type=toolbar]>  
 <menu type="toolbar"> | </menu>

keygen

<keygen />

button:reset, button:r, btn:r

Alias of button[type=reset]  
 <button type="reset"> | </button>

bq

Alias of blockquote  
 <blockquote> | </blockquote>

pic

Alias of picture  
 <picture> | </picture>

obj

Alias of object  
 <object data=" | " type=" | " /> </object>

fst, fset

Alias of fieldset  
 <fieldset> | </fieldset>

tarea

Alias of textarea  
 <textarea name=" | " id=" | " cols=" | 30 " rows=" | 10 "> | </textarea>

hdr

Alias of header  
 <header> | </header>

dlg

Alias of dialog  
 <dialog> | </dialog>

mn

Alias of main  
 <main> | </main>

video

<video src=" | "> | </video>

audio

<audio src=" | "> | </audio>

command

<command />

button:disabled, button:d, btn:d

Alias of button[disabled.]  
 <button disabled="disabled"> | </button>

fig

Alias of figure  
 <figure> | </figure>

ifr

Alias of iframe  
 <iframe src=" | " frameborder="0"> | </iframe>

cap

Alias of caption  
 <caption> | </caption>

btn

Alias of button  
 <button> | </button>

leg

Alias of legend  
 <legend> | </legend>

sect

Alias of section  
 <section> | </section>

ftr

Alias of footer  
 <footer> | </footer>

str

Alias of strong  
 <strong> | </strong>

tem

Alias of template  
 <template> | </template>

datag

Alias of datagrid

&lt;datagrid&gt; | &lt;/datagrid&gt;

det

Alias of details

&lt;details&gt; | &lt;/details&gt;

doc4

Alias of html&gt;(head&gt;meta[http-equiv="Content-Type"

content="text/html;charset=\${ charset}"]+title{{ 1:Document}})+body

&lt;html&gt;

&lt;head&gt;

&lt;meta http-equiv="Content-Type" content="text/html;charset=UTF-8" /&gt;

&lt;title&gt; Document &lt;/title&gt;

&lt;/head&gt;

&lt;body&gt;

|

&lt;/body&gt;

&lt;/html&gt;

datal

Alias of datalist

&lt;datalist&gt; | &lt;/datalist&gt;

cmd

Alias of command

&lt;command /&gt;

ri:dpr, ri:d

Alias of img:s

&lt;img srcset=" | " src=" | " alt=" | " /&gt;

ri:art, ri:a

Alias of pic&gt;src:m+img

&lt;picture&gt;

&lt;source media="( min-width: | )" srcset=" | " /&gt;

&lt;img src=" | " alt=" | " /&gt;

&lt;/picture&gt;

html:4t

Alias of !!!4t+doc4[lang=\${lang}]

&lt;!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.01

Transitional//EN" "http://www.w3.org/TR/html4/loose.dtd"&gt;

&lt;html lang="en"&gt;

&lt;head&gt;

&lt;meta http-equiv="Content-Type" content="text/html;charset=UTF-8" /&gt;

&lt;title&gt; Document &lt;/title&gt;

&lt;/head&gt;

&lt;body&gt;

|

&lt;/body&gt;

&lt;/html&gt;

kg

Alias of keygen

&lt;keygen /&gt;

out

Alias of output

&lt;output&gt; | &lt;/output&gt;

doc

Alias of html&gt;

(head&gt;meta[charset=\${ charset}]]+title{{ 1:Document}})+body

&lt;html&gt;

&lt;head&gt;

&lt;meta charset="UTF-8" /&gt;

&lt;title&gt; Document &lt;/title&gt;

&lt;/head&gt;

&lt;body&gt;

|

&lt;/body&gt;

&lt;/html&gt;

ri:viewport, ri:v

Alias of img:z

&lt;img sizes=" | " srcset=" | " src=" | " alt=" | " /&gt;

ri:type, ri:t

Alias of pic&gt;src:t+img

&lt;picture&gt;

&lt;source srcset=" | " type=" image/ " /&gt;

&lt;img src=" | " alt=" | " /&gt;

&lt;/picture&gt;

html:4s

Alias of !!!4s+doc4[lang=\${lang}]

&lt;!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.01//EN"

"http://www.w3.org/TR/html4/strict.dtd"&gt;

&lt;html lang="en"&gt;

&lt;head&gt;

&lt;meta http-equiv="Content-Type" content="text/html;charset=UTF-8" /&gt;

&lt;title&gt; Document &lt;/title&gt;

&lt;/head&gt;

&lt;body&gt;

|

&lt;/body&gt;

&lt;/html&gt;

html:xt

```
Alias of !!!xt+doc4[xmlns=http://www.w3.org/1999/xhtml
xml:lang=${lang}]

<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml" xml:lang="en">
<head>
  <meta http-equiv="Content-Type" content="text/html; charset=UTF-8" />
  <title>Document</title>
</head>
<body>
  |
</body>
</html>
```

html:5

```
Alias of !!!+doc[lang=${lang}]

<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8" />
  <title>Document</title>
</head>
<body>
  |
</body>
</html>
```

colgroup+, colg+

```
Alias of colgroup>col
<colgroup>
  <col />
</colgroup>
```

optgroup+, optg+

```
Alias of optgroup>option
<optgroup>
  <option value="" ">"> />
</optgroup>
```

Cheat Sheet

html:xs

```
Alias of !!!xs+doc4[xmlns=http://www.w3.org/1999/xhtml
xml:lang=${lang}]

<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Strict//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-strict.dtd">
<html xmlns="http://www.w3.org/1999/xhtml" xml:lang="en">
<head>
  <meta http-equiv="Content-Type" content="text/html; charset=UTF-8" />
  <title>Document</title>
</head>
<body>
  |
</body>
</html>
```

ol+

```
Alias of ol>li

<ol>
  <li> | </li>
</ol>
```

dl+

```
Alias of dl>dt+dd

<dl>
  <dt> | </dt>
  <dd> | </dd>
</dl>
```

tr+

```
Alias of tr>td

<tr>
  <td> | </td>
</tr>
```

pic+

```
Alias of picture>source:srcset+img

<picture>
  <source srcset="" ">" />
  <img src="" ">" alt="" ">" />
</picture>
```

html:xss

```
Alias of !!!xss+doc4[xmlns=http://www.w3.org/1999/xhtml
xml:lang=${lang}]

<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.1//EN"
"http://www.w3.org/TR/xhtml11/DTD/xhtml11.dtd">
<html xmlns="http://www.w3.org/1999/xhtml" xml:lang="en">
<head>
  <meta http-equiv="Content-Type" content="text/html; charset=UTF-8" />
  <title>Document</title>
</head>
<body>
  |
</body>
</html>
```

ul+

```
Alias of ul>li

<ul>
  <li> | </li>
</ul>
```

map+

```
Alias of map>area

<map name="" ">
  <area shape="" "> coords="" "> href="" "> alt="" "> />
</map>
```

table+

```
Alias of table>tr>td

<table>
  <tr>
    <td> | </td>
  </tr>
</table>
```

select+

```
Alias of select>option

<select name="" ">" id="" ">
  <option value="" ">" ">" />
</select>
```

!!!

```
<!DOCTYPE html>
```

!!!4t

```
<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.01
Transitional//EN" "http://www.w3.org/TR/html4/loose.dtd">
```

!!!4s

```
<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.01//EN"
"http://www.w3.org/TR/html4/strict.dtd">
```

```
!!!xt
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">

c
<!-- ${child} -->

cc:noie
<!--[if !IE]><!-->
  ${child}
<!--<![endif]-->
```

CSS

CSS module uses fuzzy search to find unknown abbreviations, e.g. `ov:h == ov-h == ovh == oh`.  
If abbreviation wasn't found, it is transformed into property name: `foo-bar` → `foo-bar;`  
You can prefix abbreviations with hyphen to produce vendor-prefixed properties: `-foo`

Visual Formatting

pos	position: <span>relative</span> ;
t	top: <span>1</span> ;
r:a	right:auto;
l	left: <span>1</span> ;
z:a	z-index:auto;
fl:r	float:right;
cl:r	clear:right;
d:n	display:none;
d:if	display:inline-flex;
d:li	display:list-item;
d:tb	display:table;
d:tbcl	display:table-column;
d:tbfg	display:table-footer-group;
d:tbcl	display:table-cell;
d:rbbg	display:ruby-base-group;
v	visibility: <span>hidden</span> ;
ov:v	overflow:visible;

```
!!!xs
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Strict//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-strict.dtd">

cc:ie6
<!--[if lte IE 6]>
  ${child}
<![endif]-->
```

pos:s	position:static;
pos:r	position:relative;
t:a	top:auto;
b	bottom: <span>1</span> ;
l:a	left:auto;
fl	float: <span>left</span> ;
cl	clear: <span>both</span> ;
cl:b	clear:both;
d:b	display:block;
d:i	display:inline;
d:ri	display:run-in;
d:itb	display:inline-table;
d:tbclg	display:table-column-group;
d:tbr	display:table-row;
d:rb	display:ruby;
d:rbt	display:ruby-text;
v:v	visibility:visible;
v:c	visibility:collapse;
ov:h	overflow:hidden;

```
!!!xxs
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.1//EN"
"http://www.w3.org/TR/xhtml11/DTD/xhtml11.dtd">

cc:ie
<!--[if IE]>
  ${child}
<![endif]-->
```

pos:a	position:absolute;
pos:f	position:fixed;
r	right: <span>1</span> ;
b:a	bottom:auto;
z	z-index: <span>1</span> ;
fl:n	float:none;
fl:l	float:left;
cl:n	clear:none;
cl:l	clear:left;
d	display: <span>block</span> ;
d:f	display:flex;
d:ib	display:inline-block;
d:cp	display:compact;
d:tbcp	display:table-caption;
d:tbhg	display:table-header-group;
d:tbrg	display:table-row-group;
d:rbb	display:ruby-base;
d:rbtg	display:ruby-text-group;
v:h	visibility:hidden;
ov	overflow: <span>hidden</span> ;
ov:s	overflow:scroll;



ov:a	overflow:auto;
ovx:s	overflow-x:scroll;
ovy:v	overflow-y:visible;
ovy:a	overflow-y:auto;
ovs:p	overflow-style:panner;
zoo, zm	zoom:1;
cp:r	clip:rect(top right bottom left );
rsz:v	resize:vertical;
cur:d	cursor:default;
cur:he	cursor:help;
cur:t	cursor:text;

### Margin & Padding

m	margin: ;
mt:a	margin-top:auto;
mb	margin-bottom: ;
ml:a	margin-left:auto;
pr	padding-right: ;

### Box Sizing

bxz	box-sizing: border-box ;
bxsh:ra	box-shadow: inset h v blur spread rgb(0, 0, 0, .5 );
h:a	height:auto;
mah	max-height: ;
mih	min-height: ;

### Font

f	font: ;
fw:b	font-weight:bold;
fs	font-style:\${italic};

ovx	overflow-x: hidden ;
ovx:a	overflow-x:auto;
ovy:h	overflow-y:hidden;
ovs	overflow-style: scrollbar ;
ovs:m	overflow-style:move;
cp	clip: ;
rsz	resize: ;
rsz:b	resize:both;
cur	cursor:\${pointer};
cur:c	cursor:crosshair;
cur:m	cursor:move;

m:a	margin:auto;
mr	margin-right: ;
mb:a	margin-bottom:auto;
p	padding: ;
pb	padding-bottom: ;

bxz:cb	box-sizing:content-box;
bxsh	box-shadow: inset hoff voff blur color ;
bxsh:n	box-shadow:none;
w:a	width:auto;
maw	max-width: ;
mah:n	max-height:none;

f+	font: 1em Arial,sans-serif ;
fw:br	font-weight:bolder;
fs:n	font-style:normal;

ovx:v	overflow-x:visible;
ovx:h	overflow-x:hidden;
ovy	overflow-y: hidden ;
ovy:s	overflow-y:scroll;
ovs:a	overflow-style:auto;
ovs:s	overflow-style:scrollbar;
ovs:mq	overflow-style:marquee;
cp:a	clip:auto;
rsz:n	resize:none;
rsz:h	resize:horizontal;
cur:a	cursor:auto;
cur:ha	cursor:hand;
cur:p	cursor:pointer;

mt	margin-top: ;
mr:a	margin-right:auto;
ml	margin-left: ;
pt	padding-top: ;
pl	padding-left: ;

bxz:bb	box-sizing:border-box;
bxsh:r	box-shadow: inset hoff voff blur spread rgb(0, 0, 0 );
w	width: ;
h	height: ;
maw:n	max-width:none;
miw	min-width: ;

fw	font-weight: ;
fw:n	font-weight:normal;
fw:lr	font-weight:lighter;
fs:i	font-style:italic;

fs:o	font-style:oblique;	fv	font-variant: <b>l</b> ;	fv:n	font-variant:normal;
fv:sc	font-variant:small-caps;	fz	font-size: <b>l</b> ;	fza	font-size-adjust: <b>l</b> ;
fza:n	font-size-adjust:none;	ff	font-family: <b>l</b> ;	ff:s	font-family:serif;
ff:ss	font-family:sans-serif;	ff:c	font-family:cursive;	ff:f	font-family:fantasy;
ff:m	font-family:monospace;	ff:a	font-family: Arial, "Helvetica Neue", Helvetica, sans-serif;	ff:t	font-family: "Times New Roman", Times, Baskerville, Georgia, serif;
ff:v	font-family: Verdana, Geneva, sans-serif;	fef	font-effect: <b>l</b> ;	fef:n	font-effect:none;
fef:eg	font-effect:engrave;	fef:eb	font-effect:emboss;	fef:o	font-effect:outline;
fem	font-emphasize: <b>l</b> ;	femp	font-emphasize-position: <b>l</b> ;	femp:b	font-emphasize-position:before;
femp:a	font-emphasize-position:after;	fems	font-emphasize-style: <b>l</b> ;	fems:n	font-emphasize-style:none;
fems:ac	font-emphasize-style:accent;	fems:dt	font-emphasize-style:dot;	fems:c	font-emphasize-style:circle;
fems:ds	font-emphasize-style:disc;	fsm	font-smooth: <b>l</b> ;	fsm:a	font-smooth:auto;
fsm:n	font-smooth:never;	fsm:aw	font-smooth:always;	fst	font-stretch: <b>l</b> ;
fst:n	font-stretch:normal;	fst:uc	font-stretch:ultra-condensed;	fst:ec	font-stretch:extra-condensed;
fst:c	font-stretch:condensed;	fst:sc	font-stretch:semi-condensed;	fst:se	font-stretch:semi-expanded;
fst:e	font-stretch:expanded;	fst:ee	font-stretch:extra-expanded;	fst:ue	font-stretch:ultra-expanded;
<b>Text</b>					
va	vertical-align: <b>top</b> ;	va:sup	vertical-align:super;	va:t	vertical-align:top;
		va:tt	vertical-align:text-top;	va:m	vertical-align:middle;
va:bl	vertical-align:baseline;	va:b	vertical-align:bottom;	va:tb	vertical-align:text-bottom;
va:sub	vertical-align:sub;	ta	text-align: <b>left</b> ;	ta:l	text-align:left;
				ta:c	text-align:center;
ta:r	text-align:right;	ta:j	text-align:justify;	ta-lst	text-align-last: <b>l</b> ;
tal:a	text-align-last:auto;	tal:l	text-align-last:left;	tal:c	text-align-last:center;
tal:r	text-align-last:right;	td	text-decoration: <b>none</b> ;	td:n	text-decoration:none;
				td:u	text-decoration:underline;
td:o	text-decoration:overline;	td:l	text-decoration:line-through;	te	text-emphasis: <b>l</b> ;
te:n	text-emphasis:none;	te:ac	text-emphasis:accent;	te:dt	text-emphasis:dot;
te:c	text-emphasis:circle;	te:ds	text-emphasis:disc;	te:b	text-emphasis:before;
te:a	text-emphasis:after;	th	text-height: <b>l</b> ;	th:a	text-height:auto;
th:f	text-height:font-size;	th:t	text-height:text-size;	th:m	text-height:max-size;
ti	text-indent: <b>l</b> ;	ti:-	text-indent:-9999px;	tj	text-justify: <b>l</b> ;
tj:a	text-justify:auto;	tj:iw	text-justify:inter-word;	tj:ii	text-justify:inter-ideograph;
tj:ic	text-justify:inter-cluster;	tj:d	text-justify:distribute;	tj:k	text-justify:kashida;

tj:t	text-justify:tibetan;
to:n	text-outline:none;
tt	text-transform:uppercase;
tw	text-wrap:;
tw:u	text-wrap:unrestricted;
tsh:r	text-shadow:h v blur rgb(0, 0, 0);
lh	line-height:;
whs	white-space:;
whs:nw	white-space:nowrap;
whsc	white-space-collapse:;
whsc:l	white-space-collapse:loose;
wob	word-break:;
wob:ba	word-break:break-all;
wow:nm	word-wrap:normal;
wow:s	word-wrap:suppress;

**Background**

bg	background:#000;
bgc:t	background-color:transparent;
bgr	background-repeat:;
bgr:y	background-repeat:repeat-y;
bga	background-attachment:;
bgp	background-position:0 0;
gbk:eb	background-break:each-box;
bgcp:bb	background-clip:border-box;
bgcp:nc	background-clip:no-clip;
bgo:bb	background-origin:border-box;
bgsz:a	background-size:auto;

**Color**

c	color:#000;
---	-------------

to	text-outline:;
tr	text-replace:;
tt:n	text-transform:none;
tt:u	text-transform:uppercase;
tw:n	text-wrap:normal;
tw:s	text-wrap:suppress;
tsh:ra	text-shadow:h v blur rgba(0, 0, 0, .5);
lts	letter-spacing:;
whs:n	white-space:normal;
whs:pw	white-space:pre-wrap;
whsc:n	white-space-collapse:normal;
whsc:bs	white-space-collapse:break-strict;
wob:n	word-break:normal;
wos	word-spacing:;
wow:n	word-wrap:none;
wow:b	word-wrap:break-word;

bg+	background:#fff url( ) 0 0 no-repeat;
bgi	background-image:url( );
bgr:n	background-repeat:no-repeat;
bgr:sp	background-repeat:space;
bga:f	background-attachment:fixed;
bgpx	background-position-x:;
gbk	background-break:;
gbk:c	background-break:continuous;
bgcp:pb	background-clip:padding-box;
bgo	background-origin:;
bgo:cb	background-origin:content-box;
bgsz:ct	background-size:contain;

c:r	color:rgb(0, 0, 0);
-----	---------------------

to+	text-outline:0 0 #000;
tr:n	text-replace:none;
tt:c	text-transform:capitalize;
tt:l	text-transform:lowercase;
tw:no	text-wrap:none;
tsh	text-shadow:hoff voff blur #000;
tsh+	text-shadow:0 0 0 #000;
tsh:n	text-shadow:none;
lts-n	letter-spacing:normal;
whs:p	white-space:pre;
whs:pl	white-space:pre-line;
whsc:k	white-space-collapse:keep-all;
whsc:ba	white-space-collapse:break-all;
wob:k	word-break:keep-all;
wow	word-wrap:;
wow:u	word-wrap:unrestricted;

bg:n	background:none;
bgc	background-color:#fff;
bgi:n	background-image:none;
bgr:x	background-repeat:repeat-x;
bgr:rd	background-repeat:round;
bga:s	background-attachment:scroll;
bgpy	background-position-y:;
gbk:bb	background-break:bounding-box;
bgcp	background-clip:padding-box;
bgcp:cb	background-clip:content-box;
bgo:pb	background-origin:padding-box;
bgsz	background-size:;
bgsz:cv	background-size:cover;

c:ra	color:rgba(0, 0, 0, .5);
------	--------------------------

op opacity: **l**;

Generated content

cnt	content: ' <b>l</b> ';	cnt:n, ct:n	content:normal;	cnt:aq, ct:aq	content:open-quote;
cnt:noq, ct:noq	content:no-open-quote;	cnt:cq, ct:cq	content:close-quote;	cnt:ncq, ct:ncq	content:no-close-quote;
cnt:a, ct:a	content:attr( <b>l</b> );	cnt:c, ct:c	content:counter( <b>l</b> );	cnt:cs, ct:cs	content:counters( <b>l</b> );
ct	content: <b>l</b> ;	q	quotes: <b>l</b> ;	q:n	quotes:none;
q:ru	quotes:"\00AB' '\00BB' '\201E' '\201C';	q:en	quotes:"\201C' '\201D' '\2018' '\2019';	coi	counter-increment: <b>l</b> ;
cor	counter-reset: <b>l</b> ;				

Outline

ol	outline: <b>l</b> ;	ol:n	outline:none;	olo	outline-offset: <b>l</b> ;
olw	outline-width: <b>l</b> ;	olw:tn	outline-width:thin;	olw:m	outline-width:medium;
olw:tc	outline-width:thick;	ols	outline-style: <b>l</b> ;	ols:n	outline-style:none;
ols:dt	outline-style:dotted;	ols:ds	outline-style:dashed;	ols:s	outline-style:solid;
ols:db	outline-style:double;	ols:g	outline-style:groove;	ols:r	outline-style:ridge;
ols:i	outline-style:inset;	ols:o	outline-style:outset;	olc	outline-color:# <b>000</b> ;
olc:i	outline-color:invert;				

Tables

tbl	table-layout: <b>l</b> ;	tbl:a	table-layout:auto;	tbl:f	table-layout:fixed;
cps	caption-side: <b>l</b> ;	cps:t	caption-side:top;	cps:b	caption-side:bottom;
ec	empty-cells: <b>l</b> ;	ec:s	empty-cells:show;	ec:h	empty-cells:hide;

Border

bd	border: <b>l</b> ;	bd+	border: <b>1px solid #000</b> ;	bd:n	border:none;
				bdbk	border-break: <b>close</b> ;
bdbk:c	border-break:close;	bdcl	border-collapse: <b>l</b> ;	bdcl:c	border-collapse:collapse;
bdcl:s	border-collapse:separate;	bdc	border-color:# <b>000</b> ;	bdc:t	border-color:transparent;
				bdi	border-image:url( <b>l</b> );
bdi:n	border-image:none;	bdti	border-top-image:url( <b>l</b> );	bdti:n	border-top-image:none;
bdri	border-right-image:url( <b>l</b> );	bdri:n	border-right-image:none;	bdbi	border-bottom-image:url( <b>l</b> );
bdbi:n	border-bottom-image:none;	bdli	border-left-image:url( <b>l</b> );	bdli:n	border-left-image:none;
bdc	border-corner-image:url( <b>l</b> );	bdc:n	border-corner-image:none;	bdc:c	border-corner-image:continue;
bdtli	border-top-left-image:url( <b>l</b> );	bdtli:n	border-top-left-image:none;	bdtli:c	border-top-left-image:continue;
bdtri	border-top-right-image:url( <b>l</b> );	bdtri:n	border-top-right-image:none;	bdtri:c	border-top-right-image:continue;
bdbri	border-bottom-right-image:url( <b>l</b> );	bdbri:n	border-bottom-right-image:none;	bdbri:c	border-bottom-right-image:continue;
bdbli	border-bottom-left-image:url( <b>l</b> );	bdbli:n	border-bottom-left-image:none;	bdbli:c	border-bottom-left-image:continue;

## Cheat Sheet

bdf	border-fit: repeat ;	bdf:c	border-fit:clip;	bdf:r	border-fit:repeat;
bdf:ow	border-fit:overwrite;	bdf:sc	border-fit:scale;	bdf:st	border-fit:stretch;
bdf:of		bdf:of	border-fit:overflow;	bdf:sp	border-fit:space;
bdlen	border-length: 1 ;	bdlen:a	border-length:auto;	bdsp	border-spacing: 1 ;
bds	border-style: 1 ;	bds:n	border-style:none;	bds:h	border-style:hidden;
bds:dt	border-style:dotted;	bds:ds	border-style:dashed;	bds:s	border-style:solid;
bds:db	border-style:double;	bds:dt ds	border-style:dot-dash;	bds:dt dtds	border-style:dot-dot-dash;
bds:w	border-style:wave;	bds:g	border-style:groove;	bds:r	border-style:ridge;
bds:i	border-style:inset;	bds:o	border-style:outset;	bdw	border-width: 1 ;
bdt, bt	border-top: 1 ;	bdt+	border-top: 1px solid #000 ;	bdt:n	border-top:none;
				bdtw	border-top-width: 1 ;
bdt s	border-top-style: 1 ;	bdt s:n	border-top-style:none;	bdt c	border-top-color:# 000 ;
bdt c:t	border-top-color:transparent;	bdr, br	border-right: 1 ;	bdr+	border-right: 1px solid #000 ;
bdr:n	border-right:none;	bdrw	border-right-width: 1 ;	bdrst	border-right-style: 1 ;
bdrst:n	border-right-style:none;	bdrc	border-right-color:# 000 ;	bdrc:t	border-right-color:transparent;
				bdb, bb	border-bottom: 1 ;
bdb+	border-bottom: 1px solid #000 ;	bdb:n	border-bottom:none;	bdbw	border-bottom-width: 1 ;
		bdb s	border-bottom-style: 1 ;	bdb s:n	border-bottom-style:none;
bdbc	border-bottom-color:# 000 ;	bdbc:t	border-bottom-color:transparent;	bdl, bl	border-left: 1 ;
		bdl+	border-left: 1px solid #000 ;	bdl:n	border-left:none;
				bdlw	border-left-width: 1 ;
bdl s	border-left-style: 1 ;	bdl s:n	border-left-style:none;	bdlc	border-left-color:# 000 ;
bdlc:t	border-left-color:transparent;	bdrs	border-radius: 1 ;	bdtr s	border-top-right-radius: 1 ;
bdtlr s	border-top-left-radius: 1 ;	bdbrr s	border-bottom-right-radius: 1 ;	bdbl r s	border-bottom-left-radius: 1 ;
<b>Lists</b>					
lis	list-style: 1 ;	lis:n	list-style:none;	lisp	list-style-position: 1 ;
lisp:i	list-style-position:inside;	lisp:o	list-style-position:outside;	list	list-style-type: 1 ;
list:n	list-style-type:none;	list:d	list-style-type:disc;	list:c	list-style-type:circle;
list:s	list-style-type:square;	list:dc	list-style-type:decimal;	list:dclz	list-style-type:decimal-leading-zero;
list:lr	list-style-type:lower-roman;	list:ur	list-style-type:upper-roman;	lisi	list-style-image: 1 ;
lisi:n	list-style-image:none;				
<b>Print</b>					
pgbb	page-break-before: 1 ;	pgbb:au	page-break-before:auto;	pgbb:al	page-break-before:always;
pgbb:l	page-break-before:left;	pgbb:r	page-break-before:right;	pgbi	page-break-inside: 1 ;

03.04.2021

pgbi:au page-break-inside:auto;  
pgba:au page-break-after:auto;  
pgba:r page-break-after:right;

## Others

! !important

@i, @import @import url( );

ai:c align-items:center;

ai:s align-items:stretch;

animdel animation-delay: time ;

animdir:n animation-direction:normal;

animfm animation-fill-mode: both ;

animic:i animation-iteration-count:infinite;

animps:p animation-play-state:paused;

pgbi:av page-break-inside:avoid;  
pgba:al page-break-after:always;  
orp orphans: ;

@f @font-face {  
font-family: ;  
src:url();  
}

@kf @-webkit-keyframes identifier {  
from { }  
to { }  
}  
@-o-keyframes identifier {  
from { }  
to { }  
}  
@-moz-keyframes identifier {  
from { }  
to { }  
}  
@keyframes identifier {  
from { }  
to { }  
}

ai:fe align-items:flex-end;

anim animation: ;

animdir animation-direction: normal ;

animdir:r animation-direction:reverse;

animfm:b animation-fill-mode:backwards;

animfm:f animation-fill-mode:forwards;

animn animation-name: none ;

animps:r animation-play-state:running;

## Cheat Sheet

pgba page-break-after: ;  
pgba:l page-break-after:left;  
wid widows: ;

@f+ @font-face {  
font-family: FontName ;  
src: url( FileName .eot );  
src: url( FileName .eot?#iefix )  
format('embedded-opentype'),  
url( FileName .woff ) format('woff'),  
url( FileName .ttf ) format('truetype'),  
url( FileName .svg# FontName )  
format('svg');  
font-style: normal ;  
font-weight: normal ;  
}

@m, @media @media screen {  
}

ac align-content: ;

ac:c align-content:center;

ac:fe align-content:flex-end;

ac:fs align-content:flex-start;

ac:s align-content:stretch;

ac:sa align-content:space-around;

ac:sb align-content:space-between;

ai align-items: ;

ai:b align-items:baseline;

ai:fs align-items:flex-start;

anim- animation: name duration timing-function  
delay iteration-count direction fill-mode ;

animdir:a animation-direction:alternate;

animdir:ar animation-direction:alternate-reverse;

animdur animation-duration: 0 s;

animfm:bt, animfm:bh animation-fill-mode:both;

animic animation-iteration-count: 1 ;

animps animation-play-state: running ;

animtf animation-timing-function: linear ;

animtf:cb	animation-timing-function:cubic-bezier( <span>0.1</span> , <span>0.7</span> , <span>1.0</span> , <span>0.1</span> );	animtf:e	animation-timing-function:ease;	animtf:ei	animation-timing-function:ease-in;
		animtf:eio	animation-timing-function:ease-in-out;	animtf:eo	animation-timing-function:ease-out;
animtf:l	animation-timing-function:linear;	ap	appearance:\${none};	as	align-self: <span>!</span> ;
as:a	align-self:auto;	as:b	align-self:baseline;	as:c	align-self:center;
as:fe	align-self:flex-end;	as:fs	align-self:flex-start;	as:s	align-self:stretch;
bfv	backface-visibility: <span>!</span> ;	bfv:h	backface-visibility:hidden;	bfv:v	backface-visibility:visible;
bg:ie	filter:progid:DXImageTransform.Microsoft.AlphaImageLoader(src=' <span>x</span> .png',sizingMethod=' <span>crop</span> ');	cm	/* <span>!</span> \${child} */	colm	columns: <span>!</span> ;
		colmc	column-count: <span>!</span> ;	colmf	column-fill: <span>!</span> ;
colmg	column-gap: <span>!</span> ;	colmr	column-rule: <span>!</span> ;	colmrc	column-rule-color: <span>!</span> ;
colmrs	column-rule-style: <span>!</span> ;	colmrw	column-rule-width: <span>!</span> ;	colms	column-span: <span>!</span> ;
colmw	column-width: <span>!</span> ;	d:ib+	display: inline-block; *display: inline; *zoom: 1;	fx	flex: <span>!</span> ;
				fxb	flex-basis: <span>!</span> ;
				fxd	flex-direction: <span>!</span> ;
fxd:c	flex-direction:column;	fxd:cr	flex-direction:column-reverse;	fxd:r	flex-direction:row;
fxd:rr	flex-direction:row-reverse;	fxf	flex-flow: <span>!</span> ;	fxg	flex-grow: <span>!</span> ;
fxsh	flex-shrink: <span>!</span> ;	fxw	flex-wrap: <span>!</span> ;	fxw:n	flex-wrap:nowrap;
fxw:w	flex-wrap:wrap;	fxw:wr	flex-wrap:wrap-reverse;	jc	justify-content: <span>!</span> ;
jc:c	justify-content:center;	jc:fe	justify-content:flex-end;	jc:fs	justify-content:flex-start;
jc:sa	justify-content:space-around;	jc:sb	justify-content:space-between;	mar	max-resolution: <span>res</span> ;
mir	min-resolution: <span>res</span> ;	op+	opacity: <span>!</span> ; filter: alpha(opacity= <span>!</span> );	op:ie	filter:progid:DXImageTransform.Microsoft.Alpha(Opacity=100);
op:ms	-ms-filter:'progid:DXImageTransform.Microsoft.Alpha(Opacity=100)';	ord	order: <span>!</span> ;	ori	orientation: <span>!</span> ;
		ori:l	orientation:landscape;	ori:p	orientation:portrait;
		tov	text-overflow:\${ellipsis};	tov:c	text-overflow:clip;
tov:e	text-overflow:ellipsis;	trf	transform: <span>!</span> ;	trf:r	transform: rotate( <span>angle</span> );
trf:rx	transform: rotateX( <span>angle</span> );	trf:ry	transform: rotateY( <span>angle</span> );	trf:rz	transform: rotateZ( <span>angle</span> );
trf:sc	transform: scale( <span>x</span> , <span>y</span> );	trf:sc3	transform: scale3d( <span>x</span> , <span>y</span> , <span>z</span> );	trf:scx	transform: scaleX( <span>x</span> );
trf:scy	transform: scaleY( <span>y</span> );	trf:scz	transform: scaleZ( <span>z</span> );	trf:skx	transform: skewX( <span>angle</span> );
trf:sky	transform: skewY( <span>angle</span> );	trf:t	transform: translate( <span>x</span> , <span>y</span> );	trf:t3	transform: translate3d( <span>tx</span> , <span>ty</span> , <span>tz</span> );
trf:tx	transform: translateX( <span>x</span> );	trf:ty	transform: translateY( <span>y</span> );	trf:tz	transform: translateZ( <span>z</span> );
trfo	transform-origin: <span>!</span> ;	trfs	transform-style: <span>preserve-3d</span> ;	trs	transition: <span>prop</span> <span>time</span> ;
trsde	transition-delay: <span>time</span> ;	trsdu	transition-duration: <span>time</span> ;	trsp	transition-property: <span>prop</span> ;
trstf	transition-timing-function: <span>tfunc</span> ;	us	user-select:\${none};	wfsm	-webkit-font-smoothing:\${antialiased};

wfsm:a	-webkit-font-smoothing:antialiased;
wm	writing-mode:lr-tb;
wm:rlb	writing-mode:rl-bt;
wm:tbr	writing-mode:tb-rl;

XSL

tmatch, tm	<xsl:template match=" " mode=" " /> </xsl:template>
ap	<xsl:apply-templates select=" " mode=" " />
inc	<xsl:include href=" " />
ot	<xsl:otherwise> </xsl:otherwise>
pare	<xsl:param name=" " select=" " />
wp	<xsl:with-param name=" " select=" " />
attr	<xsl:attribute name=" " /> </xsl:attribute>
co	<xsl:copy-of select=" " />
tex	<xsl:text> </xsl:text>
fall	<xsl:fallback> </xsl:fallback>
pres	<xsl:preserve-space elements=" " />
sort	<xsl:sort select=" " order=" " />
!!!	<?xml version="1.0" encoding="UTF-8"?>

Cheat Sheet

wfsm:n	-webkit-font-smoothing:none;
wm:btL	writing-mode:bt-lr;
wm:lrb	writing-mode:lr-bt;
wm:rlt	writing-mode:rl-tb;

tname, tn	<xsl:template name=" " /> </xsl:template>
api	<xsl:apply-imports />
ch	<xsl:choose> </xsl:choose>
if	<xsl:if test=" " /> </xsl:if>
var	<xsl:variable name=" " /> </xsl:variable>
key	<xsl:key name=" " match=" " use=" " />
attrs	<xsl:attribute-set name=" " /> </xsl:attribute-set>
val	<xsl:value-of select=" " />
com	<xsl:comment> </xsl:comment>
num	<xsl:number value=" " />
strip	<xsl:strip-space elements=" " />
choose+	Alias of xsl:choose>xsl:when+xsl:otherwise <xsl:choose> <xsl:when test=" " /> </xsl:when> <xsl:otherwise> </xsl:otherwise> </xsl:choose>

wfsm:s, wfsm:sa	-webkit-font-smoothing:subpixel-antialiased;
wm:btr	writing-mode:bt-rl;
wm:lrt	writing-mode:lr-tb;
wm:tbl	writing-mode:tb-lr;
call	<xsl:call-template name=" " />
imp	<xsl:import href=" " />
xsl:when, wh	<xsl:when test=" " /> </xsl:when>
par	<xsl:param name=" " /> </xsl:param>
vare	<xsl:variable name=" " select=" " />
elem	<xsl:element name=" " /> </xsl:element>
cp	<xsl:copy select=" " />
each, for	<xsl:for-each select=" " /> </xsl:for-each>
msg	<xsl:message terminate="no"> </xsl:message>
nam	<namespace-alias stylesheet-prefix=" " result-prefix=" " />
proc	<xsl:processing-instruction name=" " /> </xsl:processing-instruction>
xsl	Alias of !!!+xsl:stylesheet{version=1.0 xmlns:xsl=http://www.w3.org/1999/XSL/Transform}>{ } <?xml version="1.0" encoding="UTF-8"?> <xsl:stylesheet version="1.0" xmlns:xsl="http://www.w3.org/1999/XSL/Transform"> </xsl:stylesheet>