## **Profile Summary**

Generated 13-Jun-2020 12:16:53 using performance time.

Function Name	Calls	Total Time	Self Time*
main_obj_comparison	2	3024.593 s	0.405 s
optimization_M_one_against_one_BCD	11	3023.450 s	0.003 s
n_M_one_against_one_binary_R_Block_CD	11	3023.447 s	0.161 s
ssification_main_workflow_wei_partial	1	2401.389 s	80.467 s
<u>eigs</u>	4153	1847.932 s	65.926 s
eigs>getOps	4153	1296.104 s	0.073 s
eigs>AminusSigmalSolve	4153	1295.978 s	1295.931 s
cation_main_workflow_PDcone_partial_y	10	621.854 s	0.203 s
optimization_M_PDcone_y	5480	620.121 s	605.842 s
optimization_M_Block_CD	4152	472.445 s	426.867 s
eigs>KrylovSchur	4152	424.406 s	0.136 s
eigs>KSherm	4152	424.254 s	7.950 s
eigs>@(v)solve(umf,v,false)	240332	401.420 s	401.420 s
eigs>checkInputs	4153	61.167 s	60.184 s
mcml_obj	9990	45.771 s	45.771 s
mcml_gradient_PD	5480	14.280 s	14.280 s
eigs>robustReorthogonalize	236180	13.233 s	12.482 s
mcml_gradient	4497	1.374 s	1.374 s
eigs>@(v)v	984946	1.078 s	1.078 s
blkdiag	19466	1.065 s	1.065 s
m.RandStream>RandStream.RandStream	4159	0.524 s	0.327 s

Total Time Plot (dark band = self time)

optimization_M_Block_CDdia_corrected	3	0.440 s	0.020
addpath	10	0.412 s	0.009
path	10	0.401 s	0.312
optimization_M_clipping	4	0.367 s	0.367
RandStream.randn	4153	0.293 s	0.293
eigs>whichEigenvalues	19466	0.274 s	0.274
<u>importdata</u>	2	0.234 s	0.009
uiopen	2	0.202 s	0.003
importdata>LocalTextRead	2	0.201 s	0.004
<u>open</u>	2	0.199 s	0.003
general\private\openm	2	0.181 s	0.001
RandStream.RandStream>RandStream.delete	4159	0.181 s	0.181
edit	2	0.181 s	0.002
edit>openWithFileSystem	4	0.167 s	0.001
edit>openEditor	2	0.164 s	0.002
Document.Document>Document.openEditor	2	0.156 s	0.000
Document.Document>openEditorViaFunction	2	0.156 s	0.002
singOpenFileInAppropriateEditor(file)	2	0.153 s	0.000
;openUsingOpenFileInAppropriateEditor	2	0.153 s	0.153
importdata>parse	2	0.146 s	0.004
RandStream.RandStream>getargs	4159	0.145 s	0.145
<u>cell.ismember</u>	12463	0.120 s	0.120
eigs>extraChecks	4153	0.104 s	0.053
optimization_M_initialization	11	0.098 s	0.098
importdata>readData	2	0.090 s	0.080
general\private\parsedirs	20	0.082 s	0.081
workspacefunc	9	0.057 s	0.013
<u>getFileInfoForToolstrip</u>	4	0.055 s	0.004
RandStream.RandStream>RandStream.algName	4159	0.051 s	0.051

importdata>analyze	2	0.050 s	0.002
eigs>checkFail	4153	0.049 s	0.042
importdata>isvaliddata	2	0.047 s	0.003 s
eigs>WarnIfIllConditioned	4152	0.047 s	0.047 s
importdata>maxNotData	2	0.042 s	0.005 s
tion_M_one_against_one_voting_1_and_2	10	0.038 s	0.008
tion_M_one_against_one_binary_results	10	0.038 s	0.038 \$
importdata>isdata	2504	0.038 s	0.038 s
eigs>isBpresent	4153	0.038 s	0.038 s
eigs>createApplyA	4153	0.036 s	0.036
workspacefunc>getShortValueObjectJ	38	0.034 s	0.010
getFunctionFileInfoForToolstrip	2	0.033 s	0.003
importdata>fixLineEndings	4	0.031 s	0.031
eigs>postProcessing	4152	0.028 s	0.028
ization_M_one_against_one_voted_label	10	0.027 s	0.027
finfo	4	0.027 s	0.019
mtree.mtree>mtree.mtree	8	0.026 s	0.020
<u>getSystemObjectInfo</u>	4	0.026 s	0.001
<u>getSystemObjectInfo</u>	4	0.025 s	0.001
<u>isSystemObjectFile</u>	4	0.024 s	0.001
rvice>SuiteCreationService.fulfill	2	0.024 s	0.001
strlength	8306	0.023 s	0.023
<u>isSystemObjectCode</u>	4	0.023 s	0.000
crossvalind	2	0.022 s	0.006
isSystemObjectCode>plsSystemObjectCode	4	0.022 s	0.001
sisSuiteCreationService.selectFactory	2	0.022 s	0.002
workspacefunc>num2complex	37	0.020 s	0.005
fileread	6	0.018 s	0.018
eigs>createApplyB	4153	0.017 s	0.017

eigs>CHOLfactorB	4153	0.016 s	0.016 s
getAll	2	0.015 s	0.001 s
grp2idx	2	0.014 s	0.001 s
mdbstatus	2	0.014 s	0.002 s
rng	6	0.014 s	0.002 s
grp2idx	2	0.013 s	0.002 s
mtree.mtfind	6	0.013 s	0.002 s
unique	13	0.013 s	0.007 s
<u>clearAndSetBreakpointsForFile</u>	2	0.013 s	0.005 s
onService.selectFactoryUsingParseTree	2	0.013 s	0.000 s
mdbstatus>localGetFileBreakpoints	2	0.013 s	0.013 s
<u>isFunctionBasedTest</u>	2	0.013 s	0.004 s
num2str	89	0.012 s	0.005 s
mtree.restrict	6	0.011 s	0.007 s
mcml_get_variables_ready	11	0.010 s	0.003 s
ParseTreeUtils>ParseTreeUtils.getTree	4	0.010 s	0.001 s
open>whichWrapper	2	0.010 s	0.010 s
collectOutput	2	0.010 s	0.002 s
edit>openInPrivateOfCallingFile	2	0.010 s	0.002 s
loadLinkSet	2	0.009 s	0.003 s
workspacefunc>getAbstractValueSummaryJ	12	0.008 s	0.006 s
close	1	0.007 s	0.003 s
strcat	10	0.007 s	0.006 s
fullfile	4	0.007 s	0.004 s
mean	44	0.007 s	0.006 s
<u>std</u>	31	0.006 s	0.002 s
fileparts	50	0.005 s	0.005 s
n.get.ParentNameMeetsNamingConvention	2	0.005 s	0.002 s
num2str>handleNumericPrecision	43	0.005 s	0.001 s

ntsForFile>quietlyClearBreakpoints	2	0.005 s	0.001 s
rng>getCurrentType	6	0.005 s	0.001 s
workspacefunc>createComplexVector	4	0.005 s	0.003 s
collectOutput>mergeColumns	2	0.005 s	0.005 s
<u>var</u>	31	0.005 s	0.004 s
mtree.pathit	6	0.004 s	0.002 s
+editor\private\doSetBreakpoint	2	0.004 s	0.004 s
num2str>convertUsingRecycledSprintf	43	0.004 s	0.004 s
<u>getLinkFilePath</u>	2	0.004 s	0.001 s
unique>uniqueR2012a	11	0.004 s	0.004 s
canLink	2	0.004 s	0.001 s
workspacefunc>getWhosInformation	8	0.004 s	0.004 s
close>safegetchildren	1	0.004 s	0.001 s
grp2idx>toString	2	0.004 s	0.002 s
>SuiteCreationLiaison.fromFilename	2	0.003 s	0.001 s
collectOutput>getTypesLengths	2	0.003 s	0.003 s
iofun\private\guessdelim	2	0.003 s	0.003 s
finfo>getExtension	4	0.003 s	0.001 s
RandStream>localGetSetGlobalStream	12	0.003 s	0.003 s
codetools\private\dataviewerhelper	25	0.003 s	0.002 s
optimization_M_confusion_matrix_setting	10	0.003 s	0.003 s
allchild	1	0.003 s	0.002 s
strtok	6	0.003 s	0.001 s
<u>getCode</u>	4	0.003 s	0.002 s
workspacefunc>createComplexScalar	21	0.003 s	0.002 s
ops\private\uniquelegacy	2	0.003 s	0.003 s
ops\private\uniquelegacy close	3	0.003 s 0.003 s	0.003 s 0.001 s

strmatch	2	0.002 s	0.002 s
onCleanup>onCleanup.delete	13	0.002 s	0.001 s
ointsForFile>quietlySetBreakpoints	2	0.002 s	0.001 s
<u>isSupportedFile</u>	2	0.002 s	0.001 s
int2str	46	0.002 s	0.002 s
n>SuiteCreationLiaison.get.Factory	2	0.002 s	0.001 s
Mapper>StorageMapper.getStorageFor	2	0.002 s	0.001 s
workspacefunc>localIsString	38	0.002 s	0.002 s
dStream>RandStream.setGlobalStream	6	0.002 s	0.000 s
RandStream.RandStream>RandStream.subsref	6	0.002 s	0.002 s
workspacefunc>localIsDistributedType	54	0.002 s	0.002 s
edit>resolveWithDir	4	0.002 s	0.001 s
edit>hasFileTypeEditor	2	0.002 s	0.000 s
@mtree\private\collect_qualifiers	6	0.002 s	0.001 s
mtree.wholetree	8	0.002 s	0.002 s
importdata>TrimTrailing	2	0.002 s	0.001 s
fullfile>refinePath	4	0.002 s	0.001 s
datenum	9	0.002 s	0.002 s
importdata>split	2	0.002 s	0.002 s
general\private\catdirs	10	0.002 s	0.001 s
mtree.Outs	2	0.002 s	0.002 s
edit>isUsingBuiltinEditor	2	0.002 s	0.001 s
workspacefunc>getclass	12	0.002 s	0.002 s
strtok>doStrtok	6	0.002 s	0.002 s
dStream>RandStream.getGlobalStream	6	0.002 s	0.000 s
mtree.Parent	6	0.002 s	0.002 s
rmfield	2	0.002 s	0.002 s
mtree.mtree>validateInput	8	0.002 s	0.002 s
edit>getFileTypeEditor	2	0.002 s	0.000 s

workspacefunc>getCleanupHandler	8	0.001 s	0.001 s
edit>openWithFileSystemAndExts	2	0.001 s	0.000 s
onCleanup>onCleanup.onCleanup	13	0.001 s	0.001 s
SuiteCreationLiaison>isUninitialized	16	0.001 s	0.001 s
EditorUtils.javaCollectionToArray	2	0.001 s	0.001 s
pace.MatlabWorkspaceListener.swl(swl)	8	0.001 s	0.001 s
edit>openOperator	2	0.001 s	0.000 s
optimization_M_oao_vae	11	0.001 s	0.001 s
fullfile>ensureTrailingFilesep	4	0.001 s	0.000 s
eCreationLiaison.get.SimpleParentName	4	0.001 s	0.001 s
<u>getParentNameFromFilename</u>	2	0.001 s	0.001 s
mtree.iskind	12	0.001 s	0.001 s
<u>mfile</u>	4	0.001 s	0.000 s
<u>getActionForFileType</u>	2	0.001 s	0.001 s
mean>mysize	44	0.001 s	0.001 s
ce>NamingConventionService.fulfill	2	0.001 s	0.001 s
eCreationLiaison.SuiteCreationLiaison	2	0.001 s	0.001 s
tionSuiteCreationService.getParseTree	2	0.001 s	0.000 s
ReqData.exists	5	0.001 s	0.000 s
<u>intmax</u>	4	0.001 s	0.001 s
AllowsAnythingNamingConventionService	2	0.001 s	0.000 s
mtree.select	6	0.001 s	0.001 s
t;StorageMapper.getDefaultStorageName	2	0.001 s	0.001 s
edit>resolveWithFileSystemAndExts	2	0.001 s	0.000 s
MainManager.exists	2	0.001 s	0.000 s
edit>checkEndsWithBadExtension	2	0.001 s	0.001 s
absolute_path	2	0.001 s	0.000 s
edit>resolveOperator	2	0.001 s	0.001 s
viewerhelper>upconvertIntegralType	25	0.001 s	0.001 s
			-

open>isFile	4	0.001 s	0.001
importdata>getLines	4	0.001 s	0.001
eationLiaison.get.UsingDefaultFactory	4	0.001 s	0.000
Document.Document>Document.Document	2	0.001 s	0.001
fullfile>addTrailingFileSep	4	0.001 s	0.001
<u>isSidString</u>	9	0.001 s	0.001
intmin	2	0.001 s	0.001
fullfile>fixIRI	4	0.001 s	0.001
<u>var&gt;mysize</u>	31	0.001 s	0.001
edit>checkJavaAvailable	2	0.001 s	0.000
xlsreadSupportedExtensions	8	0.001 s	0.001
tory>NonTestFactory.NonTestFactory	2	0.001 s	0.001
edit>isAbsolutePath	2	0.001 s	0.001
nLiaison.get.NamingConventionServices	2	0.001 s	0.000
Document.Document>isAbsolutePath	2	0.001 s	0.000
>SuiteCreationLiaison.get.Filename	2	0.001 s	0.000
eeUtils>ParseTreeUtils.isTreeError	4	0.001 s	0.000
gt;SuiteCreationLiaison.get.ParseTree	2	0.001 s	0.000
+editor\private\unmapFile	2	0.001 s	0.001
mtree.root	6	0.001 s	0.001
ReqData.getInstance	5	0.001 s	0.001
ispc	56	0.001 s	0.001
importdata>LocalRowColShuffle	2	0.001 s	0.001
<u>getSettingsRoot</u>	4	0.001 s	0.001
blanks	10	0.001 s	0.001
er.StorageMapper>StorageMapper.get	2	0.001 s	0.001
edit>translateUserHomeDirectory	2	0.001 s	0.000
entionService.NamingConventionService	2	0.001 s	0.000
MainManager.getInstance	2	0.001 s	0.001

@mtvate\collect_qualifiers>is_qual         6         0.000 s         0.000 s           filesep         28         0.000 s         0.000 s           isCompletePath         2         0.000 s         0.000 s           pathsep         30         0.000 s         0.000 s           getSuiteCreationServicesForToolstrip         2         0.000 s         0.000 s           edit>isSimpleFile         2         0.000 s         0.000 s           importdata>@(x)(isnan(x))         4         0.000 s         0.000 s           edit>isMLX         2         0.000 s         0.000 s           edit>hasExtension         2         0.000 s         0.000 s           close≥getEmptyHandleList         1         0.000 s         0.000 s           usejava         3         0.000 s         0.000 s          set(rootobj, 'ShowHiddenHandles', Temp)         1         0.000 s         0.000 s          set(rootobj, 'ShowHiddenHandles', Temp)         1         0.000 s         0.000 s           cellstr         2         0.000 s         0.000 s           allchild>getchildren         1         0.000 s         0.000 s           finfo>@()warning(avWarnState)         4         0.000 s         0.000 s		I	I	I
settings         2         0.001 s         0.001 s           @mtvate\collect_qualifiers>is_qual         6         0.000 s         0.000 s           filesep         28         0.000 s         0.000 s           isCompletePath         2         0.000 s         0.000 s           pathsep         30         0.000 s         0.000 s           getSuiteCreationServicesForToolstrip         2         0.000 s         0.000 s           edit>importdata>@(x)(isnan(x))         4         0.000 s         0.000 s           edit>isSimpleFile         2         0.000 s         0.000 s           edit>importdata>@(x)(isnan(x))         4         0.000 s         0.000 s           edit>isMLX         2         0.000 s         0.000 s           edit>asEtension         2         0.000 s         0.000 s           close>getEmptyHandleList         1         0.000 s         0.000 s           usejava         3         0.000 s         0.000 s           asthri>sValidInput         20         0.000 s         0.000 s          set(rootobj,'ShowHiddenHandles',Temp)         1         0.000 s         0.000 s           slunix         6         0.000 s         0.000 s         0.000 s	edit>strtrim	2	0.001 s	0.001 s
@mtvate\collect_qualifiers>is_qual         6         0.000 s         0.000 s           filesep         28         0.000 s         0.000 s           isCompletePath         2         0.000 s         0.000 s           pathsep         30         0.000 s         0.000 s           getSuiteCreationServicesForToolstrip         2         0.000 s         0.000 s           edit>isSimpleFile         2         0.000 s         0.000 s           importdata>@(x)(isnan(x))         4         0.000 s         0.000 s           edit>isMLX         2         0.000 s         0.000 s           edit>isMLX         2         0.000 s         0.000 s           close>getEmptyHandleList         1         0.000 s         0.000 s           usejava         3         0.000 s         0.000 s           path>isValidInput         20         0.000 s         0.000 s          set(rootobj, 'ShowHiddenHandles', Temp)         1         0.000 s         0.000 s           isunix         6         0.000 s         0.000 s           cellstr         2         0.000 s         0.000 s           allchild>getchildren         1         0.000 s         0.000 s           finfo>@()warning(avWarnState)	geMapper>StorageMapper.getInstance	2	0.001 s	0.001 s
filesep         28         0.000 s         0.000 s           isCompletePath         2         0.000 s         0.000 s           pathsep         30         0.000 s         0.000 s           getSuiteCreationServicesForToolstrip         2         0.000 s         0.000 s           edit>importdata>@(x)(isnan(x))         4         0.000 s         0.000 s           edit>importdata>@(x)(isnan(x))         4         0.000 s         0.000 s           edit>hasExtension         2         0.000 s         0.000 s           close>getEmptyHandleList         1         0.000 s         0.000 s           usejava         3         0.000 s         0.000 s           path>isValidInput         20         0.000 s         0.000 s          set(rootobj, 'ShowHiddenHandles',Temp)         1         0.000 s         0.000 s           isunix         6         0.000 s         0.000 s           cellstr         2         0.000 s         0.000 s           isCoperator         1         0.000 s         0.000 s           isOperator         2         0.000 s         0.000 s           iclose>request_close         1         0.000 s         0.000 s           teditor/private\checkCollection	<u>settings</u>	2	0.001 s	0.001 s
SCompletePath   2	@mtvate\collect_qualifiers>is_qual	6	0.000 s	0.000 s
pathsep 30 0.000 s 0.000 s 0.000 s getSuiteCreationServicesForToolstrip 2 0.000 s 0.000 s 0.000 s edit>isSimpleFile 2 0.000 s	filesep	28	0.000 s	0.000 s
getSuiteCreationServicesForToolstrip         2         0.000 s         0.000 s           edit>isSimpleFile         2         0.000 s         0.000 s           importdata>@(x)(isnan(x))         4         0.000 s         0.000 s           edit>isMLX         2         0.000 s         0.000 s           edit>hasExtension         2         0.000 s         0.000 s           close>getEmptyHandleList         1         0.000 s         0.000 s           usejava         3         0.000 s         0.000 s           path>isValidInput         20         0.000 s         0.000 s          set(rootobj,'ShowHiddenHandles',Temp)         1         0.000 s         0.000 s           isunix         6         0.000 s         0.000 s           cellstr         2         0.000 s         0.000 s           allchild>getchildren         1         0.000 s         0.000 s           finfo>@()warning(avWarnState)         4         0.000 s         0.000 s           isOperator         2         0.000 s         0.000 s           close>request_close         1         0.000 s         0.000 s           teditor\private\checkCollection         2         0.000 s         0.000 s           beditor\pr	<u>isCompletePath</u>	2	0.000 s	0.000 s
edit>isSimpleFile. 2 0.000 s 0.000 s importdata>@(x)(isnan(x))	pathsep	30	0.000 s	0.000 s
importdata>@(x)(isnan(x))	<u>getSuiteCreationServicesForToolstrip</u>	2	0.000 s	0.000 s
edit>isMLX 2 0.000 s 0.000 s edit>hasExtension 2 0.000 s 0.000 s close>getEmptyHandleList 1 0.000 s 0.000 s usejava 3 0.000 s 0.000 s path>isValidInput 20 0.000 s 0.000 sset(rootobj, ShowHiddenHandles',Temp) 1 0.000 s 0.000 s isunix 6 0.000 s 0.000 s isunix 6 0.000 s 0.000 s cellstr 2 0.000 s 0.000 s allchild>getchildren 1 0.000 s 0.000 s isOperator 2 0.000 s 0.000 s isOperator 2 0.000 s 0.000 s mtree.isempty 8 0.000 s 0.000 s mtree.isempty 8 0.000 s 0.000 s mtree.indices 1 0.000 s 0.000 s  →editor\private\close 1 0.000 s 0.000 s  →editor\private\close 1 0.000 s 0.000 s  □coument.Document>fileNameToJavaFile 4 0.000 s 0.000 s  □coument.Document>fileNameToJavaFile 4 0.000 s 0.000 s  □coument.Document>fileNameToJavaFile 1 0.000 s 0.000 s  □coument.Document>fileNameToJavaFile 1 0.000 s 0.000 s  □coument.Document>fileNameToJavaFile 1 0.000 s 0.000 s	edit>isSimpleFile	2	0.000 s	0.000 s
edit>hasExtension         2         0.000 s         0.000 s           close>getEmptyHandleList         1         0.000 s         0.000 s           usejava         3         0.000 s         0.000 s           path>isValidInput         20         0.000 s         0.000 s          set(rootobj,'ShowHiddenHandles',Temp)         1         0.000 s         0.000 s           isunix         6         0.000 s         0.000 s           cellstr         2         0.000 s         0.000 s           allchild>getchildren         1         0.000 s         0.000 s           finfo>@()warning(avWarnState)         4         0.000 s         0.000 s           isOperator         2         0.000 s         0.000 s           mtree.isempty         8         0.000 s         0.000 s           close>request_close         1         0.000 s         0.000 s           mtree.indices         2         0.000 s         0.000 s           +editor\private\checkCollection         2         0.000 s         0.000 s           Document.Document>fileNameToJavaFile         4         0.000 s         0.000 s          entionLiaison.NamingConventionLiaison         2         0.000 s         0.000 s	importdata>@(x)(isnan(x))	4	0.000 s	0.000 s
close>getEmptyHandleList       1       0.000 s       0.000 s         usejava       3       0.000 s       0.000 s         path>isValidInput       20       0.000 s       0.000 s        set(rootobj,'ShowHiddenHandles',Temp)       1       0.000 s       0.000 s         isunix       6       0.000 s       0.000 s         cellstr       2       0.000 s       0.000 s         allchild>getchildren       1       0.000 s       0.000 s         finfo>@()warning(avWarnState)       4       0.000 s       0.000 s         isOperator       2       0.000 s       0.000 s         mtree.isempty       8       0.000 s       0.000 s         close>request_close       1       0.000 s       0.000 s         mtree.indices       2       0.000 s       0.000 s         +editor\private\checkCollection       2       0.000 s       0.000 s         Document.Document>fileNameToJavaFile       4       0.000 s       0.000 s        entionLiaison.NamingConventionLiaison       2       0.000 s       0.000 s         uitools\private\allchildRootHelper       1       0.000 s       0.000 s	edit>isMLX	2	0.000 s	0.000 s
usejava         3         0.000 s         0.000 s           path>isValidInput         20         0.000 s         0.000 s          set(rootobj,'ShowHiddenHandles',Temp)         1         0.000 s         0.000 s           isunix         6         0.000 s         0.000 s           cellstr         2         0.000 s         0.000 s           allchild>getchildren         1         0.000 s         0.000 s           finfo>@()warning(avWarnState)         4         0.000 s         0.000 s           isOperator         2         0.000 s         0.000 s           mtree.isempty         8         0.000 s         0.000 s           close>request_close         1         0.000 s         0.000 s           mtree.indices         2         0.000 s         0.000 s           +editor\private\checkCollection         2         0.000 s         0.000 s           Document.Document>fileNameToJavaFile         4         0.000 s         0.000 s          entionLiaison.NamingConventionLiaison         2         0.000 s         0.000 s           uitools\private\allchildRootHelper         1         0.000 s         0.000 s	edit>hasExtension	2	0.000 s	0.000 s
path>isValidInput         20         0.000 s         0.000 s          set(rootobj,'ShowHiddenHandles',Temp)         1         0.000 s         0.000 s           isunix         6         0.000 s         0.000 s           cellstr         2         0.000 s         0.000 s           allchild>getchildren         1         0.000 s         0.000 s           finfo>@()warning(avWarnState)         4         0.000 s         0.000 s           isOperator         2         0.000 s         0.000 s           mtree.isempty         8         0.000 s         0.000 s           close>request_close         1         0.000 s         0.000 s           mtree.indices         2         0.000 s         0.000 s           +editor\private\checkCollection         2         0.000 s         0.000 s           Document.Document>fileNameToJavaFile         4         0.000 s         0.000 s          entionLiaison.NamingConventionLiaison         2         0.000 s         0.000 s           uitools\private\allchildRootHelper         1         0.000 s         0.000 s	close>getEmptyHandleList	1	0.000 s	0.000 s
set(rootobj,'ShowHiddenHandles',Temp)  1 0.000 s 0.000 s isunix  6 0.000 s 0.000 s 0.000 s  cellstr 2 0.000 s 0.000 s  allchild>getchildren 1 0.000 s 0.000 s  finfo>@()warning(avWarnState) 4 0.000 s 0.000 s  isOperator 2 0.000 s 0.000 s  mtree.isempty 8 0.000 s 0.000 s  close>request_close 1 0.000 s 0.000 s  mtree.indices 2 0.000 s 0.000 s  +editor\private\checkCollection 2 0.000 s 0.000 s  Document.Document>fileNameToJavaFile 4 0.000 s 0.000 s entionLiaison.NamingConventionLiaison 2 0.000 s 0.000 s	<u>usejava</u>	3	0.000 s	0.000 s
isunix       6       0.000 s       0.000 s         cellstr       2       0.000 s       0.000 s         allchild>getchildren       1       0.000 s       0.000 s         finfo>@()warning(avWarnState)       4       0.000 s       0.000 s         isOperator       2       0.000 s       0.000 s         mtree.isempty       8       0.000 s       0.000 s         close>request_close       1       0.000 s       0.000 s         mtree.indices       2       0.000 s       0.000 s         +editor\private\checkCollection       2       0.000 s       0.000 s         Document.Document>fileNameToJavaFile       4       0.000 s       0.000 s        entionLiaison.NamingConventionLiaison       2       0.000 s       0.000 s         uitools\private\allchildRootHelper       1       0.000 s       0.000 s	path>isValidInput	20	0.000 s	0.000 s
cellstr       2       0.000 s       0.000 s         allchild>getchildren       1       0.000 s       0.000 s         finfo>@()warning(avWarnState)       4       0.000 s       0.000 s         isOperator       2       0.000 s       0.000 s         mtree.isempty       8       0.000 s       0.000 s         close>request_close       1       0.000 s       0.000 s         mtree.indices       2       0.000 s       0.000 s         +editor\private\checkCollection       2       0.000 s       0.000 s         Document.Document>fileNameToJavaFile       4       0.000 s       0.000 s        entionLiaison.NamingConventionLiaison       2       0.000 s       0.000 s         uitools\private\allchildRootHelper       1       0.000 s       0.000 s	set(rootobj,'ShowHiddenHandles',Temp)	1	0.000 s	0.000 s
allchild>getchildren       1       0.000 s       0.000 s         finfo>@()warning(avWarnState)       4       0.000 s       0.000 s         isOperator       2       0.000 s       0.000 s         mtree.isempty       8       0.000 s       0.000 s         close>request_close       1       0.000 s       0.000 s         mtree.indices       2       0.000 s       0.000 s         +editor\private\checkCollection       2       0.000 s       0.000 s         Document.Document>fileNameToJavaFile       4       0.000 s       0.000 s        entionLiaison.NamingConventionLiaison       2       0.000 s       0.000 s         uitools\private\allchildRootHelper       1       0.000 s       0.000 s	isunix	6	0.000 s	0.000 s
finfo>@()warning(avWarnState)         4         0.000 s         0.000 s           isOperator         2         0.000 s         0.000 s           mtree.isempty         8         0.000 s         0.000 s           close>request_close         1         0.000 s         0.000 s           mtree.indices         2         0.000 s         0.000 s           +editor\private\checkCollection         2         0.000 s         0.000 s           Document.Document>fileNameToJavaFile         4         0.000 s         0.000 s          entionLiaison.NamingConventionLiaison         2         0.000 s         0.000 s           uitools\private\allchildRootHelper         1         0.000 s         0.000 s	cellstr	2	0.000 s	0.000 s
isOperator         2         0.000 s         0.000 s           mtree_isempty         8         0.000 s         0.000 s           close>request_close         1         0.000 s         0.000 s           mtree_indices         2         0.000 s         0.000 s           +editor\private\checkCollection         2         0.000 s         0.000 s           Document.Document>fileNameToJavaFile         4         0.000 s         0.000 s          entionLiaison.NamingConventionLiaison         2         0.000 s         0.000 s           uitools\private\allchildRootHelper         1         0.000 s         0.000 s	allchild>getchildren	1	0.000 s	0.000 s
mtree_isempty         8         0.000 s         0.000 s           close>request_close         1         0.000 s         0.000 s           mtree_indices         2         0.000 s         0.000 s           +editor\private\checkCollection         2         0.000 s         0.000 s           Document.Document>fileNameToJavaFile         4         0.000 s         0.000 s          entionLiaison.NamingConventionLiaison         2         0.000 s         0.000 s           uitools\private\allchildRootHelper         1         0.000 s         0.000 s	finfo>@()warning(avWarnState)	4	0.000 s	0.000 s
close>request_close10.000 s0.000 smtree.indices20.000 s0.000 s+editor\private\checkCollection20.000 s0.000 sDocument.Document>fileNameToJavaFile40.000 s0.000 sentionLiaison.NamingConventionLiaison20.000 s0.000 suitools\private\allchildRootHelper10.000 s0.000 s	<u>isOperator</u>	2	0.000 s	0.000 s
mtree.indices       2       0.000 s       0.000 s         +editor\private\checkCollection       2       0.000 s       0.000 s         Document.Document>fileNameToJavaFile       4       0.000 s       0.000 s        entionLiaison.NamingConventionLiaison       2       0.000 s       0.000 s         uitools\private\allchildRootHelper       1       0.000 s       0.000 s	mtree.isempty	8	0.000 s	0.000 s
+editor\private\checkCollection       2       0.000 s       0.000 s         Document.Document>fileNameToJavaFile       4       0.000 s       0.000 s        entionLiaison.NamingConventionLiaison       2       0.000 s       0.000 s         uitools\private\allchildRootHelper       1       0.000 s       0.000 s	close>request_close	1	0.000 s	0.000 s
Document.Document>fileNameToJavaFile       4       0.000 s       0.000 s        entionLiaison.NamingConventionLiaison       2       0.000 s       0.000 s         uitools\private\allchildRootHelper       1       0.000 s       0.000 s	mtree.indices	2	0.000 s	0.000 s
entionLiaison.NamingConventionLiaison 2 0.000 s 0.000 s uitools\private\allchildRootHelper 1 0.000 s 0.000 s	+editor\private\checkCollection	2	0.000 s	0.000 s
uitools\private\allchildRootHelper 1 0.000 s 0.000 s	Document.Document>fileNameToJavaFile	4	0.000 s	0.000 s
· · · · · · · · · · · · · · · · · · ·	entionLiaison.NamingConventionLiaison	2	0.000 s	0.000 s
<u>mtree.isnull</u> 4 0.000 s 0.000 s	uitools\private\allchildRootHelper	1	0.000 s	0.000 s
	mtree.isnull	4	0.000 s	0.000 s

close>checkfigs	1	0.000 s	0.000 s
<u>getSimpleParentName</u>	2	0.000 s	0.000 s
mtree.count	4	0.000 s	0.000 s
flipIr	2	0.000 s	0.000 s
optimization_M_oao_oaa_error	10	0.000 s	0.000 s
nLiaison.set.NamingConventionServices	2	0.000 s	0.000 s
stringToLegacyText	9	0.000 s	0.000 s
+editor\private\checkFilename	4	0.000 s	0.000 s
mingConventionService.meetsConvention	2	0.000 s	0.000 s
Service>Service.Service	2	0.000 s	0.000 s
SuiteCreationLiaison>UNINITIALIZED	16	0.000 s	0.000 s
>TestSuiteFactory.TestSuiteFactory	2	0.000 s	0.000 s
<u>isdatetime</u>	2	0.000 s	0.000 s
isduration	2	0.000 s	0.000 s
s.mlwidgets.workspace.WhosInformation (Java method)	1	0.000 s	0.000 s
java.io.File (Java method)	6	0.000 s	0.000 s
optimization_M_net_error	1	0.000 s	0.000 s
java.util.ArrayList (Java method)	6	0.000 s	0.000 s
java.lang.String (Java method)	1	0.000 s	0.000 s

**Self time** is the time spent in a function excluding the time spent in its child functions Self time also includes overhead resulting from the process of profiling.

-			
_			
-			
_			
_			
_			
_			
_			
_			

.