```
mysql> SELECT RegNo, StdName, DOB
    -> FROM STUDENT;
+-------+---------+------------+
| RegNo | StdName | DOB        |
+-------+---------+------------+
| S001  | Anish   | 2007-04-04 |
| S002  | Sam     | 2006-05-10 |
| S003  | Harish  | 2007-08-15 |
| S004  | Ramya   | 2006-12-20 |
| S005  | Krishna | 2007-03-25 |
| S006  | Priya   | 2006-09-12 |
+-------+---------+------------+
6 rows in set (0.01 sec)

mysql>
```

```
mysql> SELECT *
    -> FROM STUDENT
    -> WHERE Gender = 'Female';
+-------+---------+------------+--------+---------+
| RegNo | StdName | DOB        | Gender | City    |
+-------+---------+------------+--------+---------+
| S004  | Ramya   | 2006-12-20 | Female | Madurai |
| S006  | Priya   | 2006-09-12 | Female | Chennai |
+-------+---------+------------+--------+---------+
2 rows in set (0.01 sec)

mysql>
```

```
mysql> SELECT *
    -> FROM STUDENT
    -> WHERE RegNo IN (
    ->     SELECT RegNo
    ->     FROM STUDENT_COURSE
    ->     WHERE CourseID = 'C001'
    -> );
+-------+---------+------------+--------+---------+
| RegNo | StdName | DOB        | Gender | City    |
+-------+---------+------------+--------+---------+
| S001  | Anish   | 2007-04-04 | Male   | Salem   |
| S003  | Harish  | 2007-08-15 | Male   | Salem   |
| S006  | Priya   | 2006-09-12 | Female | Chennai |
+-------+---------+------------+--------+---------+
3 rows in set (0.01 sec)

mysql>
```

```
mysql> select*from faculty where DateofJoining<'2014-11-01';
+-----------+-------------+---------------+---------+
| FacultyID | FacultyName | DateOfJoining | DeptID |
+-----------+-------------+---------------+---------+
| F001      | Ramesh      | 2013-06-10    | D001   |
| F003      | Kiran       | 2012-08-20    | D001   |
+-----------+-------------+---------------+---------+
2 rows in set (0.01 sec)

mysql>
```

```
mysql> select*from course where HallID<>'H001';
+----------+------------+--------+
| CourseID | CourseName | HallID |
+----------+------------+--------+
| C002     | Java       | H002   |
| C003     | Python     | H003   |
+----------+------------+--------+
2 rows in set (0.00 sec)

mysql>
```

```
mysql> select*from STUDENT where StdName like '%sh';
+-------+---------+------------+--------+-------+
| RegNo | StdName | DOB        | Gender | City  |
+-------+---------+------------+--------+-------+
| S001  | Anish   | 2007-04-04 | Male   | Salem |
| S003  | Harish  | 2007-08-15 | Male   | Salem |
+-------+---------+------------+--------+-------+
2 rows in set (0.01 sec)

mysql>
```

```
mysql> select*from STUDENT where StdName like '%sh';
+-------+---------+------------+--------+-------+
| RegNo | StdName | DOB        | Gender | City  |
+-------+---------+------------+--------+-------+
| S001  | Anish   | 2007-04-04 | Male   | Salem |
| S003  | Harish  | 2007-08-15 | Male   | Salem |
+-------+---------+------------+--------+-------+
2 rows in set (0.00 sec)

mysql>
```

```
mysql> select*from STUDENT where City like '%sal%';
+-------+---------+------------+--------+-------+
| RegNo | StdName | DOB        | Gender | City  |
+-------+---------+------------+--------+-------+
| S001  | Anish   | 2007-04-04 | Male   | Salem |
| S003  | Harish  | 2007-08-15 | Male   | Salem |
| S005  | Krishna | 2007-03-25 | Male   | Salem |
+-------+---------+------------+--------+-------+
3 rows in set (0.00 sec)

mysql>
```

```
mysql> select*from STUDENT where StdName not like'______';
+-------+---------+------------+--------+---------+
| RegNo | StdName | DOB        | Gender | City    |
+-------+---------+------------+--------+---------+
| S001  | Anish   | 2007-04-04 | Male   | Salem   |
| S002  | Sam     | 2006-05-10 | Male   | Chennai |
| S004  | Ramya   | 2006-12-20 | Female | Madurai |
| S005  | Krishna | 2007-03-25 | Male   | Salem   |
| S006  | Priya   | 2006-09-12 | Female | Chennai |
+-------+---------+------------+--------+---------+
5 rows in set (0.00 sec)

mysql>
```

```
mysql> select*from STUDENT where StdName like '%am%';
+-------+---------+------------+--------+---------+
| RegNo | StdName | DOB        | Gender | City    |
+-------+---------+------------+--------+---------+
| S002  | Sam     | 2006-05-10 | Male   | Chennai |
| S004  | Ramya   | 2006-12-20 | Female | Madurai |
+-------+---------+------------+--------+---------+
2 rows in set (0.00 sec)

mysql>
```

```
mysql> SELECT * FROM STUDENT;
+-------+---------+------------+--------+---------+
| RegNo | StdName | DOB        | Gender | City    |
+-------+---------+------------+--------+---------+
| S001  | Anish   | 2007-04-04 | Male   | Salem   |
| S002  | Sam     | 2006-05-10 | Male   | Chennai |
| S003  | Harish  | 2007-08-15 | Male   | Salem   |
| S004  | Ramya   | 2006-12-20 | Female | Madurai |
| S005  | Krishna | 2007-03-25 | Male   | Salem   |
| S006  | Priya   | 2006-09-12 | Female | Chennai |
+-------+---------+------------+--------+---------+
6 rows in set (0.00 sec)
```

```
mysql> SELECT * FROM DEPARTMENT;
+--------+-------------------------+
| DeptID | DeptName                |
+--------+-------------------------+
| D001   | Computer Science        |
| D002   | Electrical Engineering  |
+--------+-------------------------+
2 rows in set (0.00 sec)
```

```
mysql> SELECT * FROM FACULTY;
+-----------+-------------+---------------+--------+
| FacultyID | FacultyName | DateOfJoining | DeptID |
+-----------+-------------+---------------+--------+
| F001      | Ramesh      | 2013-06-10    | D001   |
| F002      | Suresh      | 2015-01-15    | D002   |
| F003      | Kiran       | 2012-08-20    | D001   |
+-----------+-------------+---------------+--------+
3 rows in set (0.00 sec)
```

```
mysql> SELECT * FROM COURSE;
+----------+------------+--------+
| CourseID | CourseName | HallID |
+----------+------------+--------+
| C001     | DBMS       | H001   |
| C002     | Java       | H002   |
| C003     | Python     | H003   |
| C004     | Networks   | H001   |
+----------+------------+--------+
4 rows in set (0.00 sec)
```

```
mysql> SELECT * FROM STUDENT_COURSE;
+--------+-----------+
| RegNo  | CourseID  |
+--------+-----------+
| S001   | C001      |
| S002   | C002      |
| S003   | C001      |
| S004   | C003      |
| S005   | C004      |
| S006   | C001      |
+--------+-----------+
6 rows in set (0.00 sec)

mysql>
```