```
mysql>
mysql> CREATE TABLE STUDENT (
    ->     RegNo BIGINT PRIMARY KEY,
    ->     Name VARCHAR(50) NOT NULL,
    ->     Gender VARCHAR(10),
    ->     DOB DATE,
    ->     MobileNo BIGINT,
    ->     City VARCHAR(50)
    -> );
Query OK, 0 rows affected (0.03 sec)

mysql> INSERT INTO STUDENT
    -> (RegNo, Name, Gender, DOB, MobileNo, City)
    -> VALUES
    -> (191711342, 'Anish', 'Male', '2006-05-15', 9876543210, 'Chennai'),
    -> (191711343, 'Rahul', 'Male', '2005-08-20', 9876543211, 'Hyderabad'),
    -> (191711344, 'Priya', 'Female', '2006-01-10', 9876543212, 'Bangalore');
Query OK, 3 rows affected (0.01 sec)
Records: 3  Duplicates: 0  Warnings: 0

mysql> SELECT*FROM STUDENT;
+-----------+-------+--------+------------+------------+-----------+
| RegNo     | Name  | Gender | DOB        | MobileNo   | City      |
+-----------+-------+--------+------------+------------+-----------+
| 191711342 | Anish | Male   | 2006-05-15 | 9876543210 | Chennai   |
| 191711343 | Rahul | Male   | 2005-08-20 | 9876543211 | Hyderabad |
| 191711344 | Priya | Female | 2006-01-10 | 9876543212 | Bangalore |
+-----------+-------+--------+------------+------------+-----------+
3 rows in set (0.00 sec)
```

```
mysql> UPDATE STUDENT
    -> SET Name = 'Anish Reddy'
    -> WHERE RegNo = 191711342;
Query OK, 1 row affected (0.01 sec)
Rows matched: 1  Changed: 1  Warnings: 0

mysql> SELECT * FROM STUDENT;
+-----------+-------------+--------+------------+------------+-----------+
| RegNo     | Name        | Gender | DOB        | MobileNo   | City      |
+-----------+-------------+--------+------------+------------+-----------+
| 191711342 | Anish Reddy | Male   | 2006-05-15 | 9876543210 | Chennai   |
| 191711343 | Rahul       | Male   | 2005-08-20 | 9876543211 | Hyderabad |
| 191711344 | Priya       | Female | 2006-01-10 | 9876543212 | Bangalore |
+-----------+-------------+--------+------------+------------+-----------+
```

```
mysql> CREATE TABLE FACULTY (
    ->     FacultyID INT PRIMARY KEY,
    ->     Name VARCHAR(50),
    ->     Gender VARCHAR(10),
    ->     Age INT
    -> );
Query OK, 0 rows affected (0.06 sec)

mysql> INSERT INTO FACULTY VALUES
    -> (101, 'Mohan', 'Male', 55),
    -> (102, 'Lakshmi', 'Female', 45),
    -> (103, 'Ramesh', 'Male', 68),
    -> (104, 'Sita', 'Female', 62),
    -> (105, 'Kumar', 'Male', 70);
Query OK, 5 rows affected (0.01 sec)
Records: 5  Duplicates: 0  Warnings: 0

mysql> SELECT*FROM FACULTY;
+-----------+---------+--------+------+
| FacultyID | Name    | Gender | Age  |
+-----------+---------+--------+------+
|       101 | Mohan   | Male   |   55 |
|       102 | Lakshmi | Female |   45 |
|       103 | Ramesh  | Male   |   68 |
|       104 | Sita    | Female |   62 |
|       105 | Kumar   | Male   |   70 |
+-----------+---------+--------+------+
5 rows in set (0.00 sec)
```

```
mysql> DELETE FROM FACULTY
    -> WHERE Name = 'Lakshmi';
Query OK, 1 row affected (0.01 sec)

mysql> SELECT *FROM FACULTY;
+-----------+---------+---------+-------+
| FacultyID | Name    | Gender | Age   |
+-----------+---------+---------+-------+
|       101 | Mohan   | Male   |    55 |
|       103 | Ramesh | Male   |    68 |
|       104 | Sita    | Female |    62 |
|       105 | Kumar   | Male   |    70 |
+-----------+---------+---------+-------+
4 rows in set (0.00 sec)
```

```
mysql> UPDATE FACULTY
    -> SET Age = 59
    -> WHERE Name = 'Mohan';
Query OK, 1 row affected (0.01 sec)
Rows matched: 1  Changed: 1  Warnings: 0

mysql> DELETE FROM FACULTY
    -> WHERE Age > 65;
Query OK, 2 rows affected (0.01 sec)

mysql> SELECT*FROM FACULTY;
+-----------+-------+--------+------+
| FacultyID | Name  | Gender | Age  |
+-----------+-------+--------+------+
|       101 | Mohan | Male   |   59 |
|       104 | Sita  | Female |   62 |
+-----------+-------+--------+------+
2 rows in set (0.00 sec)
```