



-> ('Priya', 'IT');
Query OK, 3 rows affected (0.01 sec)
Records: 3 Duplicates: 0 Warnings: 0
mysql> SELECT * FROM DBMS_Stud;
| Reg_No | Name | Department |
| 1 | Yasaswi | CSE |
| 2 | Rahul | ECE |
| 3 | Priya | IT |
3 rows in set (0.00 sec)
mysql> INSERT INTO DBMS_Stud (Reg_No, Name, Department)
-> VALUES
-> (101, 'Arun', 'CSE'),
-> (102, 'Kiran', 'ECE');
Query OK, 2 rows affected (0.00 sec)
33°C


-> (102, 'Kiran', 'ECE');
Query OK, 2 rows affected (0.00 sec)
Records: 2 Duplicates: 0 Warnings: 0
mysql> SELECT * FROM DBMS_Stud;
| Reg_No | Name | Department |
| 1 | Yasaswi | CSE |
| 2 | Rahul | ECE |
| 3 | Priya | IT |
| 101 | Arun | CSE |
| 102 | Kiran | ECE |
5 rows in set (0.00 sec)
mysql> ALTER TABLE DBMS_Stud
-> MODIFY Reg_No INT;
Query OK, 5 rows affected (0.02 sec)


Duplicates: 0 Warnings: 0
mysql> DESC DBMS_Stud;
| Field | Type | Null | Key | Default | Extra |
| Reg_No | int | NO | PRI | NULL | |
| Name | varchar(30) | YES | | NULL | |
| Department | varchar(20) | YES | | NULL | |
3 rows in set (0.01 sec)
mysql> ALTER TABLE DBMS_Stud
-> MODIFY Reg_No INT;
Query OK, 0 rows affected (0.01 sec)
Records: 0 Duplicates: 0 Warnings: 0
mysql>