

```
mysql> CREATE DATABASE IF NOT EXISTS employeeedb1;
Query OK, 1 row affected (0.05 sec)
```

```
mysql> USE employeeedb1;
Database changed
```

```
mysql> CREATE TABLE IF NOT EXISTS employees (
->     emp_id INT PRIMARY KEY,
->     emp_name VARCHAR(50),
->     dept_id INT,
->     salary DECIMAL(10,2)
-> );
Query OK, 0 rows affected (0.05 sec)
```

```
mysql> INSERT INTO employees VALUES
-> (101,'Rahul',1,50000),
-> (102,'Priya',2,65000),
-> (103,'Anil',1,55000),
-> (104,'Sneha',3,70000),
-> (105,'Kiran',2,48000);
Query OK, 5 rows affected (0.01 sec)
Records: 5  Duplicates: 0  Warnings: 0
```

```
mysql> DROP PROCEDURE IF EXISTS GetEmployees
-> ^C
mysql> DROP PROCEDURE IF EXISTS GetEmployees;
Query OK, 0 rows affected, 1 warning (0.01 sec)
```

```
mysql> DELIMITER $$
mysql> CREATE PROCEDURE GetEmployees()
-> BEGIN
->     SELECT * FROM employees;
-> END $$
Query OK, 0 rows affected (0.01 sec)
```

```
mysql>
```

```
mysql> DELIMITER ;
```

```
mysql> CALL GetEmployees();
```

emp_id	emp_name	dept_id	salary
101	Rahul	1	50000.00
102	Priya	2	65000.00
103	Anil	1	55000.00
104	Sneha	3	70000.00
105	Kiran	2	48000.00

```
5 rows in set (0.00 sec)
```

```
Query OK, 0 rows affected (0.04 sec)
```

```
mysql> DROP PROCEDURE IF EXISTS GetEmployeeById
Query OK, 0 rows affected, 1 warning (0.00 sec)
```

```
mysql>
mysql> DELIMITER $$
mysql>
mysql> CREATE PROCEDURE GetEmployeeById(IN eid
-> BEGIN
->     SELECT *
->     FROM employees
->     WHERE emp_id = eid;
-> END $$
Query OK, 0 rows affected (0.01 sec)
```

```
mysql>
```

```
mysql> DELIMITER ;
```

```
mysql>
```

```
mysql> CALL GetEmployeeById(102);
```

emp_id	emp_name	dept_id	salary
102	Priya	2	65000.00

```
1 row in set (0.00 sec)
```

```
Query OK, 0 rows affected (0.01 sec)
```

Query OK, 0 rows affected (0.01 sec)

mysql> CALL GetEmployeeById(104);

emp_id	emp_name	dept_id	salary
104	Sneha	3	70000.00

1 row in set (0.00 sec)

Query OK, 0 rows affected (0.01 sec)

mysql> DROP PROCEDURE IF EXISTS IncreaseSalary;

Query OK, 0 rows affected, 1 warning (0.00 sec)

mysql>

mysql> DELIMITER \$\$

mysql>

mysql> CREATE PROCEDURE IncreaseSalary(

-> IN eid INT,

-> IN amount DECIMAL(10,2)

->)

-> BEGIN

-> UPDATE employees

-> SET salary = salary + amount

-> WHERE emp_id = eid;

-> END \$\$

Query OK, 0 rows affected (0.01 sec)

mysql>

mysql> DELIMITER ;

mysql>

mysql> CALL IncreaseSalary(101, 5000);

Query OK, 1 row affected (0.00 sec)

mysql>

mysql> SELECT *

-> FROM employees

-> WHERE emp_id = 101;

emp_id	emp_name	dept_id	salary
101	Rahul	1	55000.00

1 row in set (0.00 sec)

mysql> DROP PROCEDURE IF EXISTS AvgSalary;

```

mysql>
mysql> DELIMITER ;
mysql>
mysql> CALL EmployeeDepartment();
+-----+-----+-----+
| emp_name | dept_name | salary |
+-----+-----+-----+
| Rahul    | CSE       | 55000.00 |
| Priya    | ECE       | 65000.00 |
| Anil     | CSE       | 55000.00 |
| Sneha    | EEE       | 70000.00 |
| Kiran    | ECE       | 48000.00 |
+-----+-----+-----+
5 rows in set (0.00 sec)

Query OK, 0 rows affected (0.03 sec)

mysql> DROP PROCEDURE IF EXISTS DepartmentAverageSalary;
Query OK, 0 rows affected, 1 warning (0.00 sec)

mysql>
mysql> DELIMITER $$
mysql>
mysql> CREATE PROCEDURE DepartmentAverageSalary()
-> BEGIN
->     SELECT d.dept_name,
->           COUNT(e.emp_id) AS EmployeeCount,
->           AVG(e.salary) AS AverageSalary
->     FROM employees e
->     JOIN departments d
->       ON e.dept_id = d.dept_id
->     GROUP BY d.dept_id, d.dept_name;
-> END $$
Query OK, 0 rows affected (0.01 sec)

mysql>
mysql> DELIMITER ;
mysql>
mysql> CALL DepartmentAverageSalary();
+-----+-----+-----+
| dept_name | EmployeeCount | AverageSalary |
+-----+-----+-----+
| CSE       | 2             | 55000.000000 |
| ECE       | 2             | 56500.000000 |
| EEE       | 1             | 70000.000000 |
+-----+-----+-----+

```

```

MySQL 8.0 Command Line Cl  x  +  v

3 rows in set (0.00 sec)

Query OK, 0 rows affected (0.01 sec)

mysql> DROP PROCEDURE IF EXISTS SalaryStatus;
Query OK, 0 rows affected, 1 warning (0.00 sec)

mysql>
mysql> DELIMITER $$
mysql>
mysql> CREATE PROCEDURE SalaryStatus(IN eid INT)
-> BEGIN
->     DECLARE sal DECIMAL(10,2);
->
->     SELECT salary INTO sal
->     FROM employees
->     WHERE emp_id = eid;
->
->     IF sal >= 60000 THEN
->         SELECT 'High Salary' AS Status;
->     ELSE
->         SELECT 'Low Salary' AS Status;
->     END IF;
-> END $$
Query OK, 0 rows affected (0.00 sec)

mysql>
mysql> DELIMITER ;
mysql>
mysql> CALL SalaryStatus(102);
+-----+
| Status |
+-----+
| High Salary |
+-----+
1 row in set (0.00 sec)

Query OK, 0 rows affected (0.00 sec)

mysql> CALL SalaryStatus(101);
+-----+
| Status |
+-----+
| Low Salary |
+-----+
1 row in set (0.00 sec)

```

