



Taxi Pooler APIs 2.0.0

[Base URL: localhost:3000]

Testing the APIs

Schemes

HTTP

Auth ▼

POST /auth/register

Register USER

Parameters

Try it out

Name	Description
body	
object	
(body)	<div><div>Example Value</div><div>Model</div><pre>{ "userID": "string", "password": "string", "confirmPassword": "string"}</pre></div>
Parameter content type	
application/json	

Responses

Response content type application/json

Code	Description
200	Default Response
	<div>Example ValueModel</div> <div><pre>{ "message": "string" }</pre></div>

POST

/auth/adminFlag

change admins status of user

Parameters

Try it out

Name	Description
body object (body)	<div>Example ValueModel</div> <div><pre>{ "userID": "string", "adminFlag": true }</pre></div> <div>Parameter content type</div> <div>application/json</div>
Authorization string (header)	<div>Authorization</div>

Responses

Response content type

application/json

Code	Description
------	-------------

Code	Description
200	Default Response
<div><div>Example Value</div><div>Model</div></div> <pre>{ "message": "string" }</pre>	

POST

/auth/login

Login User

Parameters

Try it out

Name	Description
body object (body)	<div><div>Example Value</div><div>Model</div></div> <pre>{ "userID": "string", "password": "string" }</pre> <div>Parameter content type</div> <div>application/json</div>

Responses

Response content type

application/json

Code	Description
------	-------------

Code	Description
200	Default Response
	<div>Example ValueModel</div> <pre>{ "jwt": "string", "user": { "userID": "string", "isAdmin": true }}</pre>

POST	/auth/me
Get USER details	
Parameters	<div>Try it out</div>
<div>NameDescription</div> <div>Authorization * requiredstring(header)</div>	<div>Authorization</div>
Responses	<div>Response content typeapplication/json</div>
Code	Description
200	Default Response
	<div>Example ValueModel</div> <pre>{ "userID": "string", "isAdmin": true}</pre>

locations



GET /ride/location

get a map of < id : location name >

Parameters

Try it out

Name Description

Authorization * required
string
(header)

Authorization

Responses

Response content type

application/json

Code Description

200 Default Response

Example Value Model

```
[  
  "string"  
]
```

POST /ride/location

add location

Parameters

Try it out

Name Description

Name	Description
body	
object	
(body)	<div><div>Example Value</div><div>Model</div><div><pre>{ "name": "string", "roadName": "string" }</pre></div></div>
	<div><div>Parameter content type</div><div>application/json</div></div>
Authorization	
string	
(header)	<div>Authorization</div>

Responses

Response content type

application/json

Code	Description
200	<div>Default Response</div> <div><div>Example Value</div><div>Model</div><div><pre>{ "message": "string" }</pre></div></div>

roads



GET	/ride/roads
get all roads	
Parameters	<div>Try it out</div>

Name	Description
Authorization * required string (header)	Authorization

Responses	Response content type
	application/json

Code	Description
200	Default Response
	<div>Example Value Model</div> <pre>[{ "name": "string", "locations": ["string"] }]</pre>

POST /ride/roads

add new road

Parameters

Try it out

Name	Description
body object (body)	<div>Example Value Model</div> <pre>{ "name": "string" }</pre> <div>Parameter content type</div> <div>application/json</div>

Name	Description
Authorization * required string (header)	Authorization

Responses

Response content type

application/json

Code	Description
200	Default Response
	<div>Example Value Model</div> <div><pre>{ "message": "string" }</pre></div>

Vehicles

▼

GET

/ride/vehicle

get all Vehicles

Parameters

Try it out

Name	Description
Authorization * required string (header)	Authorization

Responses

Response content type

application/json

Code	Description
200	Default Response

Example Value

Model

```
[
  {
    "name": "string",
    "maxCapacity": 0,
    "freeSeats": 0,
    "road_id": {
      "additionalProp1": {}
    },
    "date": "string",
    "isAssigned": true,
    "additionalProp1": {}
  }
]
```

POST

/ride/vehicle

←

add new vehicle

Parameters

Try it out

Name	Description
body object (body)	<div><div>Example Value</div><div>Model</div></div> <pre>{ "name": "string", "maxCapacity": 0 }</pre> <div><div>Parameter content type</div><div>application/json</div></div>

Authorization * required

string
(header)

Authorization

Responses

Response content type

application/json

Code	Description
200	<div>Default Response</div> <div><div>Example Value</div><div>Model</div><div><pre>{ "message": "string" }</pre></div></div>

GET

/ride/vehicle/project

get all Vehicles

Parameters

Try it out

Name	Description
<div><div>Authorization * required</div><div>string</div><div>(header)</div></div>	<div>Authorization</div>

Responses

Response content type

application/json

Code	Description
------	-------------

trips

GET /:

get all trips

Parameters

Name	Description
Authorization * required string (header)	<div>Authorization</div>

Responses

Response content type

application/json

Code	Description
200	<div>Default Response</div> <div>Example Value Model</div> <div><pre>[{ "name": "string", "maxCapacity": 0, "freeSeats": 0, "road_id": { "additionalProp1": {} }, "date": "string", "isAssigned": true, "additionalProp1": {} }]</pre></div>

POST

/ride/trip

book trip

Parameters

Try it out

Name	Description
body	
object	
(body)	<div><div>Example Value</div><div>Model</div><div><pre>{ "numOfPassengers": 0, "date": "string", "source": "string", "dest": "string"}</pre></div></div>
	<div>Parameter content type<div>application/json</div></div>
Authorization * required	
string	
(header)	<div>Authorization</div>

Responses

Response content type

application/json

Code	Description
200	<div>Default Response</div> <div><div>Example Value</div><div>Model</div><div><pre>{ "message": "string"}</pre></div></div>

DELETE

/ride/trip

cancel trip

Parameters

Try it out

Name	Description
body object (body)	<div><div>Example Value</div><div>Model</div><div><pre>{ "tripID": "string" }</pre></div></div> <div><div>Parameter content type</div><div>application/json</div></div>
Authorization * required string (header)	<div>Authorization</div>

Responses

Response content type

application/json

Code	Description
200	<div>Default Response</div> <div><div>Example Value</div><div>Model</div><div><pre>{ "message": "string" }</pre></div></div>

GET

/ride/trip/project

get all trips

Parameters

Try it out

Name	Description
------	-------------

Name

Description

Authorization * required

string

(header)

Authorization

Responses

Response content type

application/json

Code

Description

200

Default Response

Example Value

Model

```
[
  {
    "_id": "string",
    "userID": "string",
    "numOfPassengers": 0,
    "vehicleID": {
      "additionalProp1": {}
    },
    "date": "string",
    "source": "string",
    "dest": "string",
    "additionalProp1": {}
  }
]
```

GET

/ride/trip/me

get all trips

Parameters

Try it out

Name

Description

Authorization * required

string

(header)

Authorization

Responses

Response content type

application/json

Code	Description
200	<div>Default Response</div> <div><div>Example Value</div><div>Model</div><pre>[{ "_id": "string", "userID": "string", "numOfPassengers": 0, "vehicleID": { "additionalProp1": {} }, "date": "string", "source": "string", "dest": "string", "additionalProp1": {} }]</pre></div>

GET

/ride/trip/me/project

get all trips

Parameters

Try it out

Name	Description
<div><div>Authorization * required</div><div>string</div><div>(header)</div></div>	<div>Authorization</div>

Responses

Response content type

application/json

Code	Description
------	-------------

Code	Description
200	<div>Default Response</div> <div><div>Example Value</div><div>Model</div><pre>[{ "_id": "string", "userID": "string", "numOfPassengers": 0, "vehicleID": { "additionalProp1": {} }, "date": "string", "source": "string", "dest": "string", "additionalProp1": {} }]</pre></div>