

## Unit – 3

1. Which of the following best describes a *web form*?

- A) A webpage that only displays static content.
- B) A graphical tool used for image editing on websites.
- C) An interface on a webpage that allows users to input and submit data.
- D) A scripting language used for backend development.

**Answer:**

**C) An interface on a webpage that allows users to input and submit data.**

2. Which HTML tag is used to create a web form?

- A) <input>
- B) <form>
- C) <data>
- D) <submit>

**Answer: B**

3. What attribute of the <form> tag specifies where to send the form data?

- A) method
- B) action
- C) submit
- D) target

**Answer: B**

4. Which of the following tags is used to create a text input field?

- A) <textarea>
- B) <text>
- C) <input type="text">
- D) <input type="textarea">

**Answer: C**

5. What does the method="post" attribute in a form do?

- A) Sends data via URL parameters
- B) Deletes form data
- C) Sends data in the body of the request
- D) Prevents data from being sent

**Answer: C**

6. Which element creates a multi-line text input?

- A) <input type="text">
- B) <textarea>

- C) <form>
- D) <text>

**Answer: B**

**7. What input type is used to create a checkbox?**

- A) <input type="checkbox">
- B) <input type="radio">
- C) <input type="check">
- D) <checkbox>

**Answer: A**

**8. How do you create a drop-down menu in a form?**

- A) <dropdown>
- B) <input type="dropdown">
- C) <select> with <option>
- D) <input type="menu">

**Answer: C**

**9. What tag is used to create a submit button?**

- A) <submit>
- B) <input type="button">
- C) <input type="submit">
- D) <button type="reset">

**Answer: C**

**10. Which attribute is used to group form elements under a label or title?**

- A) <legend>
- B) <fieldset>
- C) <label>
- D) <section>

**Answer: B**

**11. What is a web form used for?**

- A) To display images
- B) To play music
- C) To collect user input
- D) To create animations

**Answer: C**

**12. What does the method="get" attribute do?**

- A) Sends data via email
- B) Sends data in the request URL
- C) Encrypts the data

D) Prevents submission

**Answer: B**

**13. Which input type allows the user to select one option from a group?**

A) Checkbox

B) Text

C) Radio

D) Button

**Answer: C**

**14. Which tag is used to label form inputs?**

A) <title>

B) <caption>

C) <label>

D) <input>

**Answer: C**

**15. What does the <textarea> tag create?**

A) A checkbox

B) A button

C) A single-line input

D) A multi-line text area

**Answer: D**

**16. Which attribute makes a form field mandatory?**

A) checked

B) required

C) disabled

D) readonly

**Answer: B**

**17. What does the <legend> tag provide?**

A) A label for a single input

B) A title for a group of form elements

C) A caption for a table

D) A tooltip

**Answer: B**

**18. What attribute is used to associate a <label> with a form input?**

A) for

B) id

C) name

D) value

**Answer: A**

**19. Which input type is used to upload a file?**

- A) <input type="upload">
- B) <input type="file">
- C) <input type="media">
- D) <input type="attachment">

**Answer: B**

**20. What does the placeholder attribute do?**

- A) Fills the field with permanent data
- B) Adds a tooltip
- C) Displays temporary text inside the input
- D) Makes the input hidden

**Answer: C**

**21. Which attribute disables a form element?**

- A) readonly
- B) disabled
- C) inactive
- D) hidden

**Answer: B**

**22. What happens when a form is submitted using the POST method?**

- A) Data is appended to the URL
- B) Data is sent in the HTTP header
- C) Data is sent in the body of the HTTP request
- D) The page reloads without sending data

**Answer: C**

**23. What is the correct way to retrieve a value from a form submitted using POST method?**

- A. \$\_POST['value']
- B. \$POST['value']
- C. POST.value
- D. \$\_GET['value']

 **Answer: A**

**24. Which superglobal is used to retrieve form data sent using the GET method?**

- A. \$\_DATA
- B. \$\_REQUEST
- C. \$\_GET
- D. \$\_FORM

 **Answer: C**

**25. Which method is more secure for submitting sensitive form data?**

- A. GET
- B. POST
- C. PUT
- D. SESSION

✓ Answer: B

**26. What does htmlspecialchars() function do?**

- A. Encrypts data
- B. Converts special characters to HTML entities
- C. Sends data to database
- D. Validates form fields

✓ Answer: B

**27. What does the action attribute in a <form> tag define?**

- A. Style of form
- B. How data is processed
- C. The file or URL to send form data to
- D. Type of validation

✓ Answer: C

**28. What will \$\_REQUEST contain?**

- A. Only POST values
- B. Only GET values
- C. Only COOKIE values
- D. GET, POST, and COOKIE values

✓ Answer: D

**29. Which PHP global variable is used to collect data sent via HTTP forms?**

- A. \$\_FORM
- B. \$\_SUBMIT
- C. \$\_POST and \$\_GET
- D. \$\_DATA

✓ Answer: C

**30. What method is used to send data that is visible in the URL?**

- A. POST
- B. COOKIE
- C. GET
- D. REQUEST

✓ Answer: C

**31. How do you prevent Cross-site Scripting (XSS) when displaying form input?**

- A. Using addslashes()
- B. Using htmlspecialchars()
- C. Using encrypt()

D. Using strip\_tags() only

✓ Answer: B

**32. What is the default form method if none is specified?**

A. POST

B. GET

C. REQUEST

D. SESSION

✓ Answer: B

**33. What is the purpose of method="post" in an HTML form?**

A. Encrypts form data

B. Appends data to URL

C. Sends data as HTTP request body

D. Validates form automatically

✓ Answer: C

**34. how do you check if a form was submitted?**

A. isset(\$\_POST)

B. \$\_SERVER['REQUEST\_METHOD'] == 'POST'

C. \$\_REQUEST['submit']

D. \$\_FORM['submitted']

✓ Answer: B

**35. Which PHP function is best for removing leading and trailing whitespaces from input?**

A. strip\_tags()

B. htmlspecialchars()

C. trim()

D. sanitize()

✓ Answer: C

**36. Which tag attribute determines the HTTP method used when submitting a form?**

A. method

B. action

C. type

D. target

✓ Answer: A

**37. When using method="get", where can the form data be seen?**

A. In HTTP headers

B. In browser console

C. In the URL

D. It is hidden

✓ Answer: C

**38. What is the major downside of using GET for form submissions?**

- A. Slower performance
- B. Cannot be used with forms
- C. Limited to URL length and less secure
- D. Works only in Chrome

✓ Answer: C

**39. hat PHP global can retrieve cookie values?**

- A. \$\_COOKIE
- B. \$\_REQUEST
- C. \$\_POST
- D. \$\_SESSION

✓ Answer: A

**40. Which method should be used when sending file uploads?**

- A. GET
- B. POST with enctype="multipart/form-data"
- C. POST with enctype="text/plain"
- D. GET with enctype="application/json"

✓ Answer: B

**41. Which function is used to set a cookie in PHP?**

- A. create\_cookie()
- B. set\_cookie()
- C. setcookie()
- D. make\_cookie()

✓ Answer: C

**42. Which function is used to start a session in PHP?**

- A. start\_session()
- B. session\_start()
- C. begin\_session()
- D. create\_session()

✓ Answer: B

**43. Where are cookies stored?**

- A. On the server
- B. In PHP memory
- C. On the client (browser)
- D. In a PHP file

✓ Answer: C

**44. Which superglobal is used to access session variables in PHP?**

- A. \$\_SESSION
- B. \$\_COOKIE
- C. \$\_POST

D. \$\_GET

✓ Answer: A

**45. Which of the following is true about sessions?**

- A. They are stored on the client-side
- B. They are lost when the browser is closed
- C. They persist until manually destroyed or expired
- D. They cannot store arrays

✓ Answer: C

**46. How do you delete a cookie in PHP?**

- A. unset(\$\_COOKIE['name'])
- B. setcookie("name", "", time() - 3600);
- C. remove\_cookie('name')
- D. delete\_cookie('name')

✓ Answer: B

**47. What must be called before any HTML output when using sessions?**

- A. session\_destroy()
- B. session\_create()
- C. session\_start()
- D. session\_header()

✓ Answer: C

**48. Which superglobal is used to access cookie data?**

- A. \$\_COOKIE
- B. \$\_SESSION
- C. \$\_REQUEST
- D. \$\_DATA

✓ Answer: A

**49. What happens when session\_destroy() is called?**

- A. The session ends, and all data is cleared
- B. Session cookie is set to false
- C. Data remains available until logout
- D. PHP stops executing

✓ Answer: A

**50. Which of the following is a correct way to set a session variable?**

- A. session['user'] = "John";
- B. \$\_SESSION["user"] = "John";
- C. session\_start("user", "John");
- D. session::set("user", "John");

✓ Answer: B



**51.What is the purpose of the try block in PHP?**

- A. It prevents errors from occurring
- B. It handles errors
- C. It defines code that may throw an exception
- D. It logs all errors

✓ Answer: C

**51.Which PHP keyword is used to handle exceptions that are thrown?**

- A. try
- B. throw
- C. error
- D. catch

✓ Answer: D

**52.What type of object is thrown using the throw keyword?**

- A. String
- B. Array
- C. Exception object
- D. Function

✓ Answer: C

**53.What function is used to handle exceptions globally in PHP?**

- A. handle\_exceptions()
- B. set\_exception\_handler()
- C. global\_exception()
- D. register\_exception()

✓ Answer: B

**54.Which method in the Exception class returns the exception message?**

- A. message()
- B. getText()
- C. getMessage()
- D. getDetails()

✓ Answer: C

**55.What will getCode() return when called on an Exception object?**

- A. PHP error number
- B. File name
- C. Custom error code passed when exception was created
- D. HTTP status code

✓ Answer: C

**56.Which PHP error cannot be caught using a try-catch block (before PHP 7)?**

- A. Warning
- B. Exception
- C. Notice
- D. Fatal error

✓ Answer: D

**57.What is the role of the finally block in PHP?**

- A. It skips error handling
- B. It runs only when there's no error
- C. It runs always, after try and catch
- D. It stops the script

✓ Answer: C

**58.What base interface was introduced in PHP 7 to allow catching both Exception and Error?**

- A. BaseThrowable
- B. Throwable
- C. Catchable
- D. ErrorException

✓ Answer: B

**59.What does set\_error\_handler() allow you to do?**

- A. Handle thrown exceptions
- B. Ignore warnings
- C. Define custom function to handle runtime errors
- D. Stop errors from being displayed

✓ Answer: C

**60.Which PHP function is used to remove unnecessary characters like extra space, tab, or newline from input data?**

- A. strip\_tags()
- B. trim()
- C. htmlspecialchars()
- D. stripslashes()

✓ Answer: B

**61.Which of the following statements about the GET method is true?**

- A. Data is sent in the body of the request
- B. GET can send large amounts of data securely
- C. Data is visible in the URL
- D. GET is used to upload files


✓ Answer: C

**62.Which superglobal in PHP is used to collect form data sent with the POST method?**

- A. \$\_GET
- B. \$\_POST

C. \$\_REQUEST

D. \$\_FORM

 **Answer:** B