ENVIRO
SMART
HAVELLS



Line thickness
0.5pt

Line color hex
R0 G147 B203

Button color hex
R75 G159 B49

●●●○○ BELL
4:21 PM
22%
ENVIRO
BATTERY STATUS
Voltage =10.3V
Current =0.2A
Charging/Discharging
20%
SOLAR PANEL STATUS
Voltage =10.3V
Current =0.2A
Current Status
340W
LAMP CONTROL
Voltage =10.3V
Current =0.2A
HAVELLS


●●●○○ BELL
4:21 PM
22%
BATTERY STATUS
BATTERY VOLTAGE
Voltage =10.3V
Current =0.2A
BATTERY CAPACITY
43 Wh
CHARGING/
DISCHARGING STATUS
BATTERY % STATUS
60%
HAVELLS


●●●○○ BELL
4:21 PM
22%
SOLAR PANEL STATUS
SOLAR POWER
Voltage : 10.3V
Current : 0.2A
July 16, 2016 18:50:30
25kWh
20kWh
15kWh
10kWh
5kWh
0kWh
EFFICIENCY
10Wh/kW
8kWh/kW
6kWh/kW
4kWh/kW
2kWh/kW
0kWh/kW
EFFICIENCY
03/02
04/02
05/02
06/02
07/02
09/02
10/02
11/02
12/02
13/02
14/02
HAVELLS


●●●○○ BELL
4:21 PM
22%
LAMPS
Lamp 1
Lamp 2
Lamp 3
Lamp 4
Lamp 5
SEARCHING...
HAVELLS


●●●○○ BELL
4:21 PM
22%
LAMP CONTROL
LAMP NAME:
LAMP GEO LOCATION:
MAP
OFF
0%
10%
20%
30%
40%
50%
60%
70%
80%
90%
100%
LUMINAIRE POWER
40W
TIMER
01:44
OFF
LAMP ON/OFF
HAVELLS


●●●○○ BELL
4:21 PM
22%
Cancel
TIMER
Set Timer
1 HOUR
30 MINS
2 HOURS
00 MINS
3 HOURS
25 MINS
LIGHT DIMMING
10%
20%
30%
Lights after switched ON will be dimmed 40% after 02 hours
HAVELLS