

Git Assignment-5

Git Merge & Rebase:

Merge:

```
MINGW64~/c/Users/muday/merge-repo
muday@Uday MINGW64 ~
$ git clone https://github.com/saranyamurugan1206/merge-repo.git
Cloning into 'merge-repo'...
warning: You appear to have cloned an empty repository.

muday@Uday MINGW64 ~
$ cd merge-repo

muday@Uday MINGW64 ~/merge-repo (main)
$ echo "This is first file" > a.txt

muday@Uday MINGW64 ~/merge-repo (main)
$ git add .
warning: in the working copy of 'a.txt', LF will be replaced by CRLF the next time Git touches it

muday@Uday MINGW64 ~/merge-repo (main)
$ git commit -m "this commit a"
[main (root-commit) 1b4130f] this commit a
1 file changed, 1 insertion(+)
create mode 100644 a.txt

muday@Uday MINGW64 ~/merge-repo (main)
$ git push origin main
Enumerating objects: 3, done.
Counting objects: 100% (3/3), done.
Writing objects: 100% (3/3), 224 bytes | 224.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/saranyamurugan1206/merge-repo.git
 * [new branch]      main -> main

muday@Uday MINGW64 ~/merge-repo (main)
$ ls
a.txt

muday@Uday MINGW64 ~/merge-repo (main)
$ echo "This is second file" > b.txt

muday@Uday MINGW64 ~/merge-repo (main)
$ git add .
warning: in the working copy of 'b.txt', LF will be replaced by CRLF the next time Git touches it

muday@Uday MINGW64 ~/merge-repo (main)
$ ls
a.txt b.txt

muday@Uday MINGW64 ~/merge-repo (main)
$ git commit -m "this commit b"
[main f3ad53e] this commit b
1 file changed, 1 insertion(+)
create mode 100644 b.txt

muday@Uday MINGW64 ~/merge-repo (main)
```

```

MINGW64:/c/Users/muday/merge-repo
muday@Uday MINGW64 ~/merge-repo (main)
$ git push origin main
Enumerating objects: 4, done.
Counting objects: 100% (4/4), done.
Delta compression using up to 16 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (3/3), 282 bytes | 282.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/saranyamurugan1206/merge-repo.git
  1b4130f..f3ad53e  main -> main

muday@Uday MINGW64 ~/merge-repo (main)
$ git log --oneline
git: 'log--oneline' is not a git command. See 'git --help'.

muday@Uday MINGW64 ~/merge-repo (main)
$ git log --oneline
f3ad53e (HEAD -> main, origin/main) this commit b
1b4130f this commit a

muday@Uday MINGW64 ~/merge-repo (main)
$ git branch feature-merge

muday@Uday MINGW64 ~/merge-repo (main)
$ git switch feature-merge
Switched to branch 'feature-merge'

muday@Uday MINGW64 ~/merge-repo (feature-merge)
$ echo "This is third file in feature branch" > c.txt

muday@Uday MINGW64 ~/merge-repo (feature-merge)
$ git add .
warning: in the working copy of 'c.txt', LF will be replaced by CRLF the next time Git touches it

muday@Uday MINGW64 ~/merge-repo (feature-merge)
$ git commit -m "this commit c"
[feature-merge aab2d4d] this commit c
1 file changed, 1 insertion(+)
create mode 100644 c.txt

muday@Uday MINGW64 ~/merge-repo (feature-merge)
$ git push origin main
Everything up-to-date

muday@Uday MINGW64 ~/merge-repo (feature-merge)
$ git push origin feature-merge
Enumerating objects: 4, done.
Counting objects: 100% (4/4), done.
Delta compression using up to 16 threads

```

```

MINGW64:/c/Users/muday/merge-repo
muday@Uday MINGW64 ~/merge-repo (feature-merge)
$ echo "This is fourth file in feature branch" > d.txt

muday@Uday MINGW64 ~/merge-repo (feature-merge)
$ git add .
warning: in the working copy of 'd.txt', LF will be replaced by CRLF the next time Git touches it

muday@Uday MINGW64 ~/merge-repo (feature-merge)
$ git commit -m "this commit d"
[feature-merge f187a01] this commit d
1 file changed, 1 insertion(+)
create mode 100644 d.txt

muday@Uday MINGW64 ~/merge-repo (feature-merge)
$ git push origin feature-merge
Enumerating objects: 4, done.
Counting objects: 100% (4/4), done.
Delta compression using up to 16 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (3/3), 298 bytes | 298.00 KiB/s, done.
Total 3 (delta 1), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (1/1), completed with 1 local object.
To https://github.com/saranyamurugan1206/merge-repo.git
  aab2d4d..f187a01  feature-merge -> feature-merge

muday@Uday MINGW64 ~/merge-repo (feature-merge)
$ git log --oneline
f187a01 (HEAD -> feature-merge, origin/feature-merge) this commit d
aab2d4d this commit c
f3ad53e (origin/main, main) this commit b
1b4130f this commit a

muday@Uday MINGW64 ~/merge-repo (feature-merge)
$ git switch main
Switched to branch 'main'
Your branch is up to date with 'origin/main'.

muday@Uday MINGW64 ~/merge-repo (main)
$ ls
a.txt b.txt

muday@Uday MINGW64 ~/merge-repo (main)
$ echo "This is 5th file in main" > e.txt

muday@Uday MINGW64 ~/merge-repo (main)
$ git add .
warning: in the working copy of 'e.txt', LF will be replaced by CRLF the next time Git touches it

muday@Uday MINGW64 ~/merge-repo (main)
$ git commit -m "this commit e"
[main 51e7b02] this commit e
1 file changed, 1 insertion(+)

```

```

MINGW64/c/Users/muday/merge-repo
muday@Uday MINGW64 ~/merge-repo (main)
$ git push origin main
Enumerating objects: 4, done.
Counting objects: 100% (4/4), done.
Delta compression using up to 16 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (3/3), 312 bytes | 312.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/saranyamurugan1206/merge-repo.git
   f3ad53e..51e7b02  main -> main

muday@Uday MINGW64 ~/merge-repo (main)
$ ls
a.txt  b.txt  e.txt

muday@Uday MINGW64 ~/merge-repo (main)
$ echo "This is 6th file in main" > f.txt

muday@Uday MINGW64 ~/merge-repo (main)
$ git commit -m "this commit f"
On branch main
Your branch is up to date with 'origin/main'.

Untracked files:
  (use "git add <file>..." to include in what will be committed)
       f.txt

nothing added to commit but untracked files present (use "git add" to track)

muday@Uday MINGW64 ~/merge-repo (main)
$ git add .
warning: in the working copy of 'f.txt', LF will be replaced by CRLF the next time Git touches it

muday@Uday MINGW64 ~/merge-repo (main)
$ git commit -m "this commit f"
[main 3c10a15] this commit f
 1 file changed, 1 insertion(+)
 create mode 100644 f.txt

muday@Uday MINGW64 ~/merge-repo (main)
$ git push origin main

```

```

Merge made by the 'ort' strategy.
 e.txt | 1 +
 f.txt | 1 +
 2 files changed, 2 insertions(+)
 create mode 100644 e.txt
 create mode 100644 f.txt

muday@Uday MINGW64 ~/merge-repo (feature-merge)
$ git push origin feature-merge
Enumerating objects: 4, done.
Counting objects: 100% (4/4), done.
Delta compression using up to 16 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (2/2), 344 bytes | 344.00 KiB/s, done.
Total 2 (delta 1), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (1/1), completed with 1 local object.
To https://github.com/saranyamurugan1206/merge-repo.git
   f187a01..16bf47e  feature-merge -> feature-merge

muday@Uday MINGW64 ~/merge-repo (feature-merge)
$ git log --oneline
16bf47e (HEAD -> feature-merge, origin/feature-merge) Merge branch 'main' into feature-merge main branch changes merged into feature-merge branch
3c10a15 (origin/main, main) this commit f
51e7b02 this commit e
f187a01 this commit d
aab2d4d this commit c
f3ad53e this commit b
1b4130f this commit a

muday@Uday MINGW64 ~/merge-repo (feature-merge)
$

```

merge-repo

Public

Pin

Watch 0

Fork 0

feature-merge had recent pushes 6 minutes ago

Compare & pull request

main

2 Branches

0 Tags

Go to file

Add file

Code

Saranya

this commit f

3c10a15 · 11 minutes ago

4 Commits

a.txt

this commit a

29 minutes ago

b.txt

this commit b

28 minutes ago

e.txt

this commit e

14 minutes ago

f.txt

this commit f

11 minutes ago

README

Add a README

Help people interested in this repository understand your project.

About

No description, website provided.

Activity

0 stars

0 watching

0 forks

Releases

No releases published

Create a new release

Packages

No packages published

Publish your first package

Contributors

No contributors

merge-repo

Public

Pin

Watch 0

Fork 0

feature-merge had recent pushes 7 minutes ago

Compare & pull request

feature-merge

2 Branches

0 Tags

Go to file

Add file

Code

This branch is 3 commits ahead of main.

Contribute

Saranya

Merge branch 'main' into feature-merge

16b47e · 10 minutes ago

7 Commits

a.txt

this commit a

30 minutes ago

b.txt

this commit b

29 minutes ago

c.txt

this commit c

22 minutes ago

d.txt

this commit d

20 minutes ago

e.txt

this commit e

15 minutes ago

f.txt

this commit f

12 minutes ago

README

About

No description, website provided.

Activity

0 stars

0 watching

0 forks

Releases

No releases published

Create a new release

Packages

No packages published

Publish your first package

Contributors

No contributors

Git-Rebase:

```
muday@Uday MINGW64 ~/Saranya (master)
$ git clone https://github.com/saranyamurugan1206/rebase-repo.git
Cloning into 'rebase-repo'...
warning: You appear to have cloned an empty repository.

muday@Uday MINGW64 ~/Saranya (master)
$ touch A.txt

muday@Uday MINGW64 ~/Saranya (master)
$ touch B.txt

muday@Uday MINGW64 ~/Saranya (master)
$ ls
A.txt  B.txt  rebase-repo/

muday@Uday MINGW64 ~/Saranya (master)
$ git add -a
```

```
MINGW64:/c/Users/muday/Saranya/rebase-repo
muday@Uday MINGW64 ~/Saranya/rebase-repo (feature-rebase)
$ git branch
* feature-rebase
  main

muday@Uday MINGW64 ~/Saranya/rebase-repo (feature-rebase)
$ ls
A.txt  B.txt

muday@Uday MINGW64 ~/Saranya/rebase-repo (feature-rebase)
$ touch C.txt D.txt

muday@Uday MINGW64 ~/Saranya/rebase-repo (feature-rebase)
$ ls
A.txt  B.txt  C.txt  D.txt

muday@Uday MINGW64 ~/Saranya/rebase-repo (feature-rebase)
$ git status
On branch feature-rebase
Untracked files:
  (use "git add <file>..." to include in what will be committed)
        C.txt
        D.txt

nothing added to commit but untracked files present (use "git add" to track)

muday@Uday MINGW64 ~/Saranya/rebase-repo (feature-rebase)
$ git add -A

muday@Uday MINGW64 ~/Saranya/rebase-repo (feature-rebase)
$ git commit -m"new C and D text files added"
[feature-rebase a6cf968] new C and D text files added
 2 files changed, 0 insertions(+), 0 deletions(-)
 create mode 100644 C.txt
 create mode 100644 D.txt

muday@Uday MINGW64 ~/Saranya/rebase-repo (feature-rebase)
$ git push
fatal: The current branch feature-rebase has no upstream branch.
To push the current branch and set the remote as upstream, use

    git push --set-upstream origin feature-rebase

To have this happen automatically for branches without a tracking
upstream, see 'push.autoSetupRemote' in 'git help config'.

muday@Uday MINGW64 ~/Saranya/rebase-repo (feature-rebase)
$ git push origin feature-rebase
fatal: 'origin' does not appear to be a git repository
fatal: Could not read from remote repository.

Please make sure you have the correct access rights
and the repository exists.

muday@Uday MINGW64 ~/Saranya/rebase-repo (feature-rebase)
$ git push origin feature-rebase
Enumerating objects: 3, done.
```

MINGW64:/c/Users/muday/Saranya/rebase-repo

```
muday@Uday MINGW64 ~/Saranya (master)
$ git add .
error: 'Saranya/rebase-repo/' does not have a commit checked out
error: unable to index file 'Saranya/rebase-repo/'
fatal: adding files failed

muday@Uday MINGW64 ~/Saranya (master)
$ cd rebase-repo

muday@Uday MINGW64 ~/Saranya/rebase-repo (main)
$ ls
A.txt B.txt

muday@Uday MINGW64 ~/Saranya/rebase-repo (main)
$ git status
On branch main

No commits yet

Untracked files:
  (use "git add <file>..." to include in what will be committed)
    A.txt
    B.txt

nothing added to commit but untracked files present (use "git add" to track)

muday@Uday MINGW64 ~/Saranya/rebase-repo (main)
$ git add -A

muday@Uday MINGW64 ~/Saranya/rebase-repo (main)
$ git commit -m"added the files"
[main (root-commit) 01b7310] added the files
 2 files changed, 0 insertions(+), 0 deletions(-)
 create mode 100644 A.txt
 create mode 100644 B.txt

muday@Uday MINGW64 ~/Saranya/rebase-repo (main)
$ git push
Enumerating objects: 3, done.
Counting objects: 100% (3/3), done.
Delta compression using up to 16 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (3/3), 216 bytes | 216.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/saranyamurugan1206/rebase-repo.git
 * [new branch]      main -> main

muday@Uday MINGW64 ~/Saranya/rebase-repo (main)
$ git branch feature-rebase

muday@Uday MINGW64 ~/Saranya/rebase-repo (main)
$ git switch feature-rebase
Switched to branch 'feature-rebase'

muday@Uday MINGW64 ~/Saranya/rebase-repo (feature-rebase)
$ git branch
* feature-rebase
```

MINGW64:/c/Users/muday/Saranya/rebase-repo

```
muday@Uday MINGW64 ~/Saranya/rebase-repo (feature-rebase)
$ git switch main
Switched to branch 'main'
Your branch is up to date with 'origin/main'.

muday@Uday MINGW64 ~/Saranya/rebase-repo (main)
$ touch E.txt F.txt

muday@Uday MINGW64 ~/Saranya/rebase-repo (main)
$ ls
A.txt B.txt E.txt F.txt

muday@Uday MINGW64 ~/Saranya/rebase-repo (main)
$ git status
On branch main
Your branch is up to date with 'origin/main'.

Untracked files:
  (use "git add <file>..." to include in what will be committed)
    E.txt
    F.txt

nothing added to commit but untracked files present (use "git add" to track)

muday@Uday MINGW64 ~/Saranya/rebase-repo (main)
$ git add .

muday@Uday MINGW64 ~/Saranya/rebase-repo (main)
$ git commit -m"Added the E and F text files"
[main 7cbcb8] Added the E and F text files
 2 files changed, 0 insertions(+), 0 deletions(-)
 create mode 100644 E.txt
 create mode 100644 F.txt

muday@Uday MINGW64 ~/Saranya/rebase-repo (main)
$ git push
Enumerating objects: 3, done.
Counting objects: 100% (3/3), done.
Delta compression using up to 16 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (2/2), 254 bytes | 254.00 KiB/s, done.
Total 2 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/saranyamurugan1206/rebase-repo.git
 01b7310..7cbcb8  main -> main

muday@Uday MINGW64 ~/Saranya/rebase-repo (main)
$ git log --oneline
7cbcb8 (HEAD -> main, origin/main) Added the E and F text files
01b7310 added the files

muday@Uday MINGW64 ~/Saranya/rebase-repo (main)
$ git switch feature-rebase
Switched to branch 'feature-rebase'

muday@Uday MINGW64 ~/Saranya/rebase-repo (feature-rebase)
$ git status
On branch feature-rebase
```

```

MINGW64:/c/Users/muday/Saranya/rebase-repo
muday@Uday MINGW64 ~/Saranya/rebase-repo (main)
$ git switch feature-rebase
Switched to branch 'feature-rebase'

muday@Uday MINGW64 ~/Saranya/rebase-repo (feature-rebase)
$ git status
On branch feature-rebase
nothing to commit, working tree clean

muday@Uday MINGW64 ~/Saranya/rebase-repo (feature-rebase)
$ ls
A.txt B.txt C.txt D.txt

muday@Uday MINGW64 ~/Saranya/rebase-repo (feature-rebase)
$ git rebase main
Successfully rebased and updated refs/heads/feature-rebase.

muday@Uday MINGW64 ~/Saranya/rebase-repo (feature-rebase)
$ ls
A.txt B.txt C.txt D.txt E.txt F.txt

muday@Uday MINGW64 ~/Saranya/rebase-repo (feature-rebase)
$ git status
On branch feature-rebase
nothing to commit, working tree clean

muday@Uday MINGW64 ~/Saranya/rebase-repo (feature-rebase)
$ git push
fatal: The current branch feature-rebase has no upstream branch.
To push the current branch and set the remote as upstream, use

    git push --set-upstream origin feature-rebase

To have this happen automatically for branches without a tracking
upstream, see 'push.autoSetupRemote' in 'git help config'.

muday@Uday MINGW64 ~/Saranya/rebase-repo (feature-rebase)
$ git push origin feature-rebase
To https://github.com/saranyamurugan1206/rebase-repo.git
 ! [rejected]        feature-rebase -> feature-rebase (non-fast-forward)
error: failed to push some refs to 'https://github.com/saranyamurugan1206/rebase-repo.git'
hint: Updates were rejected because the tip of your current branch is behind
hint: its remote counterpart. If you want to integrate the remote changes,
hint: use 'git pull' before pushing again.
hint: See the 'Note about fast-forwards' in 'git push --help' for details.

muday@Uday MINGW64 ~/Saranya/rebase-repo (feature-rebase)
$ git push origin feature-rebase force
error: src refspec force does not match any
error: failed to push some refs to 'https://github.com/saranyamurugan1206/rebase-repo.git'

muday@Uday MINGW64 ~/Saranya/rebase-repo (feature-rebase)
$ git push --force origin feature-rebase
Enumerating objects: 3, done.
Counting objects: 100% (3/3), done.
Delta compression using up to 16 threads
Compressing objects: 100% (2/2), done.

```

saranyamurugan1206

rebase-repo

Public

<>

Issues

Pull requests

Actions

Projects

Wiki

Security and quality

Insights

Settings

Pin

Watch 0

Fork 0

Star 0

feature-rebase had recent pushes 52 minutes ago

Compare & pull request

main

2 Branches

0 Tags

Go to file

Add file

Code

Saranya

Added the E and F text files

7cbcb8 · 1 hour ago

2 Commits

A.txt	added the files	1 hour ago
B.txt	added the files	1 hour ago
E.txt	Added the E and F text files	1 hour ago
F.txt	Added the E and F text files	1 hour ago

README

Add a README

Help people interested in this repository understand your project.

About

No description, website, or topics provided.

Activity

0 stars

0 watching

0 forks

Releases

No releases published

Create a new release

Packages

No packages published

Publish your first package

Contributors

No contributors