

```
MSUSERSL123@DESKTOP-8SCBUTO MINGW64 /c/users/MSUSERSL123 (master)
$ mkdir git-demo
```

```
MSUSERSL123@DESKTOP-8SCBUTO MINGW64 /c/users/MSUSERSL123 (master)
$ cd git demo
bash: cd: too many arguments
```

```
MSUSERSL123@DESKTOP-8SCBUTO MINGW64 /c/users/MSUSERSL123 (master)
$ cd git_demo
bash: cd: git_demo: No such file or directory
```

```
MSUSERSL123@DESKTOP-8SCBUTO MINGW64 /c/users/MSUSERSL123 (master)
$ cd git-demo
```

```
MSUSERSL123@DESKTOP-8SCBUTO MINGW64 /c/users/MSUSERSL123/git-demo (master)
$ echo "Hello this is version 1"> demo.py
```

```
MSUSERSL123@DESKTOP-8SCBUTO MINGW64 /c/users/MSUSERSL123/git-demo (master)
$ cat demo.py
Hello this is version 1
```

```
MSUSERSL123@DESKTOP-8SCBUTO MINGW64 /c/users/MSUSERSL123/git-demo (master)
$ git config --global user.name "Deekshith"
```

```
MSUSERSL123@DESKTOP-8SCBUTO MINGW64 /c/users/MSUSERSL123/git-demo (master)
$ git config --global user.email "itsdeekshithka@gmail.com"
```

```
MSUSERSL123@DESKTOP-8SCBUTO MINGW64 /c/users/MSUSERSL123/git-demo (master)
$ git config --list
diff.astextplain.textconv=astextplain
filter.lfs.clean=git-lfs clean -- %f
filter.lfs.smudge=git-lfs smudge -- %f
filter.lfs.process=git-lfs filter-process
filter.lfs.required=true
http.sslbackend=schannel
core.autocrlf=true
core.fscache=true
core.symlinks=false
pull.rebase=false
credential.helper=manager
credential.https://dev.azure.com.usehttppath=true
init.defaultbranch=master
user.name=Deekshith
user.mail=itsdeekshithka@gmail.com
user.email=itsdeekshithka@gmail.com
core.repositoryformatversion=0
core.filemode=false
core.bare=false
core.logallrefupdates=true
core.symlinks=false
core.ignorecase=true
```

MINGW64:/c/users/MSUSERSL123/git-demo

MSUSERSL123@DESKTOP-8SCBUTO MINGW64 /c/users/MSUSERSL123/git-demo (master)

```
$ git init
Initialized empty Git repository in C:/Users/MSUSERSL123/git-demo/.git/
```

MSUSERSL123@DESKTOP-8SCBUTO MINGW64 /c/users/MSUSERSL123/git-demo (master)

```
$ ls -la
total 25
drwxr-xr-x 1 MSUSERSL123 197121  0 Jun 30 14:35 ./
drwxr-xr-x 1 MSUSERSL123 197121  0 Jun 30 14:34 ../
drwxr-xr-x 1 MSUSERSL123 197121  0 Jun 30 14:35 .git/
-rw-r--r-- 1 MSUSERSL123 197121 24 Jun 30 14:33 demo.py
```

MSUSERSL123@DESKTOP-8SCBUTO MINGW64 /c/users/MSUSERSL123/git-demo (master)

```
$ git add demo.py
warning: in the working copy of 'demo.py', LF will be replaced by CRLF the next time Git touches it
```

MSUSERSL123@DESKTOP-8SCBUTO MINGW64 /c/users/MSUSERSL123/git-demo (master)

```
$ git status
On branch master
```

No commits yet

```
Changes to be committed:
  (use "git rm --cached <file>..." to unstage)
        new file:   demo.py
```

MSUSERSL123@DESKTOP-8SCBUTO MINGW64 /c/users/MSUSERSL123/git-demo (master)

```
$ git commit -m "this is my first file"
[master (root-commit) 49e5423] this is my first file
1 file changed, 1 insertion(+)
create mode 100644 demo.py
```

MSUSERSL123@DESKTOP-8SCBUTO MINGW64 /c/users/MSUSERSL123/git-demo (master)

```
$ vim demo.py
```

MSUSERSL123@DESKTOP-8SCBUTO MINGW64 /c/users/MSUSERSL123/git-demo (master)

```
$ cat demo.py
```

```
Hello this is version 1
This is version 2
Hey Hi
```

MSUSERSL123@DESKTOP-8SCBUTO MINGW64 /c/users/MSUSERSL123/git-demo (master)

```
$ git add demo.py
warning: in the working copy of 'demo.py', LF will be replaced by CRLF the next time Git touches it
```

MSUSERSL123@DESKTOP-8SCBUTO MINGW64 /c/users/MSUSERSL123/git-demo (master)

```
$ git status
On branch master
Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
```

 MINGW64:/c/users/MSUSERSL123/git-demo

```
MSUSERSL123@DESKTOP-8SCBUTO MINGW64 /c/users/MSUSERSL123/git-demo (master)
$ git commit -m "this is my first file version 2"
[master f928412] this is my first file version 2
1 file changed, 3 insertions(+)
```

```
MSUSERSL123@DESKTOP-8SCBUTO MINGW64 /c/users/MSUSERSL123/git-demo (master)
$ git log --oneline
f928412 (HEAD -> master) this is my first file version 2
49e5423 this is my first file
```

```
MSUSERSL123@DESKTOP-8SCBUTO MINGW64 /c/users/MSUSERSL123/git-demo (master)
$ git checkout 49e5423
Note: switching to '49e5423'.
```

You are in 'detached HEAD' state. You can look around, make experimental changes and commit them, and you can discard any commits you make in this state without impacting any branches by switching back to a branch.

If you want to create a new branch to retain commits you create, you may do so (now or later) by using `-c` with the switch command. Example:

```
git switch -c <new-branch-name>
```

Or undo this operation with:

```
git switch -
```

Turn off this advice by setting config variable `advice.detachedHead` to `false`

HEAD is now at 49e5423 this is my first file

```
MSUSERSL123@DESKTOP-8SCBUTO MINGW64 /c/users/MSUSERSL123/git-demo ((49e5423...))
$ cat demo.py
Hello this is version 1
```

```
MSUSERSL123@DESKTOP-8SCBUTO MINGW64 /c/users/MSUSERSL123/git-demo ((49e5423...))
$ cat checkout f928412
cat: checkout: No such file or directory
cat: f928412: No such file or directory
```

```
MSUSERSL123@DESKTOP-8SCBUTO MINGW64 /c/users/MSUSERSL123/git-demo ((49e5423...))
$ git checkout f928412
Previous HEAD position was 49e5423 this is my first file
HEAD is now at f928412 this is my first file version 2
```

```
MSUSERSL123@DESKTOP-8SCBUTO MINGW64 /c/users/MSUSERSL123/git-demo ((f928412...))
$ cat demo.py

Hello this is version 1
This is version 2
Hey Hi
```