

TorqCapture — Full Run Plan

2026-09-06. The end-to-end operational plan for a standalone TorqCapture day: pre-event → event day → post-event, people + content included — the founder's single "look at it in a full manner" doc. The game design lives in [[TorqCapture — Rulebook]] (5 modes, the count→hold→flip→contest mechanic), the scoring build + prototype gate in [[TorqCapture — Zone-Capture Tech]], every price + quantity in [[TorqCapture — What The Event Needs]] (the operative BOM — **re-check it before spending; the costs stream revises it**), the shared base in [[TorqFall — What The Event Needs]] + [[Event Ops Standards (all games)]]. Locked frame: standalone TorqCapture day, 3000 sq ft Mumbai hall, 100–300 people, 12–16 RENTED cars split into two coloured teams, strap-on-only tags (nothing bolted), DIY kit, ₹4L all-in envelope; assumes TorqFall event #1 has run (turf, barrier, ops kit, content rig, branding already owned). Permits/venue-timeline out of scope — this plan starts at "venue + date exist."

THE GATE (before this clock starts): the [[TorqCapture — Zone-Capture Tech]] **bench test** must have a **PASS** — one reader tech (expected: the CV overhead cam) that gives a **correct per-team count with clean confinement at the ring edge, counts 2–3 overlapping cars per team, live under shoving, sub-second lag, no cross-zone bleed** — AND, because CV is scoring the default 3-zone mode, **the bench test's full-span coverage trial (Tech doc trial 6) must confirm ONE camera resolves markers AND confines across the full ~14.5 m 3-ring Domination footprint at a truss height the real hall can give**, not just on one ring. This full-span check is a **pre-spend PASS gate**: it is run at the bench **before the T-13 camera buy**, precisely because the single-camera-vs-Domination question is CV's biggest feasibility risk and would otherwise only surface at the post-spend T-3 rehearsal. (The math the trial is checking: a ~70–78° FOV C920-class cam needs ~9–10 m truss to span 14.5 m, and a ~10 cm ArUco reads reliably only to ~3 m at 1080p while the far ring sits ~11 m slant — Tech doc, Option C cons.) This is TorqCapture's analog of TorqSiege's collapse test — the game is only as good as the reader that scores it. No PASS, no full electronics spend.

A **CONDITIONAL** pass is buildable — bake the constraint into the arena spec + this plan — but two conditionals have real knock-ons this plan carries explicitly, not hand-waves:

- **CV can't span Domination on one cam.** If the full-span trial fails at achievable truss height, the branch is decided **before** the buy: (a) buy a **second stitched camera** (+₹5,150–8,500, each covers ~half the span at a marker-resolving height — a materially different OpenCV build the Tech doc flags; carried as a costed contingency in [[TorqCapture — What The Event Needs]] §2), OR (b) run **Domination on fewer/bigger rings or marshal-scored** while single-zone modes (Hill/Hotzone) stay single-cam CV. Do NOT let this ride to T-3.
- **UHF fallback needs zones ≥ 6 m apart.** That spacing forces the **wide (~1,430 sq ft) Domination layout, which OVERRUNS the owned 1,000–1,200 sq ft turf roll** — the tight-lay (~1,010 sq ft) option that fits the roll is a CV-only escape, unavailable under UHF (§2 setup + [[TorqCapture — What The Event Needs]] §4). So a UHF Domination day needs either an **added turf buy** (~₹3–8k, carried in the needs-doc contingency) or a **reduced-ring Domination** (2 zones, or the 3 rings partly on bare concrete with the ≥ 2.5 m crowd standoff re-checked so the wider footprint doesn't eat the spectator gap). Bake whichever into the arena spec at the bench test, not the day.

A **FAIL** (neither CV nor UHF holds a boundary + count under a pile-up) means the electronic build waits and the day runs **marshal-scored** — bigger/fewer zones, a human calling majority; slower, less content, but the game still runs. **The marshal-scoring fallback is the safety net referenced throughout this plan** — if the tech drops on the day, scoring reverts to the marshal instantly and the playlist never stops.

1. PRE-EVENT (T-14 → T-1)

When	Move	Detail	Owner
Bench-PASS (before T-14)	Lock the tech + freeze the tunables — the long pole	The gate precedes this clock. The day the bench test passes, lock the winning tech (CV primary / UHF fallback), and freeze the ring size (1.5 vs 2 m), the hold-timer (~5 s), and whether a raised foam lip helps ([[TorqCapture — Zone-Capture Tech]] "What to tune"). Everything downstream — marker print, OpenCV mode presets, LED ring lengths — waits on these frozen numbers. If the test came back CONDITIONAL, the constraint (cam height / zone spacing) is written into the §2 setup now, not discovered on the day	Yash
T-14	Lock the car partner (the first phone call — nothing runs without it)	Hire the CLUB: 12–16 speed-limited 1/16 buggies + 2–3 packs/car + chargers + spares bin + 2 pit crew in the price , per [[TorqCapture — What The Event Needs]] §1 (reuses TorqFall's fleet — no siege-ram uplift , Capture has no heavy attacker). Deal must include: (a) a rehearsal session with ≥6 cars for the full-floor tech bring-up, (b) confirmed car model (bump-ring sizing AND the strap-on marker top fits it), (c) day-of arrival 10:00, (d) parallel charging for ≥12 packs at once — count charger PORTS, not boxes — confirmed in writing (§3's burn math)	Yash
T-14	Venue terms sanity	Confirm in the deal: T-1 build access, mains reliability in writing OR budget the genset (TorqFall needs doc §9 applies to any standalone event), load-in door, bare-floor corner for charging, and a clean overhead rig point — the scoring cam needs a truss/pole over the play-area centre at the height the bench test proved (the one venue-specific tech dependency)	Yash
T-14	Announce + tickets live	Same day the car deal locks: event announced + ticket link up. Two tiers (prices + platform per the tickets block below): team ticket (sold per team of 4–6, solo buyers merged into teams; capped ~18–22 teams — a team ticket is a colour + N qualifying matches + a bracket shot, and the cap enforces the match-count promise at purchase, TorqFall's §1 lesson) + spectator ticket (uncapped; includes open drop-in free-play + Hill quick-round walk-on slots). Waiver signed online in the ticket flow — desk = QR check-in + band; under-18s require a completed guardian-consent field in that online waiver (Ops Standards §5 names minors explicitly), walk-up minors sign with a guardian at the desk	Yash

When	Move	Detail	Owner
T-13	Buy list ordered (gated on the full-span trial)	Everything per [[TorqCapture — What The Event Needs]] §2–§3: the CV scoring hardware (overhead cam + printed marker tops + cabling/mount), the Courier core orbs + zone-tape/coloured gaffer, and — only if the content-hero look is wanted — the LED-rings block (strips + LED-driver ESP32 + 5V PSU). The webcam + printed markers + a tape ring were already bought pre-test (the bench test needed them) — this order is the rest. Before ordering the camera(s), the bench test's full-span Domination trial (Tech trial 6) must have resolved: one cam clears the span → order one; it doesn't → order the second stitched cam (+ ₹5,150–8,500, needs doc §2) OR lock the reduced-ring/marshal-scored Domination plan (₹0). The camera count is a decided number here, not an open question carried to the rehearsal. Book the shared-base rentals (stand, AV/projector, tempo). Do not re-price here — that doc is live	Yash
T-12	Insurance + power decision	2 public-liability quotes; genset vs documented-mains, per venue (TorqFall needs doc §9)	Yash
T-10/T-9	DIY TECH-BRING-UP WEEKEND (see plan below)	Finish the OpenCV script + mode presets, print + strap the fleet markers, build the LED rings — the scoring rig assembled and tested end-to-end on a bench before it ever meets the venue	Yash + 2–3 friends (the future marshals + the tech operator)
T-7	Crew locked	13 names confirmed (roster in §6 — the 12-role base + the new tech/scoring operator); WhatsApp group; roles + call times sent	Yash
T-7	Insurance bound; backup-power decision made	Pick genset rent vs documented-mains-risk, per venue answer	Yash
T-7	Ticket-sales checkpoint	Team-ticket count sets the qualifying plan: <10 teams → 4 matches each + more free-play · 12–18 teams → 3 matches each round-robin · >18 teams → 2 guaranteed + a 3rd space-available, teams of 5–6 with rotating subs to spread the seats; final-week push sized here	Yash
T-3/T-2	FULL REHEARSAL + FULL-FLOOR TECH BRING-UP (the hard gate — see agenda below)	Garage/terrace/venue with ≥6 club cars; the tech must score reliably under a real 6-car pile-up at real truss height and lighting, or the marshal-scoring fallback is locked in for the day	All crew + club cars

When	Move	Detail	Owner
T-1	Pack + stage	Van-pack test done at the tech weekend; bins labelled; charge everything (laptop, cam, LED packs, spare batteries); print walk-up waivers + team sheets + the open drop-in queue list + signage; back up the OpenCV script + mode presets to a second laptop/USB (the software is a SPOF — always carry the backup). Camera SPOF cover (the cam is also Cam 1): the in-budget ₹0 fallback is a phone on the truss running the same ArUco detect — always packed, always available. A spare webcam is the better swap but is an explicitly OPTIONAL buy (+ ₹5,150–8,500, needs doc §2 — not in the required totals); pack it only if the costs stream bought it. So the camera-failure defense never depends on an un-budgeted item: phone-on-truss is the funded floor, the spare webcam is an upgrade if purchased	Yash + 1
T-1	If venue access: pre-build	Roll turf, tape the 3 Domination rings + Hotzone spots, rig the overhead cam + run the calibration once so event-day setup drops to a re-check, not a first-time mount	Build crew

Tickets — pricing + platform (the revenue side of the T-14 announce; owned HERE — no separate commercial doc exists yet)

The needs doc's ₹4L envelope is cost-only; this block is where revenue lives, so the T-14 "tickets live" line is executable and break-even is judgeable. Bands are honest indicative ranges — finals lock at T-14 against the break-even line. Reuse whatever platform TorqFall event #1 proved.

Line	Call
Team ticket (a colour + N qualifying matches + a bracket shot; sold per team of 4–6, capped ~18–22 teams)	Indicative ₹400–800/seat — the team is the unit; teams of 5–6 with rotating subs mean every seat is a person who touches a controller
Spectator ticket (uncapped; includes drop-in free-play + Hill quick-round walk-on)	Indicative ₹200–400
Ticketing platform	Reuse whatever event #1 proved — platform + online waiver + guardian-consent flow ([[TorqFall — Full Run Plan]]) §1 tickets block settles the listed-vs-DIY fee call; don't reopen it

Line	Call
Break-even reality	Spend: ex-venue ₹0.8–1.8L + venue from the ₹2.2–3.2L headroom (needs doc envelope check). Revenue at the bands on a strong house (~20 teams × ~5 seats × ₹400–800 = ₹0.4–0.8L + 100–160 spectators × ₹200–400 = ₹0.2–0.64L) ≈ ₹0.6–1.4L. Two separate claims here, kept apart on purpose (don't conflate them): (1) Ticket-covers-its-own-cost is slightly WEAKER than TorqFall's. Revenue clears ex-venue only in the narrow corner of a strong house on the upper price bands paired with the cheap flat-taped build (₹1.4L rev vs the ₹0.8L build); a mid house does NOT clear ex-venue (mid rev ~₹1.0L < mid ex-venue ~₹1.3L), and matched point-for-point revenue sits below ex-venue at every band (low ₹0.6L < ₹0.8L, high ₹1.4L < ₹1.8L). The revenue/ex-venue coverage ratio (~0.75–0.78) is below TorqFall's (~0.88–0.91: rev ₹1.5–3.0L vs ex-venue ₹1.7–3.3L, [[TorqFall – Full Run Plan]] §1), so on ticket-pays-for-itself terms the odds are marginally worse, not better — treat the gap as the content budget, and price at T-14 so a ~60%-sold day still clears the recurring bar (event #2+ ex-venue ₹0.7–1.5L). (2) Venue headroom IS the largest in the set — a different number: ₹4L envelope – the set's smallest ex-venue = ₹2.2–3.2L for the room (owned base + electronics-only delta), genuinely more headroom than any prior event. The one-time zone kit (₹7.65–32.3k) is brand capex a v2 inherits at ₹0

DIY tech-bring-up weekend (T-10/T-9) — what gets built + tested, in order

*TorqCapture fabricates almost nothing (no gauntlet, no castle stock). The "build" is the **scoring rig** — so this weekend is a bench bring-up, not a woodwork day. Order it so the one true unknown (does the whole pipeline score end-to-end) is proven first.*

Slot	Build / test	Why this order
Sat AM	Shopping run gaps + unbox the cam/laptop/LED kit; print the fleet markers (12–16 + ~4 spares) on card/foam, velcro-back them	Materials + markers on the table before the software work
Sat PM	Finish the OpenCV script + all 5 mode presets (zone map, hold-timer, relocation interval, points cap per mode — Rulebook §4); dry-run marker-detect on a taped ring indoors	The software IS the game — it's the biggest single block
Sun AM	End-to-end pipeline test: cam → OpenCV → count → majority → hold-timer → capture → flip → LED colour + a mock scoreboard, on one taped ring with the printed markers moved by hand. Prove every mode preset loads and scores	The whole rig working once, on a bench, before it meets a venue
Sun PM	Build the LED rings (solder WS2812B to length, wire the ESP32 driver + 5V PSU, test a flip-colour on capture) (<i>only if the content-hero lit rings were green-lit — flat-taped rings skip this</i>) · label bins · van-pack test	Finish, light, pack

Rule of thumb: if the LED rings aren't done, the day still runs — flat-taped rings score identically (the LED is content, not scoring; Rulebook §5 / needs doc §2). The one thing that **cannot** be skipped is the end-to-end pipeline test — that is what the rehearsal then re-proves at full floor scale.

Full rehearsal + tech bring-up agenda (T-3/T-2 — the hard gate; Ops §2/§5 mandate, ₹0)

This is the analog of TorqSiege's rehearsal collapse check: the day the electronic scorer either earns its place at full scale or the marshal-scoring fallback is locked in. Run it with ≥ 6 real club cars, the cam at real truss height, real venue-ish lighting.

Drill	Pass bar
Full-floor scoring bring-up — mount the cam at the proven height, calibrate pixels→rings, load the Domination preset, run 6 cars (2×3) shoving in a ring	Correct per-team count, clean confinement at the ring edge, counts 2–3 overlapping cars, sub-second lag — the bench-test bars, re-hit at floor scale. Miss it → marshal-scoring fallback for the day, and the arena drops to 1–2 bigger rings a human can call
Scoring-uptime endurance — run 20+ mock matches back-to-back, log every marshal override (a wrong count the human had to correct)	Override rate low enough that the tech is the scorer, not the marshal; if the cam drops repeatedly, find the cause (lighting, occlusion, mount) now, not at 15:00
Occlusion / pile-up test — deliberately pile 4–6 cars so markers hide under each other	The "last-seen" hold covers a momentary occlusion; a genuine jam triggers a marshal HOLD cleanly (Rulebook §6.6)
Mode-swap drill — Domination layout → single central ring (Hill), load the new preset	≤5 min layout change (Rulebook §10); each preset loads clean
Cross-zone test — two Domination rings at the planned spacing	A car in ring A is never counted in ring B (the confinement bar; if it bleeds, re-space or re-tune before the day)
Match cadence timing — run 5 mock Domination matches	Match cycle ≤ ~7 min (5–6 min run + 30–60 s reset, Rulebook §4a/§10); confirms §3's throughput math
Max-pack radio bind test — all club TXs powered together, staggered power-on, 6 cars driven at once	Zero glitches for 10 min; else cap live cars per match + appoint the safety floater as radio marshal
Content pre-shoot — the overhead flip-colour map + a last-second contested flip on the mock matches	Teaser reel cut from rehearsal footage (see §4) — the flip-colour map is the hook

2. EVENT DAY — SETUP (venue access 08:00 → doors 12:00; Ops Standards target ≤4 h)

*Simpler + faster than TorqFall's gauntlet setup — no obstacle field, just turf, rings, the barrier rail, and the scoring rig. The one net-new setup step is the **overhead cam mount + calibration** — treat it as the AV team's headline job, with a hard confidence gate before doors.*

Time	Station	Job
07:45	Lead	Keys, walk the hall, mark power points, confirm egress routes, confirm the overhead rig point
08:00	All build crew	Van unload; chalk the play floor inside the 3000 sq ft hall — roll turf, tape every edge + seam. The 3-ring Domination layout needs the UPPER end of the owned roll (~1,000–1,200 sq ft), not the 800 sq ft low end (that low end is fine for the single-zone Hill/Hotzone modes, which mark one ring). See the ring-fit note at 09:00

Time	Station	Job
09:00	Marshals	Tape the 3 Domination rings A/B/C (Rulebook §4a/§5: 1.5–2 m rings, 4–6 m apart, every ring ≥2.5 m off the crowd barrier) + the pre-taped Hotzone relocation spots + the central Hill/Siege ring; lay LED rings into the tape if built; noodle-on-sandbag barrier rail the full perimeter. Ring-fit reality (why this is a tight lay, not a loose one): on the A–C axis the turf must span 2.5 m standoff + 0.75 m ring-radius + two center gaps + 0.75 m radius + 2.5 m standoff, in a band ~2.5+ring+2.5 wide. At the TIGHT end (1.5 m rings, ~4 m centers) that is ~14.5 m × ~6.5 m ≈ 94 sq m (~1,010 sq ft) — inside the owned 1,200 sq ft roll. At the WIDE end (2 m rings, 6 m centers) it grows to ~19 m × ~7 m ≈ 133 sq m (~1,430 sq ft), which overruns the roll — so lay Domination at the tight end of the Rulebook range (~4–4.5 m centers, 1.5 m rings), take the 2.5 m standoffs as the runoff margin (they double as the crowd gap; any overrun spills onto the bare spectator floor, not more turf), and reserve the wider 6 m spacing only if extra turf is bought. Single-zone modes (one ring) fit with room to spare
09:45	Lead + 1	Drivers' stand delivered + assembled (Red one side, Blue the other); flex backdrop behind it; 8 uplights placed
10:00	Club crew (arrive)	Pit + charging corner on bare floor, dedicated circuit, LiPo bags + extinguisher + first-aid staged; cars unloaded, bump rings zip-tied, strap-on team-colour marker tops fitted to every car in the rotation (12–16 — one per car, no mid-reset marker-swap; needs doc §2 fleet-reconcile note)
10:30	Tech operator + AV (the headline setup gate)	Rig the overhead scoring cam over the play-area centre at the proven height; run the pixel→ring calibration; load all 5 mode presets; light the LED rings; push a live test score + flip-colour to the big screen. Marshal drives 6 cars through a mock Domination match — the count must be right, the confinement clean, the flip landing on the big screen. This is the day's scoring confidence gate — if it can't be made reliable by 11:30, the day runs marshal-scored (fallback per THE GATE) and the arena drops to 1–2 bigger rings
10:30	Cameras (arrive)	The overhead scoring cam doubles as Cam 1 (the flip-colour money shot) — confirm the content feed off it; low ring-level tripod for the shove-out; roving gimbal check; FPV strap test on one car (<i>only if the FPV cam was bought — needs doc prices it optional</i>); shoot setup timelapse
11:15	Everyone	Fleet + tag check + max-pack bind test — every car's marker reads on the board (no dead tags on the floor), all TXs on, one full test Domination match down the floor
11:30	Lead	Crew briefing + safety walk : barrier standoff, spectator line ≥2.5 m off any ring, egress clear, extinguisher/first-aid points, the "HOLD" call drill, marshal hand signals; the scoring-fallback call (who says "we're marshal-scoring this block" and how); name the first-aid-trained member (safety/floater) + the nearest hospital (Ops Standards §5)
11:50	Registration (+1)	Desk live: QR ticket check-in + wristband (waivers signed online at purchase — paper only for walk-ups; walk-up under-18s sign with a guardian present — no guardian, no driver band ; minors get a distinct band colour, Ops Standards §5), team sign-up sheet (assign each team to Red or Blue) + the open drop-in queue list , UPI QR + cash box (registration owns it; lead sweeps the cash roughly hourly), refund/rain policy card (indoor = rain-or-shine; cancelled-by-us = next date or refund; no-shows not refunded), data capture. Second desk hand 11:45–13:30 — a build-crew member free after 11:30 — then back to one person
12:00	—	DOORS. MC mic up 12:15, first Domination match 12:30

If T-1 pre-build happened, compress: 08:00 checks + re-tape + **re-run the cam calibration** (not a first-time mount), then as above from 10:00.

3. DURING — THE SHOW (12:30 → ~18:30)

The day is a mode-rotation playlist — a COD session with RC cars. Domination heats (with a Hotzone dropped in for energy) through qualifying → a Domination→Siege Point bracket → a Hill grand final. The big screen is the live scoreboard + flip-colour map the whole time; the tech scores, the marshal is backup for disputes.

Run-of-show blocks

Time	Block	Mode(s)	What happens
12:30–15:45	Open qualifying — the playlist bulk	Domination round-robin, a Hotzone heat mixed into each rotation	Non-elim: every team gets 3 matches (default). Leaderboard = match result + zone-seconds held, live on screen. A Hotzone heat every ~40 min spikes the energy (the relocation scramble). Mode/layout stays put through the block — same-mode resets only
15:45–16:05	Free-play + Courier exhibition + leaderboard lock	Courier (legacy flag-run, exhibition)	Top teams seeded on screen; MC builds the bracket story; a quick Courier delivery-race runs as a palate-cleanser while crew re-lay for the bracket. Nobody waits in silence
16:05–17:05	Bracket — the afternoon climb	Domination → Siege Point (once the crowd reads the game)	Top teams seeded; match winners advance. Siege Point's lock/assault-defend rhythm enters only here — never a walk-in's first match (Rulebook §4d). Losers drop to free-play + consolation laps
17:05–17:25	Free-play + final build	—	Re-lay to the single central Hill ring; MC hypes; crowd called to the rail
17:25–17:45	GRAND FINAL — The Hill	The Hill	One central ring, both finalist teams, hold longest. The purest, most legible finish in the game — one ring, one crowd, a single contested timer everyone watches
17:45–18:00	Podium — the crowned team	—	Trophy + team medals (a team game crowns a team of 5–6, so a medal set not one cup — costed at ₹500–3,000/event in [[TorqCapture — What The Event Needs]] full-event table), the winning colour piles on, crowd shot, MC close
18:00–18:30	Wind-down free-play + photos	—	Doors close 18:30 → teardown

Mode-swap discipline: a 2–5 min re-lay (move/retape rings, load the new preset) is covered by free-play laps + the Courier exhibition + the MC — **within a match nothing moves** (Hotzone relocation and Siege lock are software, not crew; Rulebook §10). The floor is built once on setup morning; the playlist is a software + tape change on top of it.

Match cadence + throughput (the honest math)

TorqCapture is **team-based and lower-throughput than TorqFall by design** — matches are minutes, not 90-second heats, and 4–6 cars run at once, not 6–8 solo racers. The spectacle carries it: every match is a live colour war on the big screen.

Number	Value	Derivation
Match cycle (Domination)	~6–7 min	5–6 min run + 30–60 s reset (Rulebook §4a, §10)
Matches/hour sustained	~8	~9–10 theoretical at 6–7 min; MC gaps + tag-checks eat ~15%. Hotzone (~5 min) and quick Hill fillers (2–3 min) lift the qualifying average slightly — plan on 8
Cars/match	4–6	2×2–3, default 2×3 = 6 (Rulebook §3)
Driver-seats filled/hour	~40–50	8 matches × 5–6 cars
Qualifying matches (3.25 h block)	~26–28	the day's team-match budget
Battery burn	~12–18 packs/hr	6 cars × ~6 min of holding + bursty shoving per match; less than TorqFall's flat-out racing (zone-holding is low-throttle), but the fleet's own 24–48 packs still only hold 4–12 car-hours — recharging is load-bearing from ~hour 2 , not a buffer
Charging reality	~12–16 packs on charge at any moment at peak	Burn 12–18/hr × 45–60 min per LiPo recharge = the steady-state queue — why the T-14 car deal names parallel charging for ≥12 packs in writing. If the pit falls behind, drop to 2×2 matches — never stretch reset time

Can 100–300 people all get a team slot? The team is the unit — register **teams of 4–6, field 3 at once, rotate subs** so every registered seat is a person who touches a controller (the TorqSiege builder-team lever, applied to drivers). Assume ~70% of the gate wants to drive:

Gate	Want to drive (~70%)	How it's served	Verdict
100	~70	~14–18 teams of 4–5; every team gets 3+ matches, subs all drive	Easy — bump to 4 matches each, open drop-in matches in the free-play windows
200	~140	~22–28 people'd need teams of 6 with active sub rotation; ~18–22 teams × ~6 = ~110–130 real seats + drop-in Hill walk-ons	Comfortable with subs rotating; the free-play valve + spectacle covers the rest
300	~210	TorqCapture's honest ceiling. The T-14 ~18–22 team cap (§1) enforces it at purchase — ~110–130 registered driving seats. The spectacle carries non-players (a colour war flips on the big screen every few minutes), free-play + Hill quick-round drop-ins give spectators a taste, subs rotate so a team of 6 = 6 people driving	A registered team slot guaranteed inside the cap; a taste for the rest. Honest frame: this is the lowest-throughput game in the set — the big-screen flip-map is the relief valve, exactly as the collapse spectacle is for TorqSiege

Queue mechanics: wristband at registration → team assigned Red/Blue → team-match schedule on the board → "you're up in N matches." Between their scheduled matches, teams rotate their own subs and take free-play laps. Open drop-in queue fills any empty seat and the Hill quick-rounds.

Roles matrix — who stands where

Role	Station	In-show job
Event lead (Yash)	Floats, owns the clock	Calls block/mode changes; owns the "go marshal-scored" call ; final ruling only when a marshal escalates
Marshal 1 (zone A / Red side)	Floor, zone A end	Foul calls (no ramming a car already out of the ring, Rulebook §7), springs stuck cars, works disputes against the tech's count
Marshal 2 (zone C / Blue side)	Floor, zone C end	Same for the far end; calls "outs" and lifts dead cars clear
Marshal 3 (centre / reset)	Between zones (zone B)	Central-ring judge, HOLD authority for a genuine pile-jam, car-collect + restage between matches (the cadence keeper)
Tech / scoring operator (NEW)	AV table, the scoring laptop	Runs the scorer: loads mode presets, watches the count/flip/scoreboard live, calls a re-calibration or a fallback if the cam drops, keeps the big-screen feed clean. The one role TorqFall/TorqSiege don't have — the tech is the scorer, so this person is load-bearing. Scoring relief = Yash (built the OpenCV script, ran the tech weekend per §1 T-10/T-9, floats so can sit in): Yash holds the laptop for the tech operator's break so a SPOF-role break never defaults to marshal-scoring the whole block. The tech weekend cross-trains a second body deliberately (§1 exposes "the future marshals + the tech operator" to the rig)
Pit crew ×2 (club)	Pit + charging corner	Battery rotation, swaps a charged car (with its own marker) at each reset, repairs; charging never unattended
MC	Stand-side, mic	Countdown every match, calls the swings off the big screen ("Blue's lost B! they're scrambling!"), runs leaderboard + bracket drama
DJ	AV table	Music beds, stings on captures/flips, silence for the final contested timer
Camera 1 (= the overhead scoring cam)	Overhead (locked)	The scoring cam IS Cam 1 — the flip-colour map, rolling every match, never repositioned
Camera 2	Roving	Ring-level shove-outs, the last-second contested flip, faces, team-colour reactions, pit b-roll
Registration	Entry desk	Check-in, waivers, wristbands, team assignment, drop-in queue, data capture
Safety/floater	Crowd line	Barrier discipline, "HOLD" authority, doubles as radio marshal + lunch relief; the day's first-aid lead (hospital route in the crew brief)

Failure playbook (scripted, per Ops Standards §1.6)

The TorqCapture-specific failures all point back to one thing: the scorer. The marshal-scoring fallback is the master switch behind every scoring failure below — the playlist never stops for the tech.

Failure	Script
Scoring camera dies (the hardware SPOF — also Cam 1)	First move = the ₹0 in-budget swap: a phone on the truss running the same ArUco detect — re-seat on the same mount, re-run the pixel→ring calibration (one preset, ≤ the mode-swap window), resume electronic scoring; the flip-colour money shot stays alive at slightly lower image quality. If the optional spare webcam was bought (needs doc §2), swap to it instead for a like-for-like image. Only if the phone (and the spare, if present) also can't hold it does it fall through to the marshal-scored row below. Note: the phone stand-in is always available; the spare webcam is an optional upgrade, so this defense never leans on an un-budgeted buy
Scoring system drops out (whole rig — laptop/software, or both cameras) — the TorqCapture-specific one	Marshal-scored instantly: the three marshals call majority/hold by eye (the rehearsal-proven fallback), MC narrates off their calls, tech operator reboots the laptop/cam between matches, never mid-match . If it can't be revived, the block finishes marshal-scored on 1–2 bigger rings. Never stop the playlist for the scorer
Tag/marker falls off a car	The dropped tag is exactly what the marshal is there to catch (Rulebook §7). Mid-match: the marshal hand-counts that one car until the reset; at the reset the pit swaps a charged car (which carries its own strap-on marker) and continues. No marker re-strapping mid-turnaround
Zone LED fails	Scoring is unaffected — the LED is content, not the scorer (the cam/tape defines the ring; needs doc §2). MC calls the flips off the big-screen number; a single dead strip → drop that ring to flat-taped, keep playing
Contested stall (counts stay equal, nobody captures — a boring deadlock)	The tech pauses the timer automatically (Rulebook §2). If a whole match stalls: in Domination the horn just ends it on low zone-seconds both sides; in a single-zone mode the marshal shrinks the ring or the MC calls a sudden-death single-push overtime (Rulebook §9). A points/time cap always ends it
Overhead-cam occlusion in a pile-up	The "last-seen" hold covers a momentary hide; a genuine marker-jam under a pile → marshal calls HOLD, cars eased apart, the count re-reads (Rulebook §6.6)
Cross-zone bleed (UHF fallback only)	Zones were spaced at the tested distance; if a reader drifts, the tech re-tunes power between blocks — never mid-block
Radio glitch / car ghosting	Marshal calls HOLD → cars eased off → offending TX rebound; if it recurs, cap live cars per match + stagger power-on (rehearsal set the safe cap)
Dead car mid-match	Marshal lifts it clear on the next gap; the match continues short-handed (the count mechanic makes 3-v-2 fair, Rulebook §9 handicap); pit swaps a live spare in at the reset. Never stop the floor for one car
Turf edge lifts	Re-tape patrol every ~30 min (marshal 3 owns it); gaffer in every marshal pocket
Projector/big screen dies	Scoreboard moves to a staged marker board; the tech operator reads the live count aloud to the MC; the game still scores (the laptop still knows), only the audience display is degraded
Mains cut	Per the pre-event decision: genset takes pit + scoring laptop + PA (the scorer is now a power priority, above the projector); pre-charged packs carry matches while AV waits; free-play pauses, matches do not
Mode-swap overrun	Free-play laps + the Courier exhibition + the MC cover any re-lay; never cut the Hill final or the podium to claw back time — cut a qualifying rotation instead

Failure	Script
Crowd surge at the rail	Safety marshal + MC push-back script; matches pause on HOLD until the line is back ≥2.5 m off the rings

4. CONTENT PLAN

*TorqCapture's hero is unique in the set: the **overhead scoring cam is also the content feed** — one device scores the match, drives the big-screen map, and shoots the reels. The zones flipping colour on camera is the single most legible "who's winning" shot TorqWars owns.*

Shot list mapped to the schedule

Moment (time)	Shot	Camera
Setup 08:00–11:00	Cam-mount + calibration timelapse, markers going onto cars, rings lighting up	Cam 2 phone on tripod
First Domination 12:30	The overhead flip-colour map — THE recurring money frame: three rings changing colour live as control swings, a legible map of the war	Cam 1 (the locked overhead scoring cam)
Every capture	The big-screen tick + the ring pulsing the capturing colour	Cam 1 + big-screen grab
Hotzone heats	The relocation scramble — the whole pack breaking for a new ring at once	Cam 1 overhead + Cam 2 low
Every close match	The last-second contested flip — the signature clip: a hold-timer counting down, an enemy car nosing in, a teammate shoving it out at 1 s to save the capture	Cam 2 ring-level + Cam 1
All qualifying	Team-colour reactions on the stand — Red vs Blue cheering, the built-in narrative	Cam 2 roving priority
Bracket Siege Point 16:05	The lock/assault-defend rhythm — attackers racing to flip, defenders repositioning	Cam 1 + Cam 2
All day (<i>conditional — only if the FPV cam was bought</i>)	FPV "storming the point" POV on 1–2 cars per block	FPV cam
Hill final 17:25	One ring, both teams, a single contested timer — the whole crowd on one shot	Cam 1 overhead + Cam 2 low
Podium 17:45	The crowned team, the winning colour pile-on, backdrop in frame	Cam 2 + phone stills
All day	Crowd faces at every flip (the gasp when a zone changes hands — shoot the FACES)	Cam 2 roving priority

Brand rule: the flex backdrop + lit rings sit in every framed shot — the name is always on camera (needs doc §2).

Who shoots what

Person	Owns
Cam 1 op / tech operator	The overhead scoring cam — locked, rolling every match, feeding the score AND the reels (dual duty; the tech operator owns the feed, a cam op can pull clips off it)
Cam 2 op	Ring-level shove-outs, the last-second flip, faces, Hotzone scramble lows; the only roving lens
Registration (idle moments)	Phone stills of the desk queue + team wristbanding for stories
Lead	Nothing. Do not shoot — run the event

Post plan

When	Deliverable	Where
Pre-event (from T-3 rehearsal)	15–20 s teaser: the overhead flip-colour map + a contested-flip save + date card — the hook is the live colour war	IG Reel + story countdown
Event day, live	3–5 stories: doors, first flip, leaderboard, Hotzone scramble, "final tonight"	IG stories
Same night	THE hero reel, 20–30 s: colour war → Hotzone scramble → last-second flip → crowned team. Cut by Cam 2 op before sleep	IG Reel + YT Shorts
T+1	Edit list: top-5 contested flips ranked · full Hill final (60–90 s) · the flip-colour map timelapse of one whole match · FPV POV run (if shot) · crowd-reaction cut	IG + YT Shorts
T+2/T+3	Team-tagged clips (every team gets their best flip) — the reshare engine · "which zone would you defend?" explainer	IG, DM'd to each team
T+4–T+7	Aftermovie 60–90 s + "how the cam scores the game" DIY/tech cut (the overhead map explained — content-first brand catnip)	IG + YT

5. POST-EVENT (T+1 → T+7)

When	Task	Detail
Event night	Teardown ≤2 h (Ops target): markers unstrapped off every car (velcro/zip-tie — comes off clean, nothing left on a rented car) , overhead cam + laptop + LED rings + PSU packed carefully (the electronics are the reusable capex — handle them), tape stripped, turf rolled, stand + AV handed to rental pickup, cars + rings handed back clean, floor swept, venue handback walk. Safety/floater stands gear + cash watch (cars, cameras, the scoring laptop, cash box are the theft targets — Ops Standards §5) until the van is loaded; the kit sleeps at home base the same night	All crew
Event night	Van load per pack list: turf roll, noodle/rail bag, the electronics box (cam, laptop, LED rings, PSU, markers) as fragile/priority , ops bins, spare-everything box	Build crew
Event night	Back up the day's OpenCV score logs + any captured footage off the scoring laptop before it leaves the venue (the scorer is a single point of failure — don't drive the only copy home unbacked)	Tech operator

When	Task	Detail
T+1	Kit triage: check every marker (reprint any bent/peeled), LED-strip + PSU check, cam + cabling check, re-strap-test on a spare car	Yash
T+1	Consumable restock list: a broken marker or two, a tape re-buy, an orb battery — the ~₹0.5–1.5k/event recurring line (needs doc). The electronics all reuse — this is the smallest per-event restock in the set	Yash
T+2	Cost actuals vs plan: fill an actuals column against the needs-doc full-event table; flag every line >20% off band; push corrections back into [[TorqCapture — What The Event Needs]]	Yash
T+2	Learnings review (1 h, whole crew on call): the key TorqCapture metric — scoring uptime + marshal-override count (how often the tech was wrong and the human corrected it) · matches/hour actually hit vs ~8 · contested-stall frequency (did any mode deadlock) · did the mode-rotation flow or did swaps drag · queue/sub-rotation pain · Ops \$5 audit	All
T+3	Fleet debrief with the club: damage bill, strap-marker verdict, lock intent for the next event date	Yash
T+1–T+7	Content pipeline ships per \$4 table	Cam ops / tech operator
T+7	Next-event trigger: scoring-uptime data + reel data in → pick the next event. (a) Clean scoring + strong reels → TorqCapture v2 (add the 3-team Red/Blue/Green variant, deepen Siege Point, shuffle a fresh playlist — the mode set is built for repeats); (b) scoring shaky → tune the OpenCV script / re-tune the tech before the next Capture day, rotate to TorqFall/TorqSiege in the meantime; (c) either way the alternating cadence keeps all three kits earning	Yash

Event #2 economics note: from Capture event #2 the one-time zone kit (₹7.65–32.3k — camera, laptop, markers, LED all reused, strap-on/comes off clean) **drops out entirely**; only the ~₹0.5–1.5k recurring line enters. Ex-venue ≈ **₹0.7–1.5L** — the same shape as TorqFall event #2, since Capture adds essentially no per-event consumable (needs doc envelope check).

6. PEOPLE SUMMARY

Role	Count	Hired / friend / club	Day rate if hired (needs docs)	Call time
Event lead (Yash)	1	Us	—	07:45
Marshals (2 side + 1 centre/reset)	3	2 hired hands + 1 friend	₹2,000–3,000 (the pair)	08:00
Tech / scoring operator (NEW)	1 (+ Yash cross-trained as break relief)	Friend first (or Yash), else hire	₹1,000–2,000 (needs doc §1 — the one new role)	10:00
Pit crew	2	RC club — inside the car deal	In car rental (no ram uplift)	10:00
MC	1	Hired — non-negotiable	₹5,000–10,000	11:00
DJ / music	1	Friend first, else hire	₹3,000–6,000	11:00

Role	Count	Hired / friend / club	Day rate if hired (needs docs)	Call time
Camera ops	2	Friends first, else hire (Cam 1 = the scoring cam, so the tech operator can double here)	₹3,000–6,000 (1–2 ops)	10:30
Registration / queue	1 (+1 build-crew hand borrowed 11:45–13:30 for the door surge)	Friend	—	11:00
Safety / floater (radio marshal + first-aid lead)	1	Friend — must be the first-aid-trained one	—	08:00
Total on the day	13	—	Fully hired ₹14,000–27,000 · friends route ₹8,000–14,000	—

Budget the fully-hired number; friends showing up is upside, not a plan. The **tech/scoring operator is the one net-new role** vs TorqFall/TorqSiege — the tech is the scorer, so this seat is load-bearing, not optional (needs doc §1 costs it ₹1–2k if hired). **Its break relief is Yash, not the floater** — the safety/floater covers lunch for the marshals/crew but cannot run OpenCV scoring, so relief for this SPOF seat is explicitly Yash (cross-trained at the tech weekend), keeping electronic scoring alive through the operator's break instead of dropping the block to marshal-scoring. Crew run all day on the ops-kit water + meals line — nobody leaves post to find lunch.

Pairs with: [[TorqCapture — Rulebook]] · [[TorqCapture — Zone-Capture Tech]] (the bench-test gate — the tech must PASS before the full build) · [[TorqCapture — What The Event Needs]] (re-read before finalising any buy — it is being revised in parallel by the costs stream) · [[TorqCapture — Design Study v1]] · [[Event Ops Standards (all games)]] · [[Car Fleet, Scale & Protection]] (the rented fleet + speed cap + strap-on rule this reuses) · [[TorqFall — Full Run Plan]] + [[TorqSiege — Full Run Plan]] (the sibling run plans this matches). TorqCapture is its **own standalone event** — nothing here shares a day, a floor or a schedule with TorqFall, TorqSiege or TorqBall.

Verified + changelog (2026-09-06): *first build, matched to the TorqFall/TorqSiege Full Run Plan format (pre-event T-14→T-1 with tickets block + DIY/tech weekend + rehearsal agenda · event-day setup hour-by-hour · DURING = the show with throughput math + roles matrix + failure playbook · content plan mapped to schedule · post-event · people summary). TorqCapture-specific spine: (1) **THE GATE** = the [[TorqCapture — Zone-Capture Tech]] bench test PASS as the pre-spend condition (analog of TorqSiege's collapse test), with the **marshal-scoring fallback** stated as the master safety net if the tech drops; (2) a **DIY tech-bring-up weekend** (OpenCV script + mode presets + marker print + LED rings + end-to-end pipeline test) instead of a woodwork build; (3) a **full-floor tech bring-up as the hard rehearsal gate** — the scorer earns its place at 6-car floor scale or the fallback is locked; (4) the **DURING as a mode-rotation playlist** (Domination qualifying + Hotzone heats → Domination→Siege Point bracket → Hill final), with honest match-cadence throughput (~8 matches/hr, 4–6 cars/match, ~40–50 driver-seats/hr — flagged as the lowest-throughput game in the set) and the teams-of-4–6-with-rotating-subbs lever + team-ticket cap (~18–22 teams) so 100–300 all get a slot or a taste; (5) the **new tech/scoring operator role** (the tech is the scorer) across the roles matrix + people summary (13 on the day); (6) a scoring-centred **failure playbook** (rig drops → marshal-scored, tag*

falls off, LED fails, contested stall, occlusion, cross-zone bleed, projector dies, mains cut prioritises the scorer); (7) a content plan built on the **overhead scoring cam doubling as Cam 1** (flip-colour map, Hotzone scramble, last-second contested flip, crowned team). Numbers reconciled to the Rulebook (5 modes, 2×2–3 teams, 5–6 min Domination, ~5 s hold-timer, 30–60 s reset, 2–5 min mode swap) and the needs doc (ex-venue ≈ ₹0.8–1.8L, venue headroom ₹2.2–3.2L, event #2+ ex-venue ≈ ₹0.7–1.5L, tech operator ₹1–2k, strap-on markers = fleet size, no ram uplift, no gauntlet). Tickets block owns the revenue side (team ticket ₹400–800/seat capped ~18–22 teams + spectator ₹200–400; break-even ≈ ₹0.6–1.4L). Permits/venue-timeline out of scope, per the sibling plans.

Amendment (2026-09-06, run-plan stream pass 2): fixed four more examiner findings, all pointing at CV single-camera feasibility and the money behind the scoring SPOF. (1) **CV full-span Domination coverage was never a pre-spend gate** — THE GATE and the bench test tested one taped ring only, so the single-camera-vs-14.5 m-3-ring-span question (a ~70–78° FOV cam needs ~9–10 m truss; a ~10 cm ArUco reads only to ~3 m at 1080p while the far ring is ~11 m slant) would have surfaced at the post-spend T-3 rehearsal, after the T-13 camera buy. Added a **full-span coverage trial** to the Tech doc bench test (trial 6) and made it a **PASS gate in THE GATE run before the T-13 buy**, with the T-13 buy line now requiring the camera count (one / second stitched cam / reduced-ring) to be a decided number, not an open question. (2) **Spare-camera defense leaned on an un-budgeted item** — the failure playbook's first move for a dead cam was "swap to the spare webcam," but the spare wasn't in the funded BOM. Reordered: the **₹0 phone-on-truss is the in-budget primary camera-failure fallback**; the **spare webcam is an explicitly optional buy** (now named in needs doc §2, not in required totals); fixed the T-1 pack line the same way — nothing un-budgeted is load-bearing. (3) **UHF-fallback ≥ 6 m spacing collided with the tight-lay turf fit** — THE GATE's CONDITIONAL branch now states a UHF Domination overruns the owned turf roll (the tight-lay is a CV-only escape) and therefore needs an added turf buy (~₹3–8k, needs-doc contingency) or a reduced-ring/2-zone/bare-concrete Domination with the standoff re-checked; mirrored in needs doc §4. (4) **Podium wasn't costed** — the 17:45 trophy + team medals now cross-references the new ₹500–3,000/event line in the needs-doc full-event table (a team game crowns a team of 5–6). Mirrored in [[TorqCapture — Zone-Capture Tech]] (Option C coverage math + bench trial 6 + PASS/CONDITIONAL) and [[TorqCapture — What The Event Needs]] (§2 second-cam + optional-spare lines, §4 UHF turf branch, podium line).

Amendment (2026-09-06, run-plan stream pass): fixed four examiner findings. (1) **Break-even line was too rosy** — it claimed ticket revenue "clears ex-venue on a mid house, better odds than any prior event," but matched point-for-point revenue (₹0.6–1.4L) sits below ex-venue (₹0.8–1.8L) at every band and the coverage ratio (~0.75–0.78) is BELOW TorqFall's (~0.88–0.91). Reworded to the honest TorqFall standard: revenue clears ex-venue only at a strong house on upper bands with the cheap build, a mid house does NOT clear it, gap = content budget — and split off the genuinely-true claim (venue headroom ₹2.2–3.2L is the largest in the set) as a separate point, no longer conflated with ticket coverage. (2) **Arena geometry was inconsistent** — an "800–1,200 sq ft, room to spare" turf claim against a 3-ring Domination footprint that is ~1,010 sq ft at the tight end and ~1,430 sq ft (overrun) at the wide end. Added the A–C fit math at setup 08:00/09:00, stated Domination needs the upper end of the roll and lays at the tight end of the Rulebook's 4–6 m spacing with the 2.5 m standoffs as runoff, and fixed the parallel "room to spare" wording in [[TorqCapture — What The Event Needs]] §1 + §4 (single-zone modes keep the slack; the 3-ring mode does not). (3) **Scoring SPOF had no named relief** — added **Yash as the cross-trained scoring-break relief** (built the OpenCV script, ran the tech weekend) in the roles matrix + people summary, since the floater cannot run scoring and relief was silently defaulting to marshal-scoring. (4) **No spare scoring camera** — added a spare webcam to the T-1 pack list (the camera is a hardware SPOF and also Cam 1; ~₹5–8k costs-stream

add, phone-on-truss as the ₹0 last-ditch) and a new failure-playbook row: a dead camera swaps to the spare between matches before falling through to marshal-scoring.