

TorqSiege — DIY Build Guide v1

0. What we build, what we buy

Everything the [TorqSiege — Venue Scenarios & Build Plan v1](#) §4 table marks **DIY**, turned into a shopping list, a cut list and a step-by-step. Prices are Sept-2026 India ballparks — check the live listing before ordering. Amazon links are **search links**, not fixed listings, so they keep working when a seller changes. Same DIY kit in all 3 venue scenarios — see the Venue Scenarios doc §4 for why.

Item	Build time (3 people)	Est ₹	Section
Castle stock — cardboard panels, EPS crown blocks, EVA base bricks + core orbs	1 day (the scoring line)	9,700–24,900	§2/§3
Build-zone markout (chalk/tape + tarp)	1 hour, on the day	0–200	§4
Debris/crowd standoff noodle top-up	1 hour	1,650–2,750	§5
Strap-on weapon system + weapon rack	1 day	5,800–8,300	§6
Material bins ×8 + reset kit + countdown clock/horn	Buy + 1 hour setup	3,700–6,900	§8
Tools, if we own none	—	3,000–5,000	§1

Not in this guide (vendor): build tables, branding print, DJ/sound, food, party tent + portable AC (Scenario C only), the siege ram (comes with the car deal), public-liability insurance — see the Venue Scenarios doc §4.

1. Tools + consumables — one shopping run

Buy once, reuse every TorqSiege event. Skip anything already in the garage.

Tools

Tool	Why	Est ₹	Where
Craft/utility knives + spare blades	All cardboard/EPS scoring and cutting	200–400	amazon.in
Steel ruler, 60–100 cm	Straight scored fold lines	250–450	amazon.in
Cutting mat, A2/A1	Protects the floor, guides straight cuts	500–900	amazon.in
Marker / chalk pencil set	Marking fold lines and the floor markout	100–200	amazon.in
Cordless drill/driver, 12–18 V, with bit set	Weapon rack + mount-plate assembly	2,500–4,500	amazon.in

Tool	Why	Est ₹	Where
Jigsaw	Ram plates, rack A-frame cuts	2,500–4,500	amazon.in
Hand saw (PVC + battens)	Cuts noodle stubs and rack pipe cleanly	300–500	amazon.in
Measuring tape 5 m	Arena/zone markout layout	200–350	amazon.in

Consumables (shared across every section below)

Item	Qty	Est ₹	Where
Fevicol SR 998 contact adhesive (foam/EVA lamination)	1 L	400–600	amazon.in
Cable ties 200 mm, black	100	200–350	amazon.in
Gaffer tape, black, 2 rolls	2	500–900	amazon.in
Chalk-line / marking tape, bright colour	3 rolls	450–900	amazon.in
Heavy-duty adhesive velcro, 25 mm	5 m	400–800	amazon.in
Empty sandbags (fill locally)	20	800–1,500	amazon.in
Sand	1 bag	100–200	Local hardware / construction supplier

Local, not Amazon: plywood and PVC pipe (timber yard / local hardware, take §6's cut plan), recycled cardboard (kabadiwala pickup), thermocol/EPS blocks (packaging supplier), EVA foam mats (foam supplier).

2. Castle block set + core


Castle block set + core

Cardboard panels (scored) + EPS crown blocks + EVA base bricks + the LED core orb — sized per What The Event Needs §1

TORQWARS

A · CARDBOARD PANEL — 40 x 30 cm, double-wall, pre-scored

40 cm




scored fold lines — the buckle is the collapse mechanic

~0.3–0.5 kg each · 350 panels total (2 castles x ~50 in play + 250 reserve = the model's worst-day kill of 240)
Kabadiwala scrap, ₹15–25/kg — scored at home before the event

B · EPS (THERMOCOL) CROWN BLOCK — 200 x 100 x 100 mm


10 cm



20 cm

Molded, not cut from sheet — trade beat at this qty
250 blocks (~25/castle in play + 200 reserve)
Struck crown blocks shatter — the camera payoff

C · EVA BASE BRICK — 30 x 20 cm, laminated to 30–40 mm depth




2–3 laminated ~10 mm mats

30 cm

Near-indestructible — ~0 losses/event
50 bricks: base courses ~20/castle in play + 10 spares
What "reinforcement tokens" buy in the reinforce phase

D · CORE — LED glow orb on a printed/foam cradle



cradle — 3D-print or foam, sits atop the wall

4 orbs total (1/castle x 2 + 2 spares)
Topple the glowing core = the win condition
Orb ~₹300–600 · cradle we print/make, ~₹400 for 4

cardboard panel EPS crown block EVA base brick core orb + cradle

The consumable that makes TorqSiege TorqSiege. Sizes and quantities are the destruction model from [TorqSiege — What The Event Needs §1](#): 2 castles, sieged twice per cycle, 12–16 cycles a day — **~10–15 cardboard panels + ~8–12 EPS blocks die per cycle**, so the stock below covers a full event day with margin. EVA base bricks are near-indestructible.

Materials

Item	Qty	Est ₹	Where
Cardboard panels, pre-cut + pre-scored, 40 × 30 cm double-wall	350 (2 castles × ~50 in play + ~250 reserve)	2,500–6,000	Kabadiwala scrap, ₹15–25/kg
Thermocol (EPS) blocks, 200 × 100 × 100 mm, molded	250 (~25/castle in play + 200 reserve)	3,500–8,000	Packaging supplier
EVA foam mats, ~10 mm, laminated to 30–40 mm brick depth	17–34 (for 50 bricks)	2,600–8,500	amazon.in / foam supplier
LED glow orbs (the core)	4 (1/castle × 2 + 2 spares)	1,200–2,400	amazon.in
Orb cradles/pedestals	4	400	We print/make
Cutting kit (from §1, if not already bought)	1	1,500	Hardware store

Item	Qty	Est ₹	Where
Castle stock total		≈ 9,700– 24,900	

Cut list

- Cardboard panel: 40 × 30 cm, scored in thirds (two vertical fold lines at 13 cm and 27 cm) plus one horizontal fold line at 15 cm — see §3's jig
- EPS block: bought molded to 200 × 100 × 100 mm, no cutting needed
- EVA brick: 30 × 20 cm, 2–3 laminated ~10 mm mats glued face to face with Fevicol SR to reach 30–40 mm depth

Steps

1. **Score every cardboard panel** using the jig in §3 before the event — the venue only stacks, it never scores.
2. **Laminate the EVA bricks:** coat two mat faces with Fevicol SR, press together, weight flat for 30 minutes, repeat for a third layer if the collapse test picked the thicker recipe.
3. **Print or foam-cut the orb cradles**, sized to sit flush on top of a stacked wall without the orb rolling off.
4. **Sort and bag** panels, blocks and bricks separately into the material bins (§8) — panels flat and strapped, EPS loose-bagged, EVA bricks stacked.
5. **Test:** stack a mock wall of scored panels + a crown of EPS blocks to the collapse-test-approved recipe, hit it with a capped-speed car. It should cascade — blocks flying, panels buckling at the score lines — inside 60 seconds of rebuild time. If it doesn't, the recipe isn't the one the [TorqSiege — Collapse Test Protocol v1](#) passed; don't substitute on the day.

3. Cardboard scoring jig / cut plan

Cardboard scoring jig

TORQWARS

The ~350-panel production line — one jig + 3 people, ~1–2 min/panel once flowing (Full Run Plan, DIY build weekend)

A · JIG TOP VIEW — knife + steel ruler run along fixed fold guides



Cutting kit: craft knives + steel ruler + scoring jig + cutting mat + marker — one kit, ₹1,500, from a hardware store
All scoring happens at home before the event — the venue only stacks

B · BUILD-WEEKEND FLOW (Sat AM–PM)

- 1 Kabadiwala pickup + panel sort (reject bent/damp stock)
- 2 Jig + 3 people score fold lines, target ~350 panels
- 3 Cut 50 EVA bricks in parallel (laminates if double-thick)
- 4 Bundle scored panels flat + strap for the van

■ cardboard panel ■ scored fold line ■ guide batten

The single biggest labour block in TorqSiege: **one jig + 3 people, ~1–2 min/panel once flowing**, per [TorqSiege — Full Run Plan](#)'s DIY build weekend. Budget a full day for 350 panels.

Materials

Item	Qty	Est ₹	Where
Timber batten (guide rail)	2 m	150–250	Timber yard
Screws (fix the guide battens to the cutting table)	1 box	150–250	amazon.in
Cutting kit (craft knives + steel ruler + cutting mat + marker, from \$1)	1	—	—
Jig total (beyond \$1's kit)		≈ 300–500	

Steps — build the jig, then run the line

1. Screw two guide battens to a cutting table at the fold-line spacing (13 cm / 14 cm / 13 cm for a 40 cm panel), so a steel ruler drops into the same slot every time.
2. **Kabadiwala pickup + sort** — reject bent or damp stock before it hits the jig.
3. **Score, don't cut through** — a knife run lightly along the guide, just enough to crease the double-wall so it buckles under a hit instead of resisting it.

- 4. **Cut 50 EVA bricks in parallel** on a second table while the scoring line runs (§2).
- 5. **Bundle** scored panels flat and strap them for the van — a scored panel that gets bent the wrong way before the event is a wasted panel.
- 6. **Test:** time the line for 20 minutes. At target rate (1–2 min/panel, 3 people) that's 10–20 panels — if it's slower, the guide battens need to be closer to the blade hand, not further scoring instruction.

4. Build-zone markout

Build-zone markout

2 castle zones + run-up lanes, chalk + tape on the arena turf, per What The Event Needs §4 — tarp under every zone (thermocool is the

Not a build — a floor markout. Chalk or gaffer tape lays out the whole arena in under an hour on event morning, per [TorqSiege — What The Event Needs](#) §4: **2 castle zones (2 × 2 m each, 4–5 m apart)**, a tarp under each, and **6–7 m attack run-up lanes** to both zones.

Materials

Item	Qty	Est ₹	Where
Tarp, 2 × 2 m	2 (from the reset kit, §8)	—	—
Chalk-line / marking tape (from §1 stock)	—	—	—
Gaffer tape (from §1 stock)	—	—	—
Markout total		≈ 0–200	

Steps


- 1. Tape or chalk the arena boundary first — $9 \times 8 \text{ m} \approx 775 \text{ sq ft}$ per [TorqSiege — What The Event Needs](#) §4.
- 2. Mark the two $2 \times 2 \text{ m}$ castle zones, 4–5 m apart, at one end of the arena. Lay a tarp under each — thermocol is the notorious mess, and the tarp halves teardown time.
- 3. Chalk the two 6–7 m run-up lanes from the open end straight to each castle zone.
- 4. Mark the debris/crowd standoff line 2.5–3 m back from both castle zones on every open side (this is where §5's noodle rail goes).
- 5. **Test:** walk the whole markout with a tape measure before the crew brief. A crooked run-up lane reads badly on the overhead camera and confuses the attacker queue.

5. Debris / crowd standoff barrier

Debris / crowd standoff

~10 pool noodles on sandbag bases extend TorqFall's ~30-noodle rail around the siege zone — EPS flies by design, Needs doc §3


A · GATE UNIT
pool noodle on a sandbag-set PVC stub



25 mm PVC cut into 300 mm stubs, capped one end. Slide the noodle over the stub, push into the sandbag. Same build as the TorqBall noodle line — cars bounce off, EPS/debris passes over — it's a driver/crowd LINE, not a wall.

■ noodle gate unit ■ siege zone turf

B · RING LAYOUT
2.5–3 m back from both castle zones, all open sides



10-noodle top-up closes the gap
TorqFall's own rail leaves short



TorqSiege never builds a hard barricade — the standoff is always a **soft noodle-on-sandbag line**, because EPS flies by design and a hard wall would just bounce debris back into the zone. This tops up TorqFall's existing ~30-noodle rail, which comes up short of a full 2.5–3 m ring around the siege zone, per [TorqSiege — What The Event Needs](#) §3.

Materials

Item	Qty	Est ₹	Where
Pool noodles, 1.2 m	10	1,500–2,500	amazon.in
25 mm PVC pipe, 3 m	1 length	150–250	Local hardware

Item	Qty	Est ₹	Where
Sandbags (from §1 stock)	10	—	—
Standoff top-up total		≈ 1,650–2,750	

Cut list

- 25 mm PVC cut into 10 × 300 mm stubs, capped one end each

Steps

1. Slide each noodle onto a capped PVC stub so the stub sits inside one end.
2. Push the stub into a filled sandbag so the noodle stands upright on its own.
3. Space the gate units evenly along the 2.5–3 m standoff line marked in §4, closing the gap TorqFall's own rail leaves short.
4. Gaffer-tape any joints where two noodles meet end to end.
5. **Test:** roll a spare EPS block at the line from arena speed. It should bounce or roll past — the noodle line is a driver/crowd boundary, not a wall, and it must never trip a marshal doing the reset sweep.

6. Strap-on weapon system + weapon rack

Strap-on weapon system

Fleet is RENTED — nothing bolts, screws or glues to a car. Velcro cinch + foam padding only (Build Phase & Weapons v1 §5)

A · MOUNT — velcro-cinched over the stock bumper

2 straps + foam padding per car, ~8 fitted cars
 Straps off clean in seconds at handback — club check:
 nothing left on a rented car, no residue (Full Run Plan §5)

B · THE PICK

WEDGE

RAM

GRAPPLE

Wedge = the safe default (beginner pick).
 Ram = concentrated punch for the keystone kill.
 Grapple = snag + drive away, the cinematic pull.
 Draft/pick before each siege — the weapon wall.

C · WEAPON RACK ("THE WALL") — PVC/plywood A-frame

The pit-lane display drivers pick + strap from —
 a content set-piece + kid magnet (Needs doc §3).
 PVC/plywood frame + printed/hardware hooks, we make.
 Beside the run-up start: pick → strap → launch, one lane.

A-frame, PVC/ply + hooks

rented car body
velcro strap
3D-print / plywood weapon
weapon rack (ply/PVC)

The fleet is rented. Nothing bolts, screws or glues to a car — every weapon mounts with velcro cinch straps + foam padding over the stock bumper, per [TorqSiege — Build Phase & Weapons v1](#) §5. Straps come off clean in seconds at handback.

Materials

Item	Qty	Est ₹	Where
Wedge/plow, plywood or 3D-print PLA	6 (4 live attackers/siege + 2 swap spares)	2,000–3,000	Plywood: timber yard · PLA: amazon.in
Ram plate, flat plywood face	2	800	Timber yard
Grapple hook, PLA hook + cord	2	500	amazon.in + 3D-print
Velcro cinch straps + foam padding	20 (~8 fitted cars × 2 straps + spares)	1,500	amazon.in
Spare straps + spare plywood/filament	lot	500–1,000	Hardware store
Weapon rack ("the wall") — PVC/plywood A-frame + hooks	1	500–1,500	Local hardware / amazon.in
Weapon system total		≈ 5,800–8,300	

Cut list

- Mount padding: foam strip cut to the width of the stock bumper, one per fitted car
- Weapon rack: A-frame from 25 mm PVC or plywood, ~1.5 m tall, 4 hook stations

Steps

1. **Cut the padding** to the bumper width for each of the ~8 fitted cars.
2. **Build each weapon** — wedge (plywood or printed PLA), ram plate (plywood face), grapple (printed hook + cord).
3. **Cinch-fit test on a borrowed club car:** velcro-strap the padding + mount plate over the stock bumper, clip a wedge on, confirm nothing needs a tool to remove.
4. **Build the weapon rack:** assemble the PVC/plywood A-frame, screw on 4 hook stations, stand it beside the run-up start next to the driver stand.
5. **Test:** strap a weapon on and off in under 60 seconds — the Full Run Plan rehearsal's own pass bar — and confirm the club's handback check finds nothing left on the car, no residue.

7. Build order — D5 to D11

Slots into the [TorqSiege — Venue Scenarios & Build Plan v1](#) §5 timeline.

Day	Focus	Needs
D5–D8	Castle-stock scoring line (§2/§3) — the longest single job, run daily	Cutting kit, jig, 3 people
D5–D7	EVA brick cutting + orb cradle prep, in parallel	Fevicol SR, clamps

Day	Focus	Needs
D5–D8	Weapon strap-mounts + weapon-rack build, in parallel	Drill, jigsaw, PVC/plywood
D6–D8	Debris standoff assembly + build-zone markout dry-run	PVC, noodles, chalk
D6–D8	Branding print ordered (vendor , the one item with real lead time)	—
D9	Crew brief + roles locked	—
D10	Full rehearsal — 2 mock cycles + a collapse re-check with the real fitted cars	Everything above, packed
D11	Load-in + setup	Van, labelled bins

8. Cost roll-up

The DIY kit is the same across all 3 venue scenarios — TorqSiege's own docs don't fabricate anything differently by venue type; only the vendor lines (tent + portable AC, Scenario C only) sit on top. See [TorqSiege — Venue Scenarios & Build Plan v1](#) §4.

Block	Est ₹
Castle stock + core (§2)	9,700–24,900
Cardboard scoring jig, beyond the shared cutting kit (§3)	300–500
Build-zone markout (§4)	0–200
Debris/crowd standoff top-up (§5)	1,650–2,750
Strap-on weapon system + weapon rack (§6)	5,800–8,300
Material bins ×8 + reset kit + countdown clock/horn (one-time, TorqSiege — What The Event Needs §3)	3,700–6,900
DIY build total (all scenarios)	≈ 21,150–43,550
Tools if none owned (§1)	+3,000–5,000

This lines up with the ≈₹22,500–42,500 one-time siege kit in [TorqSiege — What The Event Needs](#) §3 — it's the same kit, split out here by build section. Vendor lines (build tables, branding print, DJ, food, insurance, and Scenario C's tent + AC) sit on top — see the Venue Scenarios doc §4.

9. Safety while building

- Glasses and mask for every EPS cut and every Fevicol SR glue-up — the fumes need open air.
- Sand every cut edge on the weapon rack and mount plates before they go near a car or a hand.
- Nothing electrical here beyond the LED core orbs and the countdown clock/AV — mains stays with the venue's socket and the pit's own surge strip, per [Event Ops Standards \(all games\)](#) §5.

- Strap-only, always: no bolt, screw, glue or zip-tie touches a rented car's body or chassis. The handback check is a person, not a hope — name the crew member who does it before anything ships.
- LiPo/charging protocol is not a build step in this guide — it belongs to the pit + charging corner the RC club brings; see [Event Ops Standards \(all games\)](#) §5.